



Sears, Roebuck and Co., Chicago

**Originators of the Guarantee that
Stands the test in the Scales of Justice**

Paints and Oils

THIS Special Catalog is made up of pages taken from our big General Catalog No. 138. On page 1194 are references to pages 1188 and 1189. These pages will be found between pages 1203 and 1204.

WE REQUIRE cash with order. The best ways to send money are in the form of an express money order, postoffice money order, a bank draft, your personal check or currency in a registered letter.

Freight, Express and Parcel Post Rates Are on Pages 1211A, 1212A and 1213A.

SEROCO PAINTS



**Seroco Paint
Is Made in Our
Own Paint Factory.**

We control every step in the process of making our paints. We test all raw materials in our laboratory for pureness and these ingredients

are blended, ground and mixed under expert supervision. Our guarantee is very broad and binding and every part of

the process is subject to the most rigid inspection.

Our Seroco Paint is made to fulfill two requirements—protection and appearance. It makes a beautiful, glossy surface that readily sheds water and protects and preserves the surface underneath from rot and decay.

Ready to Use—We make our paint with the one idea in mind of having it suitable for use by the home owner who is not used to painting. We prepare the paint in our factory ready to use. There is nothing for you to add and nothing to do but open the can, stir up the paint thoroughly and brush it onto the house. Our paint spreads easily and evenly and anyone without any previous experience can do a good job of painting with it. Send for our "How to Paint" Booklet if you want detailed advice or instruction on painting.

COLORS AND PRICES OF SEROCO READY MIXED HOUSE PAINTS.

These colors with the exceptions of black and white are shown on the opposite page.

Order by catalog number and state color wanted.

30R209—Beaver.	30R237—Dark Gray.	30R259—Light Gray.	30R208—Pearl.
30R239—Black.	30R202—Dove.	30R235—Light Stone.	30R217—Pure Blue.
30R218—Buff.	30R236—Emerald Green.	30R224—Maroon.	30R258—Seal Brown.
30R206—Canary.	30R216—Fawn.	30R244—Medium Green.	30R233—Slate.
30R230—Chocolate	30R201—French Gray.	30R232—Myrtle Green.	30R219—Terra Cotta.
Brown.	30R253—Golden Green.	30R213—Nile Green.	30R256—Tinted White.
30R246—Colonial Yellow.	30R221—Leather Brown.	30R252—Oak Wood.	30R226—Willow Green.
30R254—Cream Tint.	30R207—Lemont Stone.	30R229—Oxide Red.	30R257—White (Inside).
30R215—Cream.	30R223—Light Blue.	30R204—Pea Green.	30R243—White (Outside).

50-gallon barrel.....(Shipping weight, 750 lbs.).....**Price, per gallon**...\$2.38

25-gallon ½ barrel...(Shipping weight, 375 lbs.).....**Price, per gallon**... 2.40

5-gallon can.....(Shipping weight, 75 lbs.).....**Price, per gallon**... 2.44

3-gallon can.....(Shipping weight, 45 lbs.).....**Price, per gallon**... 2.45

1-gallon can.....(Shipping weight, 15 lbs.).....**Price, per gallon**... 2.48

1-quart can.....(Shipping weight, 5 lbs.).....**Price, per quart**... .66

NOTE—On painted surfaces in fairly good condition apply two coats of Seroco Ready Mixed House Paint just as you receive it. On surfaces that never have been painted, and on old, porous surfaces badly in need of paint, three coats should be applied; the first coat thinned in proportion of 1 pint of turpentine and 1 pint of linseed oil to each gallon of Ready Mixed Paint. If you need turpentine and linseed oil with your paint, send for our daily quotation card for prices before ordering your paint.

The difference in the price per gallon of paint in the various containers is due to the cost of putting up and handling as well as the difference in cost of the various containers. For example, five empty 1-gallon cans cost us more than one empty 5-gallon can and five empty 5-gallon cans more than one empty half barrel, and so on.



GUARANTEE

We guarantee our House Paint to give you the service you have a right to expect; that it represents full value for the price you pay. After applying a portion of any House Paint purchased from us, if you are dissatisfied in any way, you may send back the remainder and we will return the price you paid for the entire quantity, including all shipping charges you paid. Or, if after you have applied all the paint and have followed our directions—which state that two coats of paint should be applied to old surfaces and three coats to new surfaces—you are not satisfied with the service it gives, we agree to furnish new paint free of charge and pay the shipping charges.


Sears, Roebuck and Co.

SEROCO PAINTS

Seroco Is Our Own Trade Mark, Registered in U. S. Patent Office.

Seroco House Paint

For Prices and Description See Page 1192



TINTED WHITE



CREAM TINT



CREAM



BUFF



DOVE



TERRA COTTA




OXIDE RED




MAROON



CANARY



COLONIAL YELLOW



OAK WOOD



FAWN



BEAVER



SEAL BROWN




LEATHER BROWN




CHOCOLATE BROWN



PURE BLUE



PEARL



LIGHT GRAY



LIGHT STONE



LEMONT STONE




FRENCH GRAY



MEDIUM GREEN



LIGHT BLUE



DARK GRAY



NILE GREEN



PEA GREEN



WILLOW GREEN




GOLDEN GREEN



SLATE



MYRTLE GREEN



EMERALD GREEN

Porch and Floor Paints

For Prices and Description See Page 1204



YELLOW



BUFF



LIGHT BROWN



GRAY



LEAD COLOR



DRAB



MAROON

Shingle Stain

For Prices and Description See Page 1196



30R1186--Bungalow Brown



30R1185--Red



30R1181--Moss Green

Barn Paint

For Prices and Description See Page 1197



30R800--Oxide Red



30R850--Maroon



30R830--Yellow



30R820--Dark Gray

These color reproductions are as nearly accurate as can be produced with printing ink. We are sure that the color of the paint itself will be satisfactory. If you are not satisfied with the color after applying the first few brushfuls of paint, return the entire shipment at our expense and we will return your money including the freight charges.

The Formula of Contents Is On Every Can of Seroco Paint.

Sears, Roebuck and Co. 1193
145R Chicago

Send for
this Book
IT'S FREE

THIS BOOK WILL TELL YOU

HOW TO PAINT

Mr. Home Owner!

You can paint! You can do all your own decorating. You can save yourself money! Our "How to Paint" Book will tell you all about it. Send for it. It's Free!




Auto Varnish-Paint

For Prices and Description
See Page 1197

This is a high gloss paint. The color chart shows only the color.



30R1700 LIGHT YELLOW



30R1760 AUTO GRAY



30R1720 MOUSE GRAY



30R1710 RED



30R1750 DARK BLUE



30R1730 DARK GREEN



30R1740 BLACK

Seroco Flat Finish Paint

For Prices and Description See Page 1183



Ceiling
30R2005
Cream

Perforated
Stencil
Pattern
30R409

Side Wall
30R2004
Pearl Gray




Ceiling
30R2018
Green Tint

Perforated
Stencil
Pattern
30R445

Side Wall
30R2019
Medium Green




30R2005 CREAM



30R2007 SHELL PINK



30R2018 GREEN TINT



Ceiling
30R2005
Cream

Perforated
Stencil
Pattern
30R446

Side Wall
30R2008
Light Buff




Ceiling
30R2015
Light Tan

Perforated
Stencil
Pattern
30R432

Side Wall
30R2009
Seal Brown



30R2015 LIGHT TAN



30R2016 BLUE TINT




30R2008 LIGHT BUFF

Buggy Paint

For Prices and Description
See Page 1197

This is a high gloss paint. The color chart shows only the color.



30R1600 PURE YELLOW



30R1630 COACH GREEN



30R1640 DARK GREEN



30R1660 DARK WINE



30R1610 VERMILION



30R1620 LIGHT WINE



30R1670 BLACK

Gloss Enamel

This is a high gloss paint. The color chart shows only the color. For Prices and Description See Page 1189.




30R2162 IVORY



30R2152 CREAM



30R2154 PEA GREEN




30R2160 LILAC



30R2156 LIGHT BLUE



30R2155 NILE GREEN



30R2159 PINK



30R2163 LIGHT GRAY

Kalsomine

For Prices and Description See Page 1188



30R2600 TAN




30R2603 SEPIA BROWN




30R2604 LIGHT GREEN



30R2612 Light Delft Blue




30R2610 FRENCH GRAY




30R2608 LIGHT BUFF



30R2609 SHELL PINK



30R2606 CREAM



30R2616 PEARL GRAY



30R2614 SALMON PINK



30R2613 PEA GREEN




30R2615 SEA GREEN

SEROCO PAINT

SEROCO PAINT is made from white lead, zinc oxide, calcium carbonate, barium sulphate, magnesium silicate, linseed oil and dryer. The formula of the Outside White is printed below. You will notice that several different materials are used in the manufacture of Seroco Paint. This is for the reason that a paint composed of three or four pigments of different size particles forms a less porous film than a paint made from one or two pigments. It will thus be seen that by balancing each formula so as to supply what is lacking in one pigment by the addition of others we produce a paint the pigment particles of which render adequate support to the oil film and at the same time do not chemically act upon it to destroy it. Innumerable laboratory and exposure tests have shown conclusively that the linseed oil of any paint is of more vital importance than any pigment which may be added to it. The best paint, therefore, is one which is made of absolutely pure linseed oil and the proper proportion of pigments which have no effect on linseed oil.

We could tell you in technical terms of the problems which enter into the manufacture of paint; of the ingredients from which it is made and the process these ingredients must go through before the finished product is produced. But all this would avail nothing—unless we were willing to back these statements with our guarantee.

And that is why you will find the formula for the manufacture of Seroco Paint on every can we sell. Open and above board, we frankly tell you the ingredients which compose Seroco Paint—and back of this formula is our rigid guarantee.



The Formula of Contents Is on Every Label.

Of course you would like to know that the paint represents full value for the price. For this reason every can of Seroco Paint shows the formula of contents on the label. You naturally want to know something of its contents, of its protecting, wearing and preserving qualities and its appearance. When you buy Seroco Paint you are sure of all these qualifications before you invest a penny. Our guarantee of **ABSOLUTE SATISFACTION** protects you. This guarantee makes you the sole judge. We put the decision squarely up to you.

We have made numerous tests of Seroco Paint and after years of weather exposure it has proved that its wearing qualities are of the highest standard. We want you to try Seroco Paint and put it to the most severe test. Seroco Paint will prove what we claim for it.

If a more durable paint could be made, we would make it. And if at ANY time you feel that you are not satisfied; that you could have done better elsewhere; that you have not saved money, or that the paint is not wearing—we agree to make it **RIGHT!** Can you find a squarer man to man offer than this—could anybody be more fair?

We show here-with the formula of Outside White Seroco Paint. An inspection of this formula will show how carefully the pigment portions have been balanced. All colors are made just as carefully.

ANALYSIS No. 243. OUTSIDE WHITE.

	Total	Solid Materials	Liquids
Sublimed White Lead..	25.0%	36.6%	
Zinc Oxide	8.3%	12.2%	
Calcium Carbonate	23.3%	34.2%	
Barium Sulphate	6.7%	9.7%	
Magnesium Silicate	5.0%	7.3%	
Linseed Oil	27.5%		87.0%
Naphtha Dryer	2.2%		6.8%
Naphtha	2.0%		6.2%
	100.0%	100.0%	100.0%


AS THE years have brought advances in science, in manufacture, in education, so have we continually developed our paint products to their present high standard.

The latest methods of handling, the most advanced machinery, the perfected formulas for the mixture of ingredients have brought Seroco Paint to a degree of excellence which years ago seemed unattainable.

As experiments teach our experts new and better ways of producing paint, these discoveries are immediately put into use, so that our customers may be assured of the best that we can provide. Naturally, also, we take advantage of the progress science makes in this direction with the end in view of bringing Seroco Paint to the highest state of development.

Our guarantee, which protects the purchaser even after Seroco Paint is applied, is evidence indeed of our firm belief in Seroco quality. The test of wear is the only real test for paint quality, and a guarantee which fully covers that point must of necessity go only with a product of unquestioned quality.

HOW TO MEASURE YOUR HOUSE FOR PAINTING



To find the quantity of paint you require, measure the length, width and height of the building. Add together the total length in feet of the two sides and two ends of the building. Multiply this by the height of the building. Then divide the number of square feet of building surface by 250 and you have the number of gallons required for the building.

For example, suppose your building measures 26 feet wide, 33 feet long and 22 feet high, you would figure it as follows:


Front	26 feet
One side	33 feet
Back	26 feet
Other side	33 feet
Total	118 feet
Multiply this by height	22 feet
Total	2,596 sq. ft.

Divide this by 250, which represents the approximate number of square feet of surface that 1 gallon of our paint will cover, two coats. You will find this gives about 11 gallons. If the surface is in good condition and has been previously painted, it should not require even that much, and if the surface has never been painted we recommend three coats for a first class job. In figuring the amount of trimming required, the rule of 1 gallon of trimming to 5 gallons of body is usually followed. If you want to paint a barn or a fence, measure the same way as we have measured this house, and figure the amount of our barn paint accordingly.

To determine the quantity of roof paint or stain, multiply the length of the house by the width, then add one-third that amount and the total will be the approximate area of the roof. Now divide by the covering capacity per gallon of the paint or stain you wish to use.



POLICY HOUSE PAINT



Policy House Paint can be furnished in the following colors only. These colors are illustrated under Seroco House Paint on page 1193. For instructions on how to measure your house for paint see page 1195:

- | | |
|------------------------|---------------------|
| 30R709—Beaver | 30R759—Light Gray |
| 30R718—Buff | 30R735—Light Stone |
| 30R706—Canary | 30R713—Nile Green |
| 30R746—Colonial Yellow | 30R744—Medium Green |
| 30R715—Cream | 30R729—Oxide Red |
| 30R754—Cream Tint | 30R704—Pea Green |
| 30R737—Dark Gray | 30R708—Pearl |
| 30R702—Dove | 30R758—Seal Brown |
| 30R716—Fawn | 30R733—Slate |
| 30R701—French Gray | 30R756—Tinted White |
| 30R721—Leather Brown | 30R726—Willow Green |
| 30R723—Light Blue | 30R743—White |



If You Want to Use a White Lead and Zinc Paint You Can Make a Big Saving by Buying It From Us.

Policy House Paint will wear practically as well as any other white lead, zinc and oil paint, but from exhaustive tests that have been made, all the evidence proves that our Seroco Paint is more durable than any combination of white lead, zinc and oil that we have yet been able to find.

Policy House Paint is made of white lead, zinc oxide and pure linseed oil with pure turpentine japan dryer and enough color to make the desired shade. It is made of the highest priced materials and costs just as much to make as the highest priced paints on the market today. The formula of contents is on every label.

The only reason you can buy Policy House Paint at such a low price is because we make it in our own factory.

Some people have never heard of anything but white lead and oil paints. Naturally when they think of painting they believe that the only paint for them to use is white lead and oil. Indeed, white lead still remains the basic pigment from which paint is made, but it has long since been discovered that it is as unwise to use all white lead in paint as it would be to use pure gold in a watch. A watch case of pure gold would very soon wear out. A pure white lead paint generally breaks down in two years.

If you have been mixing your own paint from white lead and oil, send for a quantity of Policy House Paint and test it out in any way you see fit. We are going to let you be the judge. But whether you wish to use a white lead and zinc paint or our Seroco House Paint we can save you money.

Prices of Policy House Paint.

50-gallon barrel	Per gallon, \$3.50
(Shipping weight, 750 pounds.)	
25-gallon half barrel	Per gallon, 3.52
(Shipping weight, 395 pounds.)	
5-gallon kit	Per gallon, 3.56
(Shipping weight, 80 pounds.)	
3-gallon can	Per gallon, 3.57
(Shipping weight, 45 pounds.)	
1-gallon can	3.60
(Shipping weight, 15 pounds.)	
1-quart can	.98
(Shipping weight, 5 pounds.)	



Shingle Stain

Few people would care to take the trouble of applying a beautifying stain only, when by paying a little more money they can obtain a stain that both beautifies and preserves. Such a stain is our Preservative Creosote Shingle Stain.

Shingles certainly get all the sun, the rain and the snow and have every reason in the world for rotting. You can protect them and prolong their life with a coat of Preservative Creosote Shingle Stain.

Buy a Shingle Stain That Preserves.

A Combined Wood Preserver and Shingle Stain.

Shingles treated with this Creosote Stain will neither warp nor rot. The preserving liquid penetrates the wood, remains to protect it from the weather and does not evaporate. One gallon of this Creosote Stain will cover approximately 75 to 80 square feet of shingles, two coats. When dipped, 2½ to 3 gallons will cover approximately 1,000 of the regulation 4x16-inch shingles. Two-thirds of the length of the shingle only need be dipped. Shingles should never be painted, because the paint leaves a ridge at the butt end of the shingle and holds the moisture under the lap, causing the shingles to rot. Our Preservative Creosote Shingle Stain penetrates the shingles, follows the pores and grain of the wood up under the lap and prevents rot and decay. In buying it you are getting a thoroughly dependable stain and one which you can rely on to give you the best possible service.

Preservative Creosote Shingle Stain is made only in the following colors, the only colors in which Creosote Stain can be successfully made.

How to measure your roof for shingle stain on page 1195.

NOTE—Only the brown can be used on hardwood.

For color samples see page 1193.

- | | |
|--------------------|------------------------|
| 30R1181—Moss Green | 30R1186—Bungalow Brown |
| 30R1185—Red | |

50-gallon barrel	Per gallon, \$1.07
(Shipping weight, 500 pounds.)	
25-gallon half barrel	Per gallon, 1.10
(Shipping weight, 250 pounds.)	
5-gallon can	Per gallon, 1.13
(Shipping weight, 50 pounds.)	
1-gallon can	1.18
(Shipping weight, 15 pounds.)	

The stains listed above are recommended for new shingles. If you want a special stain to be used on old shingles, write us for prices and description.



Concrete or Stucco Paint

For Any Building or Silo Made of Brick, Stone, Concrete or Stucco.

Our Concrete or Stucco Paint provides a most efficient and durable damp-proofing treatment for exterior masonry surfaces. It penetrates the pores of the surface and on hardening thoroughly seals them, preventing the absorption of water into the treated area.

The distinctive appearance of a masonry surface is entirely retained by the use of this Stucco Paint. It equalizes the color of the surface and imparts a finish of stonelike texture of a most attractive nature. It is strictly a cement coating, prepared to meet the exact physical and chemical requirements of a masonry surface, and not only excludes dampness from the wall, maintaining a perfectly dry and sanitary condition on the interior, but it prevents all tendency of the treated area to become stained and unsightly.

This paint is also adapted for painting concrete floors. By forming a tough film over the surface it prevents the cement dust from accumulating and keeps the floor clean.

Our Concrete or Stucco Paint covers approximately 100 square feet, two coats per gallon, on a surface of average porosity. It is easily applied and retains its original color.

Concrete or Stucco Paint can be furnished only in the following colors:

These Colors Are Shown Under Seroco House Paint on Page 1193.

- | | |
|---------------------|-------------------------|
| 30R2028—White | 30R2032—Chocolate Brown |
| 30R2029—French Gray | 30R2033—Dark Gray |
| 30R2030—Cream | 30R2034—Willow Green |
| 30R2031—Buff | 30R2035—Oxide Red |

Prices for Concrete or Stucco Paint.

1-gallon can	\$1.76
(Shipping weight, 15 pounds.)	
5-gallon can	Per gallon, 1.73
(Shipping weight, 70 pounds.)	

SEROCO MINERAL BARN PAINT

AN EXCEPTIONALLY high grade barn paint. We have put more real quality into our barn paint formula than might be considered necessary for a paint of this class. We use a big percentage of the purest linseed oil and it is a well known fact that the life of any paint is dependent largely on the strength of the oil film which it forms on the surface painted.

For all barns, stables, sheds, warehouses and all out-buildings we consider this a first class paint that will give perfect satisfaction. It is not ground quite so fine as our house paints and does not contain expensive lead and zinc pigments which must be used in house paints for the more delicate colors.

We want you to try it out for yourself. Send for a gallon can, paint a section of your barn which has the hardest wear, and after a thorough trial we believe that you will send for a sufficient quantity to paint the entire barn.

One gallon of Seroco Weatherproof Mineral Barn Paint will cover approximately 250 square feet of surface, two good coats, and in many instances it will cover 300 square feet and over, two coats, depending upon the condition of the surface. All new wood should receive three coats for a good job. It is a very economical paint to use. Give it a trial on the next job; you will never regret it and you take no risk whatever, as you are protected by our guarantee.

You do not need to be an expert painter in order to do a first class job with this paint. Our "How to Paint" Book, sent free on request, tells what brushes and tools to use, and it helps you to do a good job. Take advantage of our money saving paint prices, and with the help of this book do the work yourself and you will be surprised how good a job you can do at such little cost.

For directions on how to measure your barn for painting see page 1195.



Colors and Prices of Seroco Mineral Barn Paint.

For color samples see page 1193.

30R800—Oxide Red.	30R830—Yellow.
30R820—Dark Gray.	30R850—Maroon.
1-gallon can	(Shipping wt., 15 lbs.).. \$1.63
3-gallon can. Per gallon	(Shipping wt., 45 lbs.).. 1.60
5-gallon kit. Per gallon	(Shipping wt., 70 lbs.).. 1.59
25-gal. half barrel. Per gal.	(Shipping wt., 350 lbs.).. 1.55
50-gal. barrel. Per gallon	(Shipping wt., 700 lbs.).. 1.53

The difference in the cost per gallon in the various containers is due to the cost of putting up and handling as well as the difference in the cost of the containers.

Wagon and Implement Paint

A paint made expressly for wagons and farm implements and one which has wonderful wearing qualities. Made of high grade materials with non-fading colors. Being extremely tough, it will not crack or peel off. It is cheaper to use paint than to allow your wagon or farm implements to go to decay. One gallon will, in many instances, refinish every implement on the farm. It is an ideal implement paint because it can be used on iron as well as wood. Saves many times its cost in preventing rust and decay. Dries hard with a high gloss. Apply with a varnish brush, 1, 2 or 2½ inches in width.



30R1854—Red.
30R1855—Blue.
30R1856—Green.
30R1857—Yellow.
30R1858—Vermilion.
30R1859—Black.

Prices for Above Colors:

1-quart can	(Shpg. wt., 4½ lbs.)... \$0.76
1-gallon can	(Shpg. wt., 14 lbs.)... 2.80

Be sure to mention name of color and catalog number.

Buggy and Carriage Paint

Seroco Buggy Paint will withstand the wear of frequent washing and still retain its luster. It is made from first quality pigments ground in fine grade carriage varnish and for durability and finish our buggy paints are recommended. One coat makes a beautiful and durable finish and no varnish required. One quart, with very little labor, will make an old buggy look like new. No experience necessary. Anyone can apply it, as it comes to you ready for use. While this paint is made expressly for buggies and other vehicles, it can be used with excellent results on settees, benches, lawn swings, chairs or any article exposed to the weather. Apply Seroco Buggy Paint with an oval varnish brush.



30R1600—Pure Yellow.
30R1610—Vermilion.
30R1620—Light Wine.
30R1630—Coach Green.
30R1640—Dark Green.
30R1660—Dark Wine.
30R1670—Black.

For color samples see page 1194.

Prices for Above Colors:

1-pint can	(Shpg. wt., 1½ lbs.)... \$0.38
1-quart can	(Shpg. wt., 4½ lbs.)... .68
1-gallon can	(Shpg. wt., 13 lbs.)... 2.45

Be sure to mention name of color and catalog number.

Automobile Varnish-Paint

Make your car look like new. You can do the work yourself with this Automobile Varnish-Paint and you will be surprised at the wonderful improvement it will make in the appearance of your car.

This varnish-paint is made of a combination of high grade varnish and pure non-fading colors. It flows freely and dries with a smooth finish and high gloss. Three quarts should be enough to varnish the body and gear of a touring car two coats. No other finish need be applied. Directions for applying are printed on each can. The gloss of the old finish must first be removed. Use No. 1 Steel Wool, 30R2670, shown on page 1203. About 1 pound will be required.



30R1700—Pure Yellow.
30R1710—Red.
30R1720—Mouse Gray.
30R1730—Dark Green.
30R1740—Black.
30R1750—Dark Blue.
30R1760—Auto Gray.

For color samples see page 1194.

Prices for Above Colors:

1-pint can	(Shpg. wt., 2½ lbs.)... \$0.49
1-quart can	(Shpg. wt., 4½ lbs.)... .88
1-gallon can	(Shpg. wt., 13 lbs.)... 3.00

ROOF REPAIRS

STOP THE ROOF LEAKS

Longlife Elastic and Liquid Compounds

YOU don't have to wait for a tinner or roofer to repair your roof when it is leaking! Here are two materials that may be used for repair work on all types of roofs—wood, metal, concrete, tile, stone and composition roofings.

Longlife Elastic and Liquid Compounds are a combination of weather resisting gums, oils and asbestos fibers that will stop roof leaks positively and permanently. These compounds never crumble, disintegrate, split, crack or chip off; contain no ingredients that will soften under the sun's hottest rays, but retain elasticity and pliability under all extremes of temperature. They will not harden in the package and what is left can be used at a later date.

Longlife Elastic Compound is of putty like consistency and recommended as an entire roof coating to be applied about 1/4 inch thick with a trowel. Where an old roof is badly worn it need not be removed, as it will form a base for this material. For patching large holes and gaps and in repairing gutters, chimneys, flashings, skylights, cornices, parapets, etc., it is excellent.

6-Inch Trowel.



28c

Made of steel, ground smooth and well shaped. Especially recommended for applying Longlife Elastic Compound. Weight, about 6 ounces.

9R5886—Price 28c

Longlife Elastic Compound. Apply With a Trowel.

10 pounds will cover about 25 square feet.

30R3477—Black only.

5-pound can.	Per pound.....	(Shpg. wt., 7 lbs.).....	14c
10-pound can.	Per pound.....	(Shpg. wt., 12 lbs.).....	12c
25-pound pail.	Per pound.....	(Shpg. wt., 30 lbs.).....	11c
100-pound keg.	Per pound.....	(Shpg. wt., 120 lbs.).....	9c
300-pound half barrel.	Per pound.....	(Shpg. wt., 340 lbs.).....	8c
550-pound barrel.	Per pound.....	(Shpg. wt., 620 lbs.).....	7c

300-pound and 550-pound barrels shipped from factory in CLEVELAND, OHIO.

Longlife Liquid Compound. Apply With a Roof Brush.

1 gallon will cover about 150 square feet.

30R3479—Black only.

1-gallon. Price	per gallon.....	(Shpg. wt., 15 lbs.).....	77c
5-gallon. Price	per gallon.....	(Shpg. wt., 50 lbs.).....	69c
30-gallon half barrel.	Price, per gal.....	(Shpg. wt., 265 lbs.).....	59c
50-gallon barrel.	Price, per gallon.....	(Shpg. wt., 425 lbs.).....	51c

30-gallon and 50-gallon barrels shipped from factory in CLEVELAND, OHIO.

Roof Paint Brush.

Roof Paint Brushes, bound with wire and carefully cemented into a head of hardwood, will not check or crack. Recommended for heavy tar paints, roof coatings and heavy painting material.



30R3170

Two knots. Price.....	42c
Shipping weight, 1 pound.....	
Three knots. Price.....	57c
Shipping weight, 1 lb. 11 oz.....	
Four knots. Price.....	75c
Shipping wt., 2 pounds.....	

Rufix

For Painting Roofs and Keeping Them in Good Condition.



IT PRESERVES shingles, tin, iron or felt from the action of the elements and will make an ordinary roof last many years longer. Ordinary leaky roofs, either tin, iron, composition, felt or old shingles, can be made watertight with our Rufix. It is a combination of oils, gums and other ingredients made for this particular purpose.

Rufix does not contain an ounce of coal tar. Coal tar products will soften during very hot weather, causing them to crawl and expose parts of the roof. Our Rufix Paint, after once dry, will

not soften during the hottest weather. It is a heavy, rubberlike, waterproof liquid that will make an old roof watertight. In most cases one coat will be sufficient to stop leaks. (Longlife Elastic Compound is needed for large holes.) Suitable also for all iron work, bridges, smokestacks, water tanks, iron pipes, etc., that are exposed to heat, acid, electricity or the weather. One gallon will cover approximately 200 square feet, one coat, on smooth surfaces.

1-gallon can.	Per gallon.....	(Shipping weight, 15 pounds).....	91c
5-gallon can.	Per gallon.....	(Shipping weight, 50 pounds).....	90c
25-gallon half barrel.	Per gallon.....	(Shipping weight, 275 pounds).....	85c
50-gallon barrel.	Per gallon.....	(Shipping weight, 500 pounds).....	70c

30R1910	Black.	91c
30R1920	Maroon.	\$1.04
		1.03
		.98
		.83

Distilled Liquid Coal Tar.

Used for painting water tanks, fence posts and metal surfaces that are liable to become rusty. Used extensively for recoating gravel roofs and composition roofing. May be applied cold, but is better heated to boiling temperature.

30R3468	Per Gal.	
1-gallon can.....	43c	
Shipping weight, 14 pounds.....		42c
5-gallon can.....		
Shipping weight, 51 pounds.....		39c
10-gallon can.....		
Shipping weight, 105 pounds.....		28c
25-gallon half barrel.....		
Shipping weight, 250 pounds.....		24c
50-gallon barrel.....		
Shipping weight, 425 pounds.....		

25 and 50-gallon barrels are shipped from factory in NORTHEASTERN ILLINOIS

Graphite Paint.

* This is the high grade air floated graphite, ground in pure linseed oil. It is prepared ready for use. Preferred by many for painting bridges, iron work, water tanks, sheet iron buildings, metal grain bins, etc. Comes only in natural graphite gray, which is dark slate in color.

30R1909—Graphite Paint.	Per Gal.	
1-gallon can.....	\$2.34	
Shipping weight, 15 pounds.....		\$2.33
5-gallon can.....		
Shipping weight, 50 pounds.....		\$2.32
25-gallon half barrel.....		
Shipping weight, 250 pounds.....		\$2.26
50-gallon barrel.....		
Shipping weight, 500 pounds.....		

Asphalt Roof Paint.

For Painting Felt or Composition Roofing, Iron or Shingle Roofs, Iron Bridges and Trestles, Sheds, Warehouses and Other Buildings. Second in Quality Only to Our Rufix.



This Asphalt Roof Paint will give far better service for felt and composition roofing and for painting iron and shingle roofs than any of the coal tar preparations. It is elastic, has a good body and is very durable.

If conditions are such that you cannot use our Rufix, then send us your order for this Asphalt Roof Paint with the guarantee that the paint, considering its low price, is one of the best values we ever offered and that it will prove satisfactory in finish, durability and covering capacity.

One gallon of this Asphalt Roof Paint will cover about 250 square feet of smooth surface, one coat, or about 150 square feet of wood shingles or felt roofing, one coat.

30R1941—Asphalt Roof Paint. Black only.

1-gal. can.....	(Shpg. wt., 15 lbs.).....	69c
5-gal. can.....	(Shpg. wt., 50 lbs.).....	68c
10-gal. can.....	(Shpg. wt., 100 lbs.).....	65c
25-gal. half bbl.	(Shpg. wt., 215 lbs.).....	53c
50-gal. barrel.....	(Shpg. wt., 425 lbs.).....	50c

Longlife Wood Preserver.

Wood decay is caused by germs or fungi. The wood decaying germs or organisms thrive best at the surface of the ground where a uniform condition of heat and moisture exists. Keep your timbers from rotting by preventing these organisms from developing. They cannot live in the presence of LONGLIFE Wood Preserver, and for the effective preservation of fence posts, sills, joists, mine timbers, telegraph poles, railroad ties, and all other timbers which come in contact with the surface of the ground, LONGLIFE Wood Preserver has proved its preservative qualities.

Although excellent preservation can be obtained by merely brushing two or three coats of the liquid on the post, preservation is best accomplished by heating LONGLIFE Wood Preserver and dipping the butt ends of the posts in the hot liquid to about 6 inches above the ground line.

LONGLIFE Wood Preserver does not have a tendency to evaporate, remains in the wood indefinitely, and is impervious to water, which makes it an ideal preservative. LONGLIFE Wood Preserver has been known to double the life of cedar posts and to add from ten to fifteen years to the life of cottonwood and other soft woods that otherwise cannot be used for posts. The cost per post, measured in length of preservation, makes LONGLIFE Wood Preserver one of the best investments you can possibly make. One gallon will treat the butt ends of about twenty ordinary posts to a distance of 2 1/2 feet.

Concrete walls and blocks can be made waterproof with two coats of LONGLIFE Wood Preserver, which should be applied at an interval of 24 hours. Concrete so treated is not injured by frost, nor does it become slippery from ice or sleet.

LONGLIFE Wood Preserver gives a handsome brown color that never fades, darkens or peels off. It is highly recommended for shingle roofs, as it spreads evenly and does not form ridges between or at the lower edges of the shingles.

30R1947—LONGLIFE Wood Preserver.

50c	64c	65c	69c
Per Gallon in 50-Gallon Barrel.	Per Gallon in 10-Gallon Can.	Per Gallon in 5-Gallon Can.	Per Gallon in 1-Gallon Can.
Shpg. wt., 550 lbs.	Shpg. wt., 100 lbs.	Shpg. wt., 50 lbs.	Shpg. wt., 10 lbs.

SAVE MONEY ON LADDERS

Regular Extension Ladder.

Thoroughly tested and guaranteed to be a solid, substantial ladder that will stand up under severe strain and hard usage. Specially designed drop hooks aid in raising and lowering the upper section. Shipping wt., 2½ pounds per foot.

30R2944

20-foot—two 10-foot sections.	Price.....	\$4.05
24-foot—two 12-foot sections.	Price.....	5.80
28-foot—two 14-foot sections.	Price.....	7.40
32-foot—two 16-foot sections.	Price.....	8.30
36-foot—two 18-foot sections.	Price.....	9.20
40-foot—two 20-foot sections.	Price.....	9.20



Combination Stool and Stepladder.

Get one of these handy Stool Stepladders for the many little odd jobs about the house, such as cleaning windows, hanging curtains or putting up stovepipe. Standing on this Stool Stepladder you can reach the back of the top shelf of your pantry with ease. It is more compact than a chair, standing 24 inches high or 6 inches higher than the seat of an ordinary chair. Housewives use them as a seat while washing dishes, ironing, etc. Folds flat, as illustrated, and takes up little room. No better investment for kitchen comfort could be made than to spend 98 cents for this useful article. Shipping weight, 7 pounds.

30R2956—Price.....98c

Roof Brackets or Safety Stage Supports.

For use on shingled roofs. Secure, convenient and will not injure the shingles. Does away entirely with nailing cleats. Shipping weight, each, 2½ pounds.

30R2943—Each, 42c; Set of 6.....\$2.40

Rung Replacers.

Used for replacing rungs, as shown in illustration. Made of iron. Guaranteed to hold any rung. Shipping weight, about 10 ounces.

30R2955—Price, per set of 4, complete with screws.....18c

Extension Plank.

Made in two sections, telescoping apart. There are 10 pieces of clear fir, each piece 1 inch wide by 1½ inches thick. The plank is 10½ inches wide and will extend

any fraction of an inch to the full length. Stronger than a solid board and much lighter. Weight, 3 pounds per foot.

30R2961


6 ft. closed, extends to 10½ ft. Price..\$2.97
8 ft. closed, extends to 13½ ft. Price..3.72

Painters' and Paperhangers' Stepladder.

Made of clear pine, very light weight yet strong. Braces so arranged that plank can be put on any step. Steps are braced with irons in front and every other step similarly braced in back. Shpg. wt., per ft., abt. 3½ lbs.

30R2949

Height, 5 feet. Each..\$1.55
Height, 6 feet. Each..1.85
Height, 8 feet. Each..2.50
Height, 10 feet. Each..3.10



Every detail of the construction of these ladders warrants our guarantee of satisfaction or money returned. The rungs are made of seasoned hickory and are thoroughly tested before they are used. The sides are made only of good straight grain pine and are decidedly solid and strong.

A substantial ladder that will stand hard usage because it is built to be sound and safe.

Both the Regular and the Rope extension ladders are made of the same high grade materials with two sections of equal length to each ladder. Shipped from factory in NORTH-EASTERN ILLINOIS.



Rope Extension Ladder.

The upper section is raised and lowered by a rope, pulley and windlass attachment. A special feature of the self locking hook makes the operation of this ladder completely automatic. Shipping weight, 2½ pounds per foot.

30R2946

24-foot—two 12-foot sections.	Price.....	\$6.10
32-foot—two 16-foot sections.	Price.....	9.20
36-foot—two 18-foot sections.	Price.....	10.35
40-foot—two 20-foot sections.	Price.....	11.50

Folding Stepladder.

This Combination Stepladder and Kitchen Chair will prove very useful to the housewife, for it is just high enough to use in hanging curtains, dusting picture moldings, washing top windows and is always working, never in the way. When not in use as a stepladder it may be folded and used as a chair. Made of hardwood and varnished in light color. Height, when extended, 3 feet. Every home should have one. Illustrations show how this folding stepladder can be used. Shipping weight, about 10 pounds.

30R2951—Price.....\$2.25



Adjustable Ladder Hook.

Ladder Hook. Adjustable to fit any ladder. The hook drops over the ridge board, making roof work safer. Not only painters, but every property owner should have one of these hooks; they are handy when making roof repairs. Shipping weight, 2½ pounds.

30R2937

Price.....39c

Farm or Long Ladder.

Sides are made of clear pine. Rungs are made of hickory and securely fastened. A strong and well constructed ladder, suitable for use on the farm, also for painters. Made only in the following lengths. Shipped direct from our CHICAGO store. Shipping weight, per foot, about 2½ pounds.


30R2947

Length, 12 feet.	Price..\$1.90
Length, 14 feet.	Price..2.25
Length, 16 feet.	Price..2.55
Length, 18 feet.	Price..3.20
Length, 20 feet.	Price..3.55

Ladder Jacks.

With a set of these attachments, two ladders and a plank, you can do away entirely with stage or scaffold on small jobs of painting. Carpenters will also find a set of these ladder jacks useful in repair work. Made of high grade steel. Takes planks up to 18 inches in width. Shipping weight, per pair, 22 pounds.

30R2941—Price, per pair.....\$2.45




A Substantial Stepladder.

Every step is securely braced with an iron rod. There are large iron washers on the sides of the ladder which prevent the nails from coming out of the steps. Besides a handy pall shelf the ladder has double flanged steel hinge cleats riveted to the top and sides and is fitted with a folding iron lock brace. A very safe and durable ladder and worth a great deal more than the price we ask. Shpg. wt., about 2½ lbs. per foot.

30R2948

Height, 5 feet. Price.....\$1.70
Height, 6 feet. Price.....2.05
Height, 8 feet. Price.....\$2.70
Height, 10 feet. Price.....3.30

30R2948



Varnish Brushes



Oval Varnish Brush.
Standard quality selected pure black Chinese bristles, very elastic and full. Set in vulcanized ferrule. Nickel plated ferrule. You can cover more surface with an oval varnish brush than with any of the flat varnish brushes.

Length, In.	Width, In.	Shpg. Oz.	Price, Each
3 1/2	2 1/2	4	\$0.53
4 1/2	3 1/2	5	.60
5 1/2	4 1/2	6	.75
6 1/2	5 1/2	7	.84
7 1/2	6 1/2	8	1.02
8 1/2	7 1/2	9	1.32

Whitewash Brush. White tambo stock (not a bristle in it). Metal bound. For whitewashing fences, outbuildings, etc.

Length, In.	Width, In.	Shpg. Oz.	Price, Each
3 1/2	2 1/2	4	13c
4 1/2	3 1/2	5	16c
5 1/2	4 1/2	6	18c



Painters' Round Duster. Mixed gray and black hair and fiber. A very good brush for general all around use. Just the brush for the man who does his own painting. Width, 2 1/2 inches; length, 3 1/2 inches. Shipping weight, 10 ounces.

Painters' Round Duster. Strictly pure black and gray bristles. A duster well worth the price asked. Width, 2 1/2 inches; length, 4 inches. Shipping weight, 10 ounces.

Price\$1.05

NOT TO BE USED FOR APPLYING PAINT.

Painters' Flat Duster. Very full and springy, a first class painters' duster. Width, 4 inches; length, 3 1/2 inches. Shipping weight, 10 oz.

Price 72c

Combination Paint, Whitewash and Paste Brush.
Used for painting where a large surface is to be covered in a short time. For whitewashing or Kalsomining. Do not use in liquids containing alcohol.

Length, In.	Width, In.	Shpg. Oz.	Price, Each
3 1/2	2 1/2	4	\$1.22
4 1/2	3 1/2	5	
5 1/2	4 1/2	6	

Painters' Wire Duster. One of the handiest brushes made. A convenient brush for cleaning around cornices and moldings. Excellent for household use for cleaning pots and pans. Four rows of fine wire. 2 1/2 inches long.

Size of block, 2 1/2 x 1 1/2 inches; length of handle, 5 1/2 inches; length of wires, 2 1/2 inches. Shipping weight, 10 ounces.

Price, each.....30c

How to Care for Brushes.
When storing away paint brushes, wash them in warm soap suds, then store them in a cool place. Never put new or old varnish brushes in water; they can be swelled the same as paint brushes, but the bristles should never touch water; keep them suspended in raw linseed oil when not in use. Before using again brush out the oil on a board. Never use a varnish brush for any other purpose but varnishing. Never varnish with a brush which has been used in paint, as it will not give good results. Never put a brush in newly slaked lime, it destroys the bristles. Many brushes are ruined in this manner.

House Paint Brushes

Wall Brushes are generally used for painting large surfaces, such as roofs, interior and exterior walls, floors, etc.

Length, In.	Width, In.	Shpg. Oz.	Price, Each
3 1/2	2 1/2	4	12c
4 1/2	3 1/2	5	17c
5 1/2	4 1/2	6	29c
6 1/2	5 1/2	7	38c

An extra thick, soft, elastic Chinese Bristle Flowing Varnish Brush. Bristles secured in vulcanized rubber.

Length, In.	Width, In.	Shpg. Oz.	Price, Each
3 1/2	2 1/2	4	20c
4 1/2	3 1/2	5	27c
5 1/2	4 1/2	6	36c
6 1/2	5 1/2	7	53c
7 1/2	6 1/2	8	66c

Elastic Varnish Brush. All black, pure selected Chinese bristles, very elastic and full, secured in vulcanized rubber.

Length, In.	Width, In.	Shpg. Oz.	Price, Each
3 1/2	2 1/2	4	\$0.66
4 1/2	3 1/2	5	.98
5 1/2	4 1/2	6	1.53

Fitch Flowing Varnish Brush. Bristles secured in vulcanized rubber. Good quality, tin ferrule.

Length, In.	Width, In.	Shpg. Oz.	Price, Each
3 1/2	2 1/2	4	30c
4 1/2	3 1/2	5	39c
5 1/2	4 1/2	6	50c
6 1/2	5 1/2	7	63c
7 1/2	6 1/2	8	86c

Whitewash Brush, all white bristles. Metal bound.

Length, In.	Width, In.	Shpg. Oz.	Price, Each
3 1/2	2 1/2	4	\$2.58
4 1/2	3 1/2	5	3.33

Exceptionally good value at the price.

Extra Quality Flat Bristle Fitch Brush; black bristles, set in rubber, tin ferrule. Used for painting window sash and molding. Shpg. wt., each, abt. 4 oz.

Length, In.	Width, In.	Shpg. Oz.	Price, Each
3 1/2	2 1/2	4	8c
4 1/2	3 1/2	5	11c
5 1/2	4 1/2	6	15c
6 1/2	5 1/2	7	20c
7 1/2	6 1/2	8	27c

Extra Fine Black Sash Brush; black Chinese bristles; oval shape, chiseled.

Length, In.	Width, In.	Shpg. Oz.	Price, Each
3 1/2	2 1/2	4	8c
4 1/2	3 1/2	5	9c
5 1/2	4 1/2	6	10c
6 1/2	5 1/2	7	15c
7 1/2	6 1/2	8	23c
8 1/2	7 1/2	9	27c

Brushes for Bronzing.
Soft hair brushes for applying gold and silver paints, bronzing, etc. Polished handle; fine quality; flat. Shipping weight, each, 1 oz.

Length, In.	Width, In.	Shpg. Oz.	Price, Each
3 1/2	2 1/2	4	\$1.58
4 1/2	3 1/2	5	2.07
5 1/2	4 1/2	6	2.57

Kalsomine Brush, white bristles, metal bound; excellent quality.

Length, In.	Width, In.	Shpg. Oz.	Price, Each
3 1/2	2 1/2	4	\$1.58
4 1/2	3 1/2	5	2.07
5 1/2	4 1/2	6	2.57

Kalsomine Brush, black Chinese bristles, metal bound. An extra good brush.

Length, In.	Width, In.	Shpg. Oz.	Price, Each
3 1/2	2 1/2	4	\$1.13
4 1/2	3 1/2	5	1.65
5 1/2	4 1/2	6	2.10

Camel Hair School Brush. This is the standard brush for school use and we strongly recommend it. Black handles, tin ferrules. Shipping weight of three, 3 ounces.

Length, In.	Width, In.	Shpg. Oz.	Price, Each
3 1/2	2 1/2	4	\$1.7c
4 1/2	3 1/2	5	19c
5 1/2	4 1/2	6	21c
6 1/2	5 1/2	7	23c
7 1/2	6 1/2	8	30c

White Wash Brushes

Whitewash Brush, all white bristles. Metal bound.

Length, In.	Width, In.	Shpg. Oz.	Price, Each
3 1/2	2 1/2	4	12c
4 1/2	3 1/2	5	17c
5 1/2	4 1/2	6	29c
6 1/2	5 1/2	7	38c

Extra Long Bristle Flat or Wall Brush. Pure Chinese bristles. For house and barn painting.

Length, In.	Width, In.	Shpg. Oz.	Price, Each
3 1/2	2 1/2	4	\$0.63
4 1/2	3 1/2	5	1.13
5 1/2	4 1/2	6	1.88

Pure Chinese black bristles, secured in vulcanized rubber.

Length, In.	Width, In.	Shpg. Oz.	Price, Each
3 1/2	2 1/2	4	\$1.50
4 1/2	3 1/2	5	1.92
5 1/2	4 1/2	6	2.42

Professional painters claim that the Black Diamond is one of the finest brushes ever put on the market.

Length, In.	Width, In.	Shpg. Oz.	Price, Each
3 1/2	2 1/2	4	\$0.95
4 1/2	3 1/2	5	1.40
5 1/2	4 1/2	6	1.88

Round Paint Brush. Round Paint Brush. Wirebound. All high grade selected white Russian bristles. This brush is largely used by professional painters.

Length, In.	Width, In.	Shpg. Oz.	Price, Each
3 1/2	2 1/2	4	\$1.55
4 1/2	3 1/2	5	1.94
5 1/2	4 1/2	6	2.94

Made of fine quality Mexican tambo stock with pure American bristle. Metal bound. A fair quality brush for common work, such as whitewashing fences, barns and outbuildings. Not recommended for fine interior work.

Length, In.	Width, In.	Shpg. Oz.	Price, Each
3 1/2	2 1/2	4	54c

Whitewash Brush, all white bristles. Metal bound.

Length, In.	Width, In.	Shpg. Oz.	Price, Each
3 1/2	2 1/2	4	13c
4 1/2	3 1/2	5	16c
5 1/2	4 1/2	6	18c

Painters' Round Duster. Mixed gray and black hair and fiber. A very good brush for general all around use. Just the brush for the man who does his own painting. Width, 2 1/2 inches; length, 3 1/2 inches. Shipping weight, 10 ounces.

Painters' Round Duster. Strictly pure black and gray bristles. A duster well worth the price asked. Width, 2 1/2 inches; length, 4 inches. Shipping weight, 10 ounces.

Price\$1.05

NOT TO BE USED FOR APPLYING PAINT.

Painters' Flat Duster. Very full and springy, a first class painters' duster. Width, 4 inches; length, 3 1/2 inches. Shipping weight, 10 oz.

Price 72c

Combination Paint, Whitewash and Paste Brush.
Used for painting where a large surface is to be covered in a short time. For whitewashing or Kalsomining. Do not use in liquids containing alcohol.

Length, In.	Width, In.	Shpg. Oz.	Price, Each
3 1/2	2 1/2	4	\$1.22
4 1/2	3 1/2	5	
5 1/2	4 1/2	6	

Painters' Wire Duster. One of the handiest brushes made. A convenient brush for cleaning around cornices and moldings. Excellent for household use for cleaning pots and pans. Four rows of fine wire. 2 1/2 inches long.

Size of block, 2 1/2 x 1 1/2 inches; length of handle, 5 1/2 inches; length of wires, 2 1/2 inches. Shipping weight, 10 ounces.

Price, each.....30c

How to Care for Brushes.
When storing away paint brushes, wash them in warm soap suds, then store them in a cool place. Never put new or old varnish brushes in water; they can be swelled the same as paint brushes, but the bristles should never touch water; keep them suspended in raw linseed oil when not in use. Before using again brush out the oil on a board. Never use a varnish brush for any other purpose but varnishing. Never varnish with a brush which has been used in paint, as it will not give good results. Never put a brush in newly slaked lime, it destroys the bristles. Many brushes are ruined in this manner.

Steel Wire Brushes

Steel Wire Brush. For removing old paint, rust and dirt from iron, stone, brick and woodwork. Six rows of standard steel wire, 1 1/2 inches long, hardwood block. Shipping weight, 1 1/2 pounds.

Length, In.	Width, In.	Shpg. Oz.	Price, Each
3 1/2	2 1/2	4	\$2.57
4 1/2	3 1/2	5	3.12

Same as 30R3104, above, but with Chinese black bristles.

Length, In.	Width, In.	Shpg. Oz.	Price, Each
3 1/2	2 1/2	4	\$2.57
4 1/2	3 1/2	5	3.12

Curved Back Wire Brush. Used by painters for removing scaly paint from wood or iron also used for removing rust. Size of block, 2 1/2 x 3 inches; length of wires, 1 1/2 inches. Shipping wt., 1 1/2 lbs.

Length, In.	Width, In.	Shpg. Oz.	Price, Each
3 1/2	2 1/2	4	\$2.57
4 1/2	3 1/2	5	3.12

Painters' Wire Brush. Fine wire, very full. A handy brush for the painter. Shipping weight, 11 ounces.

Length, In.	Width, In.	Shpg. Oz.	Price, Each
3 1/2	2 1/2	4	\$3.3c

Length of wires, 1 3/4 inches; length of brush, 4 1/4 in.; length with handle, 10 1/4 inches.

Length, In.	Width, In.	Shpg. Oz.	Price, Each
3 1/2	2 1/2	4	\$3.3c

Price, each...33c

Curved Back Wire Brush. Used by painters for removing scaly paint from wood or iron also used for removing rust. Size of block, 2 1/2 x 3 inches; length of wires, 1 1/2 inches. Shipping wt., 1 1/2 lbs.

Length, In.	Width, In.	Shpg. Oz.	Price, Each
3 1/2	2 1/2	4	\$2.57
4 1/2	3 1/2	5	3.12

Painters' Wire Brush. Fine wire, very full. A handy brush for the painter. Shipping weight, 11 ounces.

Length, In.	Width, In.	Shpg. Oz.	Price, Each
3 1/2	2 1/2	4	\$3.3c

Length of wires, 1 3/4 inches; length of brush, 4 1/4 in.; length with handle, 10 1/4 inches.

Length, In.	Width, In.	Shpg. Oz.	Price, Each
3 1/2	2 1/2	4	\$3.3c

Price, each...33c

Curved Back Wire Brush. Used by painters for removing scaly paint from wood or iron also used for removing rust. Size of block, 2 1/2 x 3 inches; length of wires, 1 1/2 inches. Shipping wt., 1 1/2 lbs.

Length, In.	Width, In.	Shpg. Oz.	Price, Each
3 1/2	2 1/2	4	\$2.57
4 1/2	3 1/2	5	3.12

Painters' Wire Brush. Fine wire, very full. A handy brush for the painter. Shipping weight, 11 ounces.

Length, In.	Width, In.	Shpg. Oz.	Price, Each
3 1/2	2 1/2	4	\$3.3c

Length of wires, 1 3/4 inches; length of brush, 4 1/4 in.; length with handle, 10 1/4 inches.

Length, In.	Width, In.	Shpg. Oz.	Price, Each
3 1/2	2 1/2	4	\$3.3c

Price, each...33c

Paperhangers' Paste Brush. For the professional paperhanger. A well made high grade brush with long handle. Pure gray Russian bristles, galvanized, metal bound.

30R3135

Width	Length, Shpg. Bristles	Shpg. Wt.	Price, Each
6 3/4 in.	4 1/4 in.	32 oz.	\$3.66
7 3/4 in.	4 1/4 in.	35 oz.	4.31

\$2.04 Paint Brush Outfit.


This assortment consists of extra good quality brushes and first class work can be done with these tools. Outfit includes the following: 1 Chinese Bristle Chiseled Sash Brush; 1 Chinese Bristle Chiseled Sash Brush, large size; 1 Painters' Duster; 1 Extra Chinese Bristle Flat Paint Brush; 1 High Grade Polished Steel Blade Putty Knife; 1 Paint Paddle; 1 Paint Pot Hook. Shipping wt., 3 lbs.

30R2952

Price for complete outfit \$2.04

These are the well known, nationally advertised Rubber-set brushes. They are recognized everywhere for their superior quality. They have become the standard brush of the professional painter because they have demonstrated their ability to render entire satisfaction. A good brush is necessary to do good work and we therefore recommend Rubber-set brushes to those who are looking for a brush which will stand up under

Paperhangers' Brushes



Paperhangers' Smoothing Brush. Made of selected elastic fiber. Width, 10 inches; length of bristles, 2 inches. Should not be confused with the heavy coarse fiber brushes usually sold. Shipping weight, 8 ounces.
30R3130—Price, each..... 15c

Paperhangers' Smoothing Brush. Two rows of stiff Chinese bristles, 2 1/4 inches long. An extra good smoothing brush.

30R3132

Width, In.	Lgh. Bristles, In.	Shpg. Wt., Oz.	Price, Each
10	2 1/4	11	\$1.31
12	2 1/4	12	1.59

Paperhangers' Paste Brush. Mixed white and gray bristles, all hair, no fiber; double nailed, leather bound. A brush well worth the price asked.


30R3134

Width	Length, Shpg. Bristles	Shpg. Wt.	Price, Each
7 1/2 in.	3 1/4 in.	17 oz.	\$1.04

House Paint Brush Outfits



For the convenience of our customers who may be unable to make a proper selection of paint brushes for outside house or barn painting, we have made up several outfits consisting of the necessary brushes and other accessories.



This outfit includes the following: 1 Chinese Bristle Chiseled Sash Brush, large size; 1 Chinese Bristle Chiseled Sash Brush, extra large; 1 Chinese Bristle Bound Paint Brush, large size; 1 Russian Bristle Flat Paint Brush, extra long bristles; 1 Extra Chinese Bristle Flat Paint Brush; 1 Chinese Bristle Varnish Brush; 1 Curved Back Steel Wire Brush; 1 Painters' Duster; 1 Extra High Grade Putty Knife; 1 Paint Paddle; 2 Paint Pot Hooks. Shpg. wt., 4 pounds.
30R2950
Price, complete outfit \$5.80

RUBBERSET TRADE MARK

Kalsomine



House Paint Brushes



Rubber-set Paint Brush. Black Chinese bristles. An excellent brush for all kinds of painting.

Width, In.	Length, Shpg. Bristles, In.	Shpg. Wt., Oz.	Price, Each
4	3 1/2	18	\$1.25

This brush has high grade black Chinese bristles imbedded in vulcanized rubber nickel plated ferrule. Every bristle will stay in place regardless of wear.

Width, In.	Length, Shpg. Bristles, In.	Shpg. Wt., Oz.	Price, Each
2 1/2	3 1/2	8	38c
3	3 1/2	9	44c
3 1/2	3 1/2	10	57c
4	3 1/2	11	83c
4 1/2	3 1/2	12	99c

Rubber-set Paint Brush. Bristles are set in vulcanized rubber. High grade Chinese black bristles, metal bound. For use wherever a good brush is required.

Width, In.	Length, Shpg. Bristles, In.	Shpg. Wt., Oz.	Price, Each
3	3 1/2	10	\$0.57
3 1/2	3 1/2	11	.80
4	3 1/2	12	1.16
4 1/2	3 1/2	13	1.50

Rubber-set Paint Brush. Selected black Chinese bristles set in vulcanized rubber. Bound with leather.

Width, In.	Length, Shpg. Bristles, In.	Shpg. Wt., Oz.	Price, Each
3	4	11	\$1.95
3 1/2	4	12	2.40
4	4 1/2	13	2.80
4 1/2	4 1/2	14	3.41

Rubber-set Paint Brush. High grade selected black Chinese bristles, long and heavy. Nickel plated ferrule. Oval handle.

Width, In.	Length, Shpg. Bristles, In.	Shpg. Wt., Oz.	Price, Each
3 1/2	4	4 1/2	
4	4 1/2	4 3/4	
4 1/2	4 3/4	5	
5	5	5 1/2	
5 1/2	5 1/2	6	
6	6	6 1/2	
6 1/2	6 1/2	7	
7	7	7 1/2	
7 1/2	7 1/2	8	
8	8	8 1/2	
8 1/2	8 1/2	9	
9	9	9 1/2	
9 1/2	9 1/2	10	
10	10	10 1/2	
10 1/2	10 1/2	11	
11	11	11 1/2	
11 1/2	11 1/2	12	
12	12	12 1/2	
12 1/2	12 1/2	13	
13	13	13 1/2	
13 1/2	13 1/2	14	
14	14	14 1/2	
14 1/2	14 1/2	15	
15	15	15 1/2	
15 1/2	15 1/2	16	
16	16	16 1/2	
16 1/2	16 1/2	17	
17	17	17 1/2	
17 1/2	17 1/2	18	
18	18	18 1/2	
18 1/2	18 1/2	19	
19	19	19 1/2	
19 1/2	19 1/2	20	
20	20	20 1/2	
20 1/2	20 1/2	21	
21	21	21 1/2	
21 1/2	21 1/2	22	
22	22	22 1/2	
22 1/2	22 1/2	23	
23	23	23 1/2	
23 1/2	23 1/2	24	
24	24	24 1/2	
24 1/2	24 1/2	25	
25	25	25 1/2	
25 1/2	25 1/2	26	
26	26	26 1/2	
26 1/2	26 1/2	27	
27	27	27 1/2	
27 1/2	27 1/2	28	
28	28	28 1/2	
28 1/2	28 1/2	29	
29	29	29 1/2	
29 1/2	29 1/2	30	
30	30	30 1/2	
30 1/2	30 1/2	31	
31	31	31 1/2	
31 1/2	31 1/2	32	
32	32	32 1/2	
32 1/2	32 1/2	33	
33	33	33 1/2	
33 1/2	33 1/2	34	
34	34	34 1/2	
34 1/2	34 1/2	35	
35	35	35 1/2	
35 1/2	35 1/2	36	
36	36	36 1/2	
36 1/2	36 1/2	37	
37	37	37 1/2	
37 1/2	37 1/2	38	
38	38	38 1/2	
38 1/2	38 1/2	39	
39	39	39 1/2	
39 1/2	39 1/2	40	
40	40	40 1/2	
40 1/2	40 1/2	41	
41	41	41 1/2	
41 1/2	41 1/2	42	
42	42	42 1/2	
42 1/2	42 1/2	43	
43	43	43 1/2	
43 1/2	43 1/2	44	
44	44	44 1/2	
44 1/2	44 1/2	45	
45	45	45 1/2	
45 1/2	45 1/2	46	
46	46	46 1/2	
46 1/2	46 1/2	47	
47	47	47 1/2	
47 1/2	47 1/2	48	
48	48	48 1/2	
48 1/2	48 1/2	49	
49	49	49 1/2	
49 1/2	49 1/2	50	
50	50	50 1/2	
50 1/2	50 1/2	51	
51	51	51 1/2	
51 1/2	51 1/2	52	
52	52	52 1/2	
52 1/2	52 1/2	53	
53	53	53 1/2	
53 1/2	53 1/2	54	
54	54	54 1/2	
54 1/2	54 1/2	55	
55	55	55 1/2	
55 1/2	55 1/2	56	
56	56	56 1/2	
56 1/2	56 1/2	57	
57	57	57 1/2	
57 1/2	57 1/2	58	
58	58	58 1/2	
58 1/2	58 1/2	59	
59	59	59 1/2	
59 1/2	59 1/2	60	
60	60	60 1/2	
60 1/2	60 1/2	61	
61	61	61 1/2	
61 1/2	61 1/2	62	
62	62	62 1/2	
62 1/2	62 1/2	63	
63	63	63 1/2	
63 1/2	63 1/2	64	
64	64	64 1/2	
64 1/2	64 1/2	65	
65	65	65 1/2	
65 1/2	65 1/2	66	
66	66	66 1/2	
66 1/2	66 1/2	67	
67	67	67 1/2	
67 1/2	67 1/2	68	
68	68	68 1/2	
68 1/2	68 1/2	69	
69	69	69 1/2	
69 1/2	69 1/2	70	
70	70	70 1/2	
70 1/2	70 1/2	71	
71	71	71 1/2	
71 1/2	71 1/2	72	
72	72	72 1/2	
72 1/2	72 1/2	73	
73	73	73 1/2	
73 1/2	73 1/2	74	
74	74	74 1/2	
74 1/2	74 1/2	75	
75	75	75 1/2	
75 1/2	75 1/2	76	
76	76	76 1/2	
76 1/2	76 1/2	77	
77	77	77 1/2	
77 1/2	77 1/2	78	
78	78	78 1/2	
78 1/2	78 1/2	79	
79	79	79 1/2	
79 1/2	79 1/2	80	
80	80	80 1/2	
80 1/2	80 1/2	81	
81	81	81 1/2	
81 1/2	81 1/2	82	
82	82	82 1/2	
82 1/2	82 1/2	83	
83	83	83 1/2	
83 1/2	83 1/2	84	
84	84	84 1/2	
84 1/2	84 1/2	85	
85	85	85 1/2	
85 1/2	85 1/2	86	
86	86	86 1/2	
86 1/2	86 1/2	87	
87	87	87 1/2	
87 1/2	87 1/2	88	
88	88	88 1/2	
88 1/2	88 1/2	89	
89	89	89 1/2	
89 1/2	89 1/2	90	
90	90	90 1/2	
90 1/2	90 1/2	91	
91	91	91 1/2	
91 1/2	91 1/2	92	
92	92	92 1/2	
92 1/2	92 1/2	93	
93	93	93 1/2	
93 1/2	93 1/2	94	
94	94	94 1/2	
94 1/2	94 1/2	95	
95	95	95 1/2	
95 1/2	95 1/2	96	
96	96	96 1/2	
96 1/2	96 1/2	97	
97	97	97 1/2	
97 1/2	97 1/2	98	
98	98	98 1/2	
98 1/2	98 1/2	99	
99	99	99 1/2	
99 1/2	99 1/2	100	




Rubber-set Plain Kalsomine Brush. All white Russian bristles. Securely held in place by the patented Rubber-set vulcanizing process.

Width, In.	Length, Shpg. Bristles, In.	Shpg. Wt., Lbs.	Price, Each
6 3/4	4 1/2	2 1/4	\$3.21
7 3/4	4 1/2	2 1/2	4.05

Rubber-set Kalsomine Brush. Gray Russian and black Chinese mixed bristles. Galvanized iron bound. An exceptionally fine brush, well worth the money.

Width, In.	Length, Shpg. Bristles, In.	Shpg. Wt., Lbs.	Price, Each
6 3/4	5 1/2	2 1/4	\$7.23
7 3/4	5 1/2	2 1/2	8.04



Plasterers' Brush. All gray stiff Russian bristles set in hard rubber and solidly bound with leather. The center row of bristles set in metal, securely attached to the block. Width, 8 in.; length of bristles, 4 in. Shipping wt., 2 1/2 lbs.

30R3125

Price, each..... \$4.80

Whitewash Brush. All black Chinese bristles, leather bound. The bristles are set in hard vulcanized rubber. Water or lime will not affect the setting.

Width, In.	Length, Shpg. Bristles, In.	Shpg. Wt., Oz.	Price, Each
7 3/4	3 1/2	20	\$1.73



Paperhangers' Rubber-set Smoothing Brush. Black Chinese bristles, thick.

Width, In.	Length, Shpg. Bristles, In.	Shpg. Wt., Oz.	Price, Each
10	2 1/2	11	\$1.71
12	2 1/2	12	1.97

Rubber-set Sash Brush. High quality Chinese bristles, chiseled. Bristles will not come out. Shpg. wts., all oz.

Width, In.	Length, Shpg. Bristles, In.	Shpg. Wt., Oz.	Price, Each
1 1/2	1 1/2	2	20c
1 3/4	1 1/2	2	26c
2 1/4	1 1/2	2	36c

Varnish Brushes



Rubber-set Chiseled Bristle Varnish Brush. Black Chinese bristles. Metal bound. Red polished handle. Extra heavy.

die. Extra heavy.			
30R3031			
Width, In.	Length, In.	Shpg. Wt., Oz.	Price, Each
1½	1⅞	2	20c
2	2	2	24c
2½	2⅛	2	33c
3	2⅝	2	39c

Cold Water Paint for Interiors.

(No Oil.)

We Prepare the Pigment—You Add the Water.

SEROCO COLD WATER PAINT

DIRECTIONS

SEARS ROEBUCK & CO.

In powder form, to be mixed with cold water, for coating interiors of barns, basements, chicken houses, factories, factory offices, Summer cottages, etc. Used in place of whitewash. Forms a hard, firm and sanitary coating; will not chalk, scale or peel off. Not suitable for outside work. Can be applied with a brush or spraying machine. (See Spraying Machine 30R2382 listed at the right.) We use this Cold Water Paint in our own warehouses, factories and factory offices and therefore know from actual test that this Cold Water Paint will give absolute satisfaction. When ready to use mix the contents of a 10-pound package with 2 gallons of water. Ten pounds will cover approximately from 600 to 800 square feet one coat.

30R2629—White Cold Water Paint.

10-lb. package	(Shipping wt., 15 lbs.)	9c
25-lb. drum	(Shipping wt., 28 lbs.)	8c
50-lb. drum	(Shipping wt., 55 lbs.)	7½c
100-lb. drum	(Shipping wt., 110 lbs.)	7c
350-lb. barrel	(Shipping wt., 385 lbs.)	6½c

30R2631—Cream Color Cold Water Paint.

10-lb. package	(Shipping wt., 15 lbs.)	10c
25-lb. drum	(Shipping wt., 28 lbs.)	9c
50-lb. drum	(Shipping wt., 55 lbs.)	8½c
100-lb. drum	(Shipping wt., 110 lbs.)	8c
350-lb. barrel	(Shipping wt., 385 lbs.)	7½c

The prices of Leads are changing constantly. The prices quoted below were based on the market price at the time this catalog went to press. We will at all times give our customers the benefit of any decline in the market price.

Seroco White Lead Combination.



Will wear better than the best and purest white lead on the market. It is a combination of lead, zinc, barytes and other ingredients ground in pure linseed oil. It will give you a better paint when mixed with linseed oil than the best white lead you can buy. We cannot afford to offer a material that will not give the best of satisfaction. Seroco White Lead Combination has stood the test; we know what it contains and what it will do. Put up in steel pails.

Quantity, pounds.....	5	12½	25	50	100
Shipping wt., lbs.....	7½	15	30	55	106
Price, per pound.....	11c	10½c	10¼c	10¼c	10c

Dry Red Lead.

Quantity, pounds.....	1	5	25	50	100
Shipping weight, pounds.....	1¼	6	28	55	106
Price, per pound.....	17c	16½c	16c	16c	14c

Old Dutch Process Strictly Pure Corroded White Lead.

The prices of white lead are changing constantly and were to quote prices in this catalog they would likely be incorrect before we received your order. Send us a postal card and ask for prices on white lead. Immediately upon receipt of it we will quote the lowest prevailing price, which we will guarantee for a stated period. Ground in refined linseed oil. The Old Dutch Process White Lead is made by one of the oldest and largest white lead manufacturers in the country and we can vouch for its purity. Put up in steel kegs, guaranteed full weight.

30R2216—Strictly Pure White Lead in Oil.

Seroco Colors in Oil.

These colors are used by the painter for coloring or tinting when mixing his own paint. Dark shades of paint cannot be made with these colors; they are only intended for making light tints. Ground in pure linseed oil, strong and permanent. Put up in 1 and 5-pound cans. Shipping weights, 1 pound 3 ounces and 5 pounds 15 ounces. Per lb.

30R2230—Lampblack.....	28c
30R2231—Coach Black.....	28c
30R2232—Ivory Black.....	27c
30R2233—Drop Black.....	27c
30R2235—American (formerly Prussian) Blue.....	29c
30R2236—Ultramarine Blue.....	45c
30R2237—Cobalt Blue.....	44c
30R2240—Raw Umber.....	24c
30R2241—Burnt Umber.....	24c
30R2242—Raw Sienna.....	25c
30R2243—Burnt Sienna.....	25c
30R2248—Blind Green.....	32c
30R2249—Chrome Green.....	29c
30R2253—English Venetian Red.....	18c
30R2254—Indian Red.....	20c
30R2255—Tuscan Red.....	20c
30R2256—Unfading Red.....	36c
30R2259—Scarlet Vermillion.....	39c
30R2262—Chrome Yellow, Light.....	1c
30R2263—Chrome Yellow, Medium.....	1c
30R2264—Chrome Yellow, Orange.....	1c
30R2265—French Yellow Ochre.....	20c

All of above colors furnished in 25-pound cans at 1 cent per pound less. Don't forget to state color wanted.

PAINTERS

Handy Whitewashing and Spraying Machine.

It Whitewashes, Sprays Sheep, Cattle, Trees and Shrubbery and Does Many Other Useful Things.

It forces whitewash into corners and crevices where disease germs lodge and which cannot be reached with brushes. In whitewashing chicken houses infested with lice you can do the work from a door or window, thus avoiding the discomfort of being covered with chicken lice and dirt from head to foot.

For spraying sheep and cattle it is especially efficient, as it forces the liquid through to the hide, where it is really wanted.

For the many other purposes for which it is intended it is a wonder.

The machine is simple and easy to operate. The legs can be removed instantly and thus occupy little space. It can be conveniently carried on cars or in buggies. It is always ready, nothing to take apart or attach, and with a bucket of water you are ready to throw a 30-foot stream at any time.

Equipment consists of a 6-foot wrought iron spray pipe with ¼-inch brass shut off cock and brass spray nozzle, extra brass nozzle for straight stream work, iron follower wrench (used for tightening plunger ring in bottom pump cylinder), rubber suction hose with screen attachment and 8 feet of ¾-inch special high pressure rubber discharge hose. Net weight, 20 pounds; shipping weight, 30 pounds.

For full line of hand and power sprayers see pages 1132 and 1133.

30R2382—Price, complete.....\$8.70

\$8.70

With very little effort with this machine you can throw a good stream 30 feet.

30R2382

Price,

\$8.70

Price,

\$8.70

Price,

\$8.70

Price,

\$8.70

Price,

\$8.70

Price,

\$8.70

Price,

\$8.70

Price,

\$8.70

Price,

\$8.70

Price,

\$8.70

Price,

\$8.70

Price,

\$8.70

Price,

\$8.70

Price,

\$8.70

Price,

\$8.70

Price,

\$8.70

Price,

\$8.70

Price,

\$8.70

Price,

\$8.70

Price,

\$8.70

Price,

\$8.70

Price,

\$8.70

Price,

\$8.70

Price,

\$8.70

Price,

\$8.70

Price,

\$8.70

Price,

\$8.70

Price,

\$8.70

Price,

\$8.70

Price,

\$8.70

Price,

\$8.70

Price,

\$8.70

Price,

\$8.70

Pure Linseed Oil and Turpentine.

The prices of Linseed Oil and Turpentine are changing constantly and were to quote definite prices in this catalog they would probably be incorrect before we received your order. Send us a postal card and immediately upon receipt of it we will send you our regular quotation card quoting the lowest prevailing prices, which we will guarantee for a stated period.

S. R. Substitute Turpentine.

Turpentine is used to thin paints, rendering them easier to spread. It makes the paint film very thin, which facilitates drying. When the paint has dried the turpentine is entirely gone, having evaporated after having performed its function. Our S. R. Substitute Turpentine will evaporate entirely the same as the pure turpentine, and for mixing with flat colors it will give good satisfaction.



1-gallon can, Per gallon.....	56c
Shipping weight, 10 pounds.....	
5-gallon can, Per gallon.....	51c
Shipping weight, 45 pounds.....	
10-gallon can, Per gallon.....	48c
Shipping weight, 90 pounds.....	
50-gallon barrel, Per gallon.....	41c
Shipping weight, 475 pounds.....	

30R3462

Ochres in Oil.

30R2280—Yellow Ochre in Oil, 12½ and 25-pound cans. Shipping weights, 18 and 30 pounds.

Price, per pound.....14c

30R2284—White Ochre Ground in Oil, 12½ and 25-pound cans. Shipping weights, 18 and 30 pounds.

Price, per pound.....10c

English Venetian Red in Oil.

30R2282—English Venetian Red, 12½ and 25-pound cans. Shipping weights, 18 and 30 pounds.

Price, per pound.....11c

Zinc in Oil.

30R2286—Pure French Zinc in Oil, 12½ and 25-pound cans. Shipping weights, 18 and 30 pounds.

Price, per pound.....30c

30R2287—Pure French Zinc in Oil, 1 and 5-pound cans. Shipping weights, 1½ and 7½ pounds.

Price, per pound.....35c

30R2288—Zinc in Oil. American snow white, 12½ and 25-pound pails. Shipping weights, 18 and 30 pounds.

Price, per pound.....14c

Plaster Paris.

This is a high quality white dental Plaster Paris, and should not be confused with the cheaper grayish material.

225-pound barrel.....	\$6.75
50-pound carton.....	2.55
5-pound carton.....	.35

Whiting.

30R2360—Gilder's Extra Whiting, fine quality bolted. Per lb.

310-pound barrel.....	2½c
50-pound drum.....	4c
25-pound drum.....	5c
5-pound carton.....	7c

Seroco Japan Dryer.

A house painter's first class japan dryer. It contains no acids and will not cause the paint with which it is mixed to burn, blister, crack, chalk or peel. It mixes readily with oil.

30R2728

5 Gal. Per Gal. 1 Gal. ½ Gal. Quart Pint

Shpg. wt., lbs.....45 11 7½ 4 2½

Price.....\$1.40 \$1.45 76c 40c 23c

Dry Colors.

For tinting kalsomines, making graining colors and other purposes. Some use these dry colors for painting purposes by mixing them with linseed oil. This we do not recommend unless the mixture is put through a paint mill, as you will have nothing but a coarse mixture which is not fit for anything. If a mineral paint is desired at a low price you will profit by purchasing our Seroco Weatherproof Mineral Barn Paint; then you will have a substantial paint, a paint that will wear much longer, therefore cheapest in the end.

Colors

	Barrel, per Pound	25 or 50-Pound Drums, per Lb.	5-Pound Carton, per Lb.	1-Pound Carton
30R2335—Yellow Rochelle Ochre, about 400 pounds in barrel.....	4c	6½c		
30R2336—Imperio Yellow Ochre, strong in color, about 400 pounds in barrel.....	10c	12½c		
30R2337—Oxide Red, about 336 pounds in barrel.....	4c	6½c		
30R2338—American Venetian Red, about 350 pounds in barrel.....	3c	5½c		
30R2339—Imperial English Venetian Red, about 336 pounds in barrel.....	3c	5½c		
30R2340—White Wood Filler, about 450 pounds in barrel.....	2½c	5c		
30R2341—Prince's Brown Mineral, about 350 pounds in barrel.....	3c	5½c		
30R2342—White Ochre, about 450 pounds in barrel.....	2c	4c		
30R2343—Lampblack, Germantown, 50 pounds in barrel.....	30c			31c
30R2344—Burnt Turkey Umber, about 250 pounds in barrel.....	8c	10½c	11c	12c
30R2345—Raw Turkey Umber, about 300 pounds in barrel.....	8c	10½c	11c	12c
30R2346—Burnt Italian Sienna, about 300 pounds in barrel.....	9½c	12c	12½c	13½c
30R2348—Raw Italian Sienna, about 300 pounds in barrel.....	11c	13½c	14c	15c
30R2349—Chrome Green, Medium, about 550 pounds in barrel.....	27c	29½c	30c	31c
30R2350—Chrome Yellow, Lemon, about 550 pounds in barrel.....	23c	25½c	26c	27c
30R2351—Chrome Yellow, Orange, about 550 pounds in barrel.....	23c	25½c	26c	27c
30R2358—Ultramarine Blue, about 250 pounds in barrel.....	31c	33½c	34c	35c

MATERIALS



Architectural or Mission Wood Stains.



Penetrating wood stains. For new work only. Dry quickly and impart a rich, natural color to the wood. One coat is usually sufficient to use on woodwork, floors or furniture. These stains produce a soft mission finish and nothing else need be applied unless desired. Varnish or wax may be applied over these stains after they are dry. Architects are safe in specifying our Architectural Stains, as they are of high quality and the very best of results are guaranteed. This material must not be applied to painted, varnished or enameled surfaces; these stains are only to be used on new wood that has not had any other finish applied. Apply with a varnish brush. One gallon will cover approximately 400 square feet, one coat.

30R2644—Weathered or Black Oak Oil Stain.	Gallon	\$2.10
30R2646—Pollard or Brown Oak Oil Stain.	60c	10 1/2 lbs.
30R2647—Golden Oak Oil Stain.	2 1/2 lbs.	
30R2648—Mahogany Oil Stain for Birch only.		
Price		
Shipping weight		

Pure Shellac. (Orange and Clear.)

This is a light body liquid shellac which is of the proper consistency to be used as a first coat on furniture and woodwork. Clear shellac is used when it is desired to preserve the natural color of the wood. Orange shellac gives the wood a light oak color. This shellac is recommended for coating knots and sappy streaks before painting. Shellac dries in from three to four hours. One gallon will cover approximately 600 square feet, one coat.

We do not recommend using shellac as a first coat on floors. In place of shellac use the varnish itself thinned with 10 per cent turpentine as a first coat. You will find that it wears far better than the shellac. Shellac is recommended only for woodwork and furniture.

30R2656—Clear Shellac (Light).		30R2657—Orange Shellac (Light).	
Shpg. Wt.	Price	Shpg. Wt.	Price
1 pint 2 lbs.	\$0.42	1 pint 2 lbs.	\$0.46
1 quart 3 lbs.	.76	1 quart 3 lbs.	.84
1 gallon 10 1/2 lbs.	2.85	1 gallon 10 1/2 lbs.	3.15

Putty.



Will not crumble or crack. Guaranteed strictly pure and first quality. We do not handle any other quality.

30R2205	
4 pounds.....	\$0.31
Shipping wt., 5 1/2 lbs.	
10 pounds.....	.74
Shipping wt., 13 lbs.	
20 pounds.....	1.41
Shipping wt., 25 lbs.	

Paint and Varnish Remover.



This is one of the best and quickest paint and varnish removers on the market. It is free from caustics, carbolic acid, lye or any other injurious ingredient. Guaranteed to remove paint, varnish or oil from wood or iron without damage to the wood veneer, glue or filler. Easy to use. Directions on can.

30R2770	
1 Gal.	79c
Shipping wt., pounds.....	4 2 1/2
Price	\$2.84

PUTTY KNIVES.

Glazier's Putty Knife. Stiff blade is made of high quality steel and riveted to cocobolo handle. Has metal bolster or ferrule. Width of blade, 1 1/4 in.; length, 3 1/2 in. Shipping weight, 6 ounces.

30R2916—Price..... 38c

Chisel Putty Knife. Heavy blade, 1/2 inch thick with chisel edge. For applying putty, digging out old putty, pulling out tacks and driving glazier's points. Width of blade, 1 1/4 inches. Shipping weight, 7 ounces.

30R2906—Price..... 20c

Putty Knife with stiff blade, square point. With cocobolo handle, lap bolster strong-ly riveted. Width of blade, 1 1/4 inches. Shipping weight, 6 ounces.

30R2908—Price..... 18c



Putty Knife, with stiff blade, square point. Width of blade, 1 1/4 inches. Shipping wt., 5 oz.

30R2904—Price..... 9c

GLASS CUTTERS.

Graduated Scale on Bar.



Circular Glass Cutter.

A very handy tool to have. Will cut circles from 2 to 2 1/2 inches in diameter. Cutter can be taken off and used for straight cutting. This is the improved circular cutter, fitted with felt base to prevent slipping. Shipping weight, 10 ounces.

30R2877—Price.....	49c
30R2873—Extra wheels, 3 for.....	12c

Extra quality cutting wheel for cutting plate, art and rough glass. Will cut heaviest plate as well as thinnest single glass. Iron handle. Shipping weight, each, 3 ounces.

30R2875—Price..... 10c

Glass Cutter with painted wood handle. Easy to make a smooth cut when using this cutter. Shipping weight, 3 ounces.

30R2874—Price..... 15c

Seroco Oil Stain.

This is an oil stain of good quality for staining new wood. It penetrates the wood and dries perfectly flat, but the finish left on the surface must be protected with a coat of varnish or shellac to prevent it wearing off. This stain must not be applied over varnish, paint or enamel; it is only for use on new wood that has not been finished. Apply with a varnish brush. One gallon will cover approximately 400 square feet, one coat.



30R2300—Light Oak.	
30R2301—Dark Oak.	
30R2302—Antique Oak.	
30R2303—Cherry.	
30R2304—Walnut.	
30R2305—Mahogany.	
1/2-pint can.... (Shpg. wt., 1 1/2 lbs.)	\$0.19
1-quart can.... (Shpg. wt., 3 1/2 lbs.)	.54
1-gallon can.... (Shpg. wt., 12 lbs.)	1.89

Seroco Substitute for Shellac.

This Shellac Substitute is offered at a low price. It is a product made especially from high grade, selected gums cut in denatured alcohol, has the same consistency as shellac, and dries in about the same time with the characteristic shellac finish. It is made in both orange and clear and can be reduced with denatured alcohol.

In the various tests which we have made, we have found it is more waterproof than shellac; that it will sand without gumming the sandpaper; works freely under the brush and will not pull; has exceptional covering capacity and does not show laps or streaks; it dries hard in about the same time as shellac and can be brushed, sprayed or dipped; it is transparent and can be successfully used instead of shellac in practically every place except on floors.


30R2758—Substitute for Clear Shellac.		30R2759—Substitute for Orange Shellac.	
Shpg. Wt.	Price	Shpg. Wt.	Price
1 pint (Shipping weight, 2 pounds)	\$0.33	1 pint (Shipping weight, 2 pounds)	\$0.32
1 quart (Shipping weight, 3 pounds)	.62	1 quart (Shipping weight, 3 pounds)	.60
1 gallon (Shipping weight, 10 1/2 pounds)	2.26	1 gallon (Shipping weight, 10 1/2 pounds)	2.18

Steel Wool and Shavings.

Steel Wool is a mass of fine fibers of steel, resembling curled hair, which will cut as smoothly as the finest sandpaper, emery or pumice stone. Used for rubbing down fillers and varnishes and for polishing aluminum ware. Steel Shavings is a coarse grade and is used for removing rust from iron preparatory to painting. Shipping weight, 1 1/2 pounds.

No. 0. Very fine. Per pound.....	58c
No. 1. Fine. Per pound.....	48c
No. 3. Fine. Per pound.....	36c
Steel Shavings. Per pound.....	30c
30R2670	
No. 0. For cleaning and polishing aluminum. Per pkg.....	9c
No. 1. For rubbing down varnish and fine work. Per pkg.....	9c
No. 3. For household and general use. Per package.....	9c
Fine Shavings for removing old paint and other coarse work. Per package.....	9c

Powdered Pumice Stone.



High Grade Imported Powdered Pumice Stone.

30R2673	
Shpg. Wt. Price	
1 lb. 1 1/2 lbs.	\$0.09
25 lbs. 30 lbs.	1.75

SCRAPING KNIVES.

Wall Scraping Knife. Stiff blade, 3-inch square point, beechwood handle. Shipping weight, 8 ounces.

30R2926—Price..... 14c

Scraping Knife. High grade steel blade, cocobolo handle, lead bolster. Shipping weight, 5 to 11 ounces.

30R2924	
Width of blade, in.....	3 4
Price, each.....	58c 66c

The Professional Painter's Wall Scraping Knife. Stiff blade, 3-inch square point, made of high grade steel. Blade runs through handle. A high grade knife. Shipping weight, 6 ounces.

30R2925—Price..... 49c

Paint Pot Hooks.

A very convenient article when painting from ladders. Shpg. wt., 1 oz.


30R2940 || Price, each..... | 3c |
| Per dozen..... | 32c |

Iron Paint Paddle.



For stirring paints. Mixes the paint more thoroughly than wood paddles. Shipping weight, 10 ounces.

30R2942—Price, each..... 8c



SEROCO FLAT FINISH PAINT

A Dull Finish Paint

For Interior Use Only

Guaranteed Waterproof and Washable

Oiled Paper Stencils.

These stencils are furnished in one repeat only. When two repeats are shown it is to illustrate the effect.

30R444 Width, 9 1/2 in. Price, ea. 30c	30R421 Width, 2 1/2 inches. Price, each... 15c	30R446 Width, 5 in. Price, ea. 15c
30R409 Width, 4 1/2 in. Price, ea. 16c	30R447 Width, 4 inches. Price, each... 24c	30R414 4x7 inches. each... 15c
30R407 32-inch center. Price, each. 39c	30R451 Width, 11 inches. Price, each... 24c	30R433 Width, 6 in. Price, ea. 19c
	30R430 Width, 12 1/2 inches. Price, each... 26c	30R448 Width, 6 in. Price, ea. 19c

30R2734—Size for use with Flat Finish Paint.
 1 quart.....(Shipping weight, 5 pounds).....\$0.56
 1 gallon.....(Shipping weight, 15 pounds).....1.99

SEROCO Flat Finish Paint is the popular dull finish paint so much in demand now for interior decorating. For any interior painting we recommend Flat Finish Paint because it is especially prepared for that purpose, and we know that it will give satisfaction. It has all the properties of paint, except the high gloss, which has always been the objectionable feature of ordinary paint for interior use. It has a soft, velvety finish, and combines beauty with cleanliness and durability. It will not rub off and can be washed with soap and water without injury to the finish or color. A gloss paint sometimes has a tendency to bring out the defects on old surfaces. A flat finish paint never does this and, therefore, for refinishing old walls or woodwork it cannot be surpassed.

The general use of Flat Finish Paint is for interior walls (see color page 1194), but we highly recommend it for woodwork, furniture, bakery and store shelves. It can be used as a base for enameling.

Seroco Flat Finish Paint has been perfected in our own factory and is sold under our unqualified guarantee. It is a very practical selection for decorating the walls of your home and we urge you to buy it, with the assurance that it will give you complete satisfaction.

Size, or First Coater.

Walls that have not been previously painted should be thoroughly sized before applying Seroco Flat Finish Paint. We recommend the following size, to be mixed in equal parts with Flat Finish Paint, thus: 1 quart of size to 1 quart of Flat Finish Paint. This amount will cover about 250 square feet.

One gallon will cover about 200 square feet two coats.

Colors and Prices of Seroco Flat Finish Paint.

For Color Samples See Page 1194.

- | | |
|----------------------------|---------------------------------|
| 30R2004—Pearl Gray. | 30R2013—Alabaster White. |
| 30R2005—Rich Cream. | 30R2015—Light Tan. |
| 30R2007—Shell Pink. | 30R2016—Blue Tint. |
| 30R2008—Light Buff. | 30R2018—Green Tint. |
| 30R2009—Seal Brown. | 30R2019—Medium Green. |

1-quart can.....(Shipping weight, 5 pounds).....\$0.65
 1-gallon can.....(Shipping weight, 15 pounds).....2.33

KALSOMINE

VELVET Sanitary Kalsomine is furnished in a complete range of beautiful tints and colors. It dries with a smooth hard finish that will not rub off. Kalsomine is used extensively; in fact, it is one of the most popular ways of decorating, because of its beauty and sanitary properties. Kalsomining a room is a very economical way of decorating it; the kalsomine is not at all expensive and it is so easy to apply that you can do the work yourself, making it possible, if desired, to redecorate your home each season. Complete directions for applying kalsomine are given on each package. Kalsomine can be used for any room, and by using different and harmonizing colors in the various rooms a very charming and artistic home will result. It can be used over paper or wood.

A stencil border or panel on the walls or ceiling of a kalsomined room produces a beautiful effect at a very little cost. A complete line of stencils is shown on this page.

One package will cover the walls of the average 10x12-foot room.

Velvet Sanitary Kalsomine Is Furnished in the Following Colors:

For Color Samples See Page 1194.

- | | |
|-----------------------------|----------------------------------|
| 30R2600—Tan. | 30R2612—Light Delft Blue. |
| 30R2603—Sepia Brown. | 30R2613—Pea Green. |
| 30R2604—Light Green. | 30R2614—Salmon Pink. |
| 30R2606—Cream. | 30R2615—Sea Green. |
| 30R2608—Light Buff. | 30R2616—Pearl Gray. |
| 30R2609—Shell Pink. | 30R2617—White. |
| 30R2610—French Gray. | |

4-pound package. (Shipping weight, 5 pounds 5 ounces.) Price.....**\$0.45**

Per case of 25 packages, all one color. (Shipping weight, 115 pounds.) Price.....**\$10.50**


Kalsominers' Cuban Sheep's Wool Sponge.
 Soft, full sponge, used by professional kalsominers and painters. Shipping weight, 4 ounces.

30R2626—Price, each.....65c
 For sponges in other sizes, see page 626.

This is a cheap sponge and not intended for professional use. For removing old kalsomine from walls, Shipping weight, 4 ounces
30R2624—Sponge, Each.....18c

Stencil Brush.

Made of fine black bristles. Shipping weight, 3 oz.
30R3015
 Length, including handle, inches.....8 3/4 9 3/4
 Diameter at ferrule, inch.....5/8 5/8
 Price, each.....11c 18c



Oiled Paper Stencils.

These stencils are furnished in one repeat only. When two repeats are shown it is to illustrate the effect.

30R427 Width, 7 1/2 inches. Price, each.... 24c	30R452 Width, 6 3/4 in. Price, ea. 16c	30R442 Width, 9 in. Each... 24c
30R422 Width, 5 in. Price, ea. 27c	30R445 Width, 4 inches. Price, ea. 15c	30R449 Width, 8 inches. Price, each... 28c
30R424 Width, 3 in. Price, each... 16c	30R432 Width, 3 inches. Price, ea. 15c	
30R425 7x7 in. Price, ea. 15c	30R453 Width, 10 1/2 in. Price, ea. 28c	30R431—Width, 15 in. Price, each. 39c

Undercoat for Kalsomine.

A special size to be used on plastered walls before applying Kalsomine. Two pounds will finish an ordinary sized room. It is very economical because it produces an extra hard, permanent surface which holds up the kalsomine, thus increasing the spreading capacity and making the color flow evenly. It prevents grease and stain spots from working through and killing the color of the kalsomine. Full directions on every package.

30R2736—Size (Undercoat for Kalsomine).
 1-lb. pkg. (Shpg. wt., 1 1/4 lbs.).....Price \$0.35
 4-lb. pkg. (Shpg. wt., 5 lbs. 5 oz.).....Price. 1.35

When stenciling is used on kalsomined walls a pleasing combination to use is a slightly darker shade of kalsomine for the stencil pattern than that used on the walls. This may be done by adding a small quantity of Lamp Black to the kalsomine. Add a very small amount at first and then add more according to the shade desired. This applies also to paints and enamels.

30R2343—Lamp Black.
 1/2 pound.....(Shpg. wt., 1 lb.).....14c
 1 pound.....(Shpg. wt., 1 1/2 lbs.).....31c

ENAMELS

Snowwhite Enamel



Here at last is a high grade white enamel that can be handled by any amateur. It is free flowing and brushes easily like ordinary paint. Anyone who can handle a brush can have a perfectly enameled bathroom, kitchen or pantry with very little work. We pride ourselves on having in our Snowwhite Enamel a product that can be applied by the housewife or home owner with perfect satisfaction.

This enamel is recommended for any or all places where a strictly high grade white enamel finish is desired. It is ideal for hospitals, operating rooms, restaurants, creameries, meat markets, bakeries, etc. Positively will not turn yellow. One gallon will cover approximately 200 square feet, two coats. Our Undercoat for Snowwhite Enamel, listed below, will save one coat of enamel. For particular work one to two coats of Undercoat and one or two coats of Enamel should be applied. Apply with a house paint brush.

1-quart can	(Shipping weight, 4½ pounds)	\$1.07
1-gallon can	(Shipping weight, 15½ pounds)	4.00

30R2654—Undercoat for Snowwhite Enamel.

To be applied before enamel is put on. Saves one coat and hardens quickly. Spreading capacity, about 250 square feet, two coats, per gallon.

1-quart can	(Shipping weight, 5½ pounds)	\$0.65
1-gallon can	(Shipping weight, 18 pounds)	2.45



Seroco Screen Enamel.
Green or Black Screen Enamel. Ready for use and easily applied; does not clog meshes of screens, and one coat gives to old rusty screens a rich, brilliant and lasting finish. Excellent also for the framework of screen doors and window screens. One quart will cover 10 to 12 average size window screens. Apply with a varnish brush, 2 to 2½ inches wide.

30R2175—Green	30R2176—Black
½-pint can....(Shpg. wt., 1½ lbs.)	\$0.18
1-quart can....(Shpg. wt., 2½ lbs.)	48
1-gallon can....(Shpg. wt., 12 lbs.)	1.46



Seroco Stovepipe Enamel.
A splendid jet black enamel for covering stovepipes, smokestacks, iron fences, garden tools, boilers, furnaces, steam pipes, radiators, coal hods, etc. Will not peel or burn off. Dries in four to six hours. Apply with a 2 or 2½-inch flat varnish brush.

1/2-pint can.....	(Shpg. wt., 1 1/8 lbs.).....	16c
1-quart can.....	(Shpg. wt., 2 5/8 lbs.).....	40c

Seroco Gloss Enamel.



An especially high grade enamel offered in a variety of pleasing shades for interior use. We make this enamel in our own factory and have perfected it especially for the home owner and amateur painter. It is also used by many contractors for large jobs. Can be used any place where a strictly sanitary, glossy, porcelain like finish is desired on woodwork, walls or furniture. The variety of colors offered makes this enamel attractive to those interested in beautifying their homes. Try one color on the walls and another harmonizing color on the ceiling and woodwork. One gallon will cover approximately 200 square feet, two coats. Apply with a good varnish brush. Be sure to mention color wanted.

For Color Samples See Page 1194.

30R2152—Cream	30R2160—Lilac
30R2154—Pea Green	30R2162—Ivory
30R2155—Nile Green	30R2163—Light Gray
30R2156—Light Blue	30R2164—White
30R2159—Pink	
1-quart can....(Shipping wt., 4½ lbs.)	\$0.72
1-gallon can....(Shipping wt., 15½ lbs.)	2.50



Seroco White Bathtub Enamel.

White Bathtub Enamel or Liquid Porcelain. Waterproof and durable. Will resist hot water. A common iron tub, coated with this preparation will have a beautiful appearance. Apply with a good varnish brush, 1½ inches wide.



30R2170	Per can, about ½ pint.....	30c
	Shipping weight, 1½ pounds.	
	Per can, about 1 quart.....	98c
	Shipping weight, 4½ pounds.	

Seroco Decorative Enamel.



A high grade liquid enamel, put up in small convenient cans for to touch up work around the house. It is ready mixed, can be applied on anything and everything, any kind of furniture, iron beds, shelves, wickerware, baby carriages, chairs, etc. One ½-pint can is sufficient for an ordinary iron bed. When ordering be sure to mention color wanted. Apply with a varnish brush, 1 or 1½ inches in width. 30R3035 or 30R3037 will do good work. For painting very small articles use a sash brush, 30R3072. (See page 1200.)

30R2129—Ivory	30R2135—Light Gray
30R2129—White	30R2137—Brown
30R2131—Pink	30R2139—Dark Green
30R2132—Light Blue	30R2140—Gloss Black
30R2133—Light Green	30R2144—Sea Green
½-pint can....(Shipping wt., 1¼ lbs.)	26c
1-quart can....(Shipping wt., 4½ lbs.)	82c

CHINESE GLOSS LACQUER

Colored Varnish.

Chinese Gloss Lacquer is a special Colored Varnish that makes old, scratched or marred furniture, woodwork or floors look like new with but one or two applications. It can be applied by any housewife and the finished work will be satisfactory, rich and beautiful. Open the can, pour a little of the liquid into a saucer or cup and apply it with a flat varnish brush. There are no intricate directions to follow and there is no special mixing to be done. It is put up ready to use. Twenty-four hours after the lacquer is applied the furniture, woodwork or floor can be used.

All your dark painted woodwork can be given a bright, lustrous finish or can be made to represent mahogany, oak, walnut or various other woods by applying one or two coats of our Chinese Gloss Lacquer of the shade desired. It is not necessary to remove the original finish. If the woodwork is light, Chinese Gloss Lacquer can be used alone. If the woodwork is dark and a light finish is required, apply one coat of Undercoat, 30R2697, and over this Undercoat color apply whatever shade of Chinese Gloss Lacquer is desired. One gallon will cover approximately 600 square feet, one coat.

Order a quantity of Chinese Gloss Lacquer, use a portion of it as directed on any piece of furniture or woodwork, and if you are not entirely satisfied send back the remainder of the finish and we guarantee to return your money and all transportation charges you paid. Clear, transparent varnishes are listed on page 1205.

For First Coater, or Undercoat, use 30R2697, listed at the left. Apply Chinese Gloss Lacquer with a flat varnish brush.

Can be furnished in the following colors:

30R2690—Light Oak	30R2693—Cherry
30R2691—Dark Oak	30R2694—Walnut
30R2692—Mahogany	30R2695—Moss Green

PRICES FOR CHINESE GLOSS LACQUER.

	5 Gal.	1 Gallon	Quart	Pint
Shipping weight, pounds.....	per Gal.	11	4	2½
Price.....	\$2.45	\$2.50	66c	35c

Undercoat, or Ground Color.



An opaque yellow paint used as a first coater for Chinese Gloss Lacquer and for graining colors. It completely covers up the original finish and forms a foundation for later finishes. Woodwork that is to be grained should first be painted with Undercoat, or Ground Color. If you wish to change the color of your floors or woodwork from a dark to a lighter shade, apply a coat of this Undercoat, or Ground Color, and, when dry, as per directions on the can, apply the desired shade of Chinese Gloss Lacquer.

30R2697

1-quart can.....(Shipping weight, 4 pounds)	\$0.66
1-gallon can.....(Shipping weight, 11 pounds)	2.50
5-gallon can, per gallon.....(Shipping weight, 45 pounds)	2.45

Varnish Brushes.



Black Chinese bristles held in vulcanized rubber. Carefully shaped and well made.

30R3035

Width, inches.....	1 1½	2 2½	3
Shpg. wt., ozs.....	2	3	4
Price, each.....	12c	17c	23c

Painters' Time Saver.

30R2980—This is one of the handiest articles ever invented for the painter, finisher or for household use. No danger of soiling wall paper, window panes, door glass, etc., when this tool is employed. It is invaluable to the experienced painter as well as to the amateur, for it will save considerable time and will allow you to do far better work. This article is also used when washing woodwork to prevent the wall decorations from being soiled. Shipping weight, 8 ounces.



Price, each.....	17c
------------------	-----

FLOOR FINISHES



Fifteen-Minute Floor Finish.



A most wonderful finish for floors, interior stairs, etc. It is a compound consisting of wax and other ingredients and is applied to the floor in liquid form with a cloth. Brings out the grain of the wood and imparts a rich color. Floors finished with this material can be kept thoroughly clean without scrubbing, as all dust and dirt are readily removed with an ordinary broom or dustless mop. Highly recommended for schools, colleges, stores, public halls, churches, as well as residences. For hard and soft wood floors. The scrubbing expense of large schools, colleges, etc., is enormous. This expense can be greatly reduced by using our Fifteen-Minute Floor Finish. One quart will finish approximately 150 square feet of surface.

1-pint can.....	(Shpg. wt., 1 1/4 lbs.)	Price
1-quart can.....	(Shpg. wt., 3 lbs.)	\$.25
1-gallon can.....	(Shpg. wt., 9 1/2 lbs.)	1.56
5-gal. can, per gal.	(Shpg. wt., 40 lbs.)	1.51

Seroco Floor Oil.

(Pure Linseed Oil and Turpentine.)



A special compounded oil consisting of pure linseed oil, turpentine, dryer and other oils in proportion. For kitchen floors especially. Highly recommended for schools, stores, halls, etc. A very small quantity applied with a cloth will bring out a rich color; oiled with Seroco Floor Oil are easily cleaned by simply washing them with soap and water. One gallon will cover approximately 600 square feet, one coat.

1-pint can.....	(Shpg. wt., 2 lbs.)	Price
1-quart can.....	(Shpg. wt., 2 3/4 lbs.)	52
1-gallon can.....	(Shpg. wt., 10 1/2 lbs.)	1.68
5-gal. can, per gal.	(Shpg. wt., 45 lbs.)	1.58

30-gallon wood barrel (Shipping weight, 265 pounds), per gallon.....	1.45
50-gallon wood barrel (Shipping weight, 430 pounds), per gallon.....	1.40

Seroco Crevice Filler.



Seroco Filler for cracks in floors. A specially prepared elastic, non-shrinking compound for filling cracks in floors or furniture before applying paint or varnish; also adapted for smoothing rough surfaces. It is best to swab the cracks with linseed oil before using the filler. One pound will fill approximately 30 square feet of average floors.

1-lb. can.....	(Shpg. wt., 2 lbs.)	18c
5-lb. can.....	(Shpg. wt., 7 lbs.)	80c

Interior Floor Paint.

Interior Floor Paint, ready mixed, ready to use. Made in our own factory, according to our own formula, this is a product that we guarantee to answer every requirement of a high grade floor paint. A floor paint must be excellent in every way or it will soon break down under the severe wear to which it is necessarily subjected. Seroco Interior Floor Paint contains a large percentage of varnish, which aids in forming an especially tough, wear resisting surface film and at the same time gives the paint a bright, glossy appearance. It dries quickly and is easily kept clean. It can be scrubbed regularly without affecting the finish.

New or old floors which have not been previously painted require three coats. One gallon will cover approximately 300 to 350 square feet, two coats, and from about 200 to 250 square feet, three coats. It will dry in a single night.

For color samples, see page 1193. Furnished only in the following colors:

- 30R500—Buff.
- 30R510—Yellow.
- 30R530—Drab.
- 30R540—Lead Color.
- 30R550—Maroon.
- 30R560—Light Brown.
- 30R570—Gray.

Prices for Above Colors:

1-quart can. Shipping weight, 4 1/2 pounds. Price.....	59c
1-gallon can. Shipping weight, 15 pounds. Price.....	\$2.16



Powdered Dancing Floor Wax.

This preparation for dancing floors is easily applied and can be used on new, old or canvas covered floors. Guaranteed not to soil the most delicate fabric. Sprinkle it on the floors and the dancers will do the rest.

1-pound can.....	30R2637	45c
------------------	---------	-----

Shipping weight, 1 pound 7 ounces.




Brings out the grain of the wood and gives floors and interior woodwork a brilliant wax finish. Very durable. No mixing required. Apply with a cloth, allow to set for fifteen minutes and polish with a weighted brush or dry cloth. Waterproof and dustproof.

One gallon will cover approximately 1,500 square feet.

1-quart can.....	(Shpg. wt., 3 lbs.)	Price
1-gallon can.....	(Shpg. wt., 10 1/2 lbs.)	\$0.45
		1.50

GRAINERS AND GRAINING MATERIALS

Special Wood Grainers.



A set of two rollers, both producing the heart oak grain, one fine and the other slightly heavier. The graining roller producing the heart of oak grain is highly recommended because it produces a more natural grain than any other roller. We have included a steel graining comb with each set. This gives you an outfit with which you can imitate an endless variety of growths of oak wood and the grain made with these rollers is hard to detect from the natural oak. Rollers are 5 inches in length. Shipping weight, 8 ounces.

30R2967—Price, per set of 2 rollers, including a steel graining comb.....	72c
---	-----

Save money! Do your own painting and decorating. Our "How to Paint" book tells all about it. Sent postpaid on request. Write for it.


Improved Davis Wood Grainers.



With these rollers any growth of wood can be imitated. Complete directions are given with each set of rollers explaining fully what rollers to use to produce the grain of wood desired. Anyone possessing a set of our improved graining rollers can, with a few minutes' practice, do a good job of graining and imitate natural wood so that it would be almost impossible to distinguish the natural grain from that made by our improved wood grainers. Shpg. wt., 12 oz.

30R2964—Price, per set of 3 rollers.....	89c
--	-----

The Home Wood Grainer.



A handy tool for graining wall-scotting, floors, woodwork, furniture, doors, etc. You need no experience. Anyone can do graining with this grainer. All that you require is a can of the graining color, a small quantity of turpentine or benzine and one of these grainers. Width, 3 inches.

30R2965—Shpg. wt., 7 oz. Price.....	28c
-------------------------------------	-----

Porch Floor Paint.

The paint on the floor of the ordinary porch receives more actual wear than paint used on almost any other surface. It is usually exposed to all the destructive weather. Rain beats upon it and snow and ice sometimes cover it for days. The entire family walks on it almost daily and it is swept and scrubbed regularly. Furniture and hammocks all do their share in wearing off a porch floor paint.

Realizing the severe tests to which a porch floor paint is usually subjected, we set about to develop a formula for the manufacture of a paint that would answer every requirement demanded of a paint for this purpose.

How well we have succeeded is demonstrated by the marked success this paint has had under actual use and we therefore recommend it as a most durable paint for this purpose. Porch Floor Paint has the same covering capacity as



Interior Floor Paint, shown at the left. For color samples see colors listed under Floor Paint on page 1193.

Furnished only in the following colors:

- 30R600—Gray.
- 30R610—Lead Color.
- 30R620—Drab.
- 30R630—Light Brown.

1-quart can. Shpg. wt., 4 1/2 lbs. Price.....	69c
1-gallon can. Shpg. wt., 15 lbs. Price.....	\$2.58

Seroco Floor and Furniture Wax.

The ideal preparation for floors and furniture where a brilliant and lasting polish is desired. Transparent, will not change the color of the wood. Dirt and dust will not adhere to it. Is easily applied. Directions on can. 1 pound covers approximately 300 square feet.

1-pound can.....	(Shpg. wt., 2 lbs.)	Price
5-pound can.....	(Shpg. wt., 8 lbs.)	\$0.42
		2.00



Floor Waxing and Polishing Brush.

Iron weighted. Protected corners and sides. For waxing and polishing hardwood floors. Price includes handle.

30R3160	
14-pound brush. Shpg. wt., 17 lbs. Price.....	\$1.80
22-pound brush. Shpg. wt., 25 lbs. Price.....	2.40



Graining Outfit Complete.

\$3.05.



Your floors and woodwork can be so grained as to imitate beautiful oak. It is easy to do a good job of graining with this outfit. It is complete with material enough to cover the floor around the rugs of two average size rooms. The outfit contains the following first class materials with full directions for applying:

- 1 Set Special Wood Grainers, including two rollers and a Steel Graining Comb.
- 1 Rubberset Paint Brush, 2 1/2 inches wide.
- 1 Rubberset Varnish Brush, 2 inches wide.
- 1 Quart Undercoat Color.
- 1 Quart Golden Oak Graining Color, mixed ready for use.
- 1 Quart High Grade Extra Durable Floor Varnish.

Shipping weight, about 10 pounds. Price, complete outfit..... \$3.05

Ready Mixed Graining Colors in Oil.



These graining colors are mixed with liquid in the proper proportion and are ready for use when received. They are applied with a paint or varnish brush the same as paint and immediately grained with either rubber or other graining tool.

30R2977 Ground Color Undercoat (shown on page 1193) should be applied to dark surfaces before graining. One pint will cover about 50 square feet.

30R2274—Light Oak.	
30R2275—Dark Oak.	
30R2276—Golden Oak.	

1-quart can. Shipping weight, 4 lbs. Price.....	\$0.46
1-gallon can. Shipping weight, 11 lbs. Price.....	1.74

VARNISHES

Sero-Var

A "Universal" Varnish for Floors, Interiors, Exteriors, Staircases, Window Sills, Tables, Chairs, Furniture, "Universal" because it may be used any place and every place that a varnish is required. Its usefulness is practically unlimited, as will be readily seen from the above list of surfaces and articles for which it is recommended.

It is easy to apply, dries hard over night and wears so well that we feel perfectly free in guaranteeing it. It fulfills every requirement of a high grade, durable varnish. It is sufficiently tough and elastic to withstand the foot friction to which a floor is subjected. It is not affected by heat or cold and water will not turn it white. It is therefore ideal for outside doors, porch ceilings, under eaves, or boats, or wherever a varnish is needed that can be depended upon to stand up under severe exposure to the weather.



On furniture it imparts that beautiful, bright, mirror-like finish so characteristic of new and fresh from the store goods. It may be used on chairs with perfect confidence that it will not soften under the heat from the body.

On table tops especially is it desirable, because it satisfies every requirement of a high grade table top varnish. High gloss, tough and elastic—cannot be easily scratched or marred, and hot water will not affect it.

What a relief to know that if the teapot is overturned or a hot dish is accidentally allowed to remain on the table, the varnish will not be affected.

Every home owner especially should have a can of this universal varnish always on hand. It is economical because it serves so many purposes which otherwise would require a large stock of special varnishes.

3CR2727—Sero-Var.

5 Gal.,	Per Gal.	1 Gal.	Quart	Pint
Price	\$3.12	\$3.17	83c	45c



"Sero-Var" and "Sero-Var" Are Our Own Trade Marks, Registered in U. S. Patent Office.

Architectural Varnishes

Hard Oil Finish. Extra Light.

An exceptionally light hard oil finish designed for finishing all kinds of interior woodwork; preserves the natural grain and color of the wood; works freely and dries in about twenty-four hours with an elegant gloss.

3CR2710

5 Gal.,	per Gal.	1 Gal.	Quart	Pint
Price	\$2.25	\$2.30	62c	34c

Interior Varnish.

An excellent varnish for use on all ordinary woodwork or over graining. Produces a fine gloss and gives a lasting finish. Dries in about twenty-four hours.

3CR2718

5 Gal.,	per Gal.	1 Gal.	Quart	Pint
Price	\$2.75	\$2.80	74c	40c

Interior Spar Varnish.

Specially adapted for finishing highest class interior woodwork that is to be left in the gloss; may, however, be rubbed if desired. Exceptionally pale; free working and durable. Dries hard in two to three days.

3CR2719

5 Gal.,	per Gal.	1 Gal.	Quart	Pint
Price	\$2.93	\$2.98	79c	42c

Outside Spar Varnish.

For finishing all kinds of exposed surfaces such as outside doors, vestibules and store fronts. It is also especially recommended for finishing inside blinds and the woodwork in bathrooms and on sinks, where a very elastic and durable varnish should be employed.

3CR2722

5 Gal.,	per Gal.	1 Gal.	Quart	Pint
Price	\$3.09	\$3.14	83c	44c

Automobile Body Varnish.

A brilliant, transparent and durable varnish for finishing automobile, carriage and buggy bodies. It works and flows with surprising freedom and may be used on the largest surfaces with the greatest safety and satisfaction. It is very pale and will not darken or injure the lightest shades of body color. It dries free from dust in twelve to sixteen hours and hardens properly in from 2 to 3 days.

3CR2740

5 Gal.,	per Gal.	1 Gal.	Quart	Pint
Price	\$4.05	\$1.05	54c	

Transparent Damar Varnish.

Made from imported Batavia gum. For finishing over any interior enameled surfaces, white or ivory, without producing discoloration. It may also be used with excellent satisfaction on varnished tile, wall paper or on delicately tinted painted walls. It is of good body and dries well.

3CR2724

5 Gal.,	per Gal.	1 Gal.	Quart	Pint
Price	\$3.05	\$3.10	82c	44c

All varnishes listed on this page are clear, transparent amber color. Any of these varnishes may be used on oak, mahogany, walnut, birdseye maple and all other woods, as they do not change the color of the finish. For changing the color of the finish see Chinese Gloss Lacquer, page 1189.

Furniture Varnishes

Special Rubbed-Finish Varnish.



The popular dull rubbed finish can be produced with this varnish without the old time necessity of rubbing. Persons who wish to obtain a rubbed finish on their varnished woodwork and furniture have heretofore found it necessary to apply a coat of rubbing varnish which required much labor in rubbing to obtain a dull finish. One coat of this Special Rubbed-Finish Varnish over old shellacked or varnished surfaces or two coats over new wood will give a finish that only the most expert wood finishers can tell from a carefully hand rubbed surface.

We guarantee this varnish to give you perfect satisfaction as to appearance and service. It will not show laps or streaks, contains no wax, and is therefore very durable. Apply like all other varnishes.

3CR2712

5 Gal.,	per Gal.	1 Gal.	Quart	Pint
Price	\$2.69	\$2.74	73c	39c

Furniture Varnish.

This varnish may be used to brighten up worn and lusterless furniture of every description. It dries over night and imparts a fine gloss finish. For general repair work in the household, on articles in daily use that must be finished hurriedly, this material is recommended.

3CR2714

5 Gal.,	per Gal.	1 Gal.	Quart	Pint
Price	\$1.87	\$1.92	52c	29c

Extra Fine Furniture Varnish.

An extra fine varnish which is used by high grade furniture manufacturers; very tough and dries with a high gloss which can be rubbed and polished. Recommended for first class furniture finishing.

3CR2715

5 Gal.,	per Gal.	1 Gal.	Quart	Pint
Price	\$2.59	\$2.64	70c	38c

Cabinet Varnish.

This varnish is designed for highest grade interior woodwork that is to be rubbed and polished; also gives a beautiful finish when left in the gloss. It is exceptionally rich and lustrous and on account of its elasticity is extremely durable. Dries free from dust in three to four hours and sufficiently hard for rubbing in forty-eight hours.

3CR2716

5 Gal.,	per Gal.	1 Gal.	Quart	Pint
Price	\$2.69	\$2.74	73c	39c

Church and School Seat Varnish.

An extremely hard drying and durable article prepared especially for use on church and school seats. It will not soften up under heat of the body. Dries free in five to six hours and hardens in forty-eight hours.

3CR2721

5 Gal.,	per Gal.	1 Gal.	Quart	Pint
Price	\$2.53	\$2.58	69c	37c

Shipping Weights of Varnish.

5 Gal.	1 Gal.	Quart	Pint
Shipping weight, pounds.....	45	11	4 2½

Floor Varnishes

Extra Durable Floor Varnish, Our Highest Grade.



This varnish is clear amber in color and can be applied to both interior woodwork and floors. It is exceptionally tough and elastic and dries very quickly with a permanent luster. It will dry over night. Water will not turn it white and it will retain its wonderful luster even when subjected to hard heels and the moving of furniture. It will cover approximately 600 square feet on oak or 400 square feet on soft pine, one coat per gallon.

For years we have been working on a floor varnish that would be tough, elastic and durable and that would dry over night. We have perfected this Sero-Var Extra Durable Floor Varnish and believe it to be the finest varnish of this kind. We offer it to you at a saving that will make it worth your while to include it in your order.

3CR2723

5 Gal.,	per Gal.	1 Gal.	Quart	Pint
Price	\$2.87	\$2.92	77c	42c

Durable Floor Varnish.



Cheaply made varnishes do not stand the wear caused by hard heels and heavy furniture pounding and scratching along the surface. This varnish, while not quite so good in quality as the one shown above, will answer all the requirements of a high grade varnish. This varnish will cover approximately 600 square feet on oak or 400 square feet on soft pine floors, one coat per gallon. It is easily applied, permanent glossy surface.

3CR2720

5 Gal.,	per Gal.	1 Gal.	Quart	Pint
Price	\$2.25	\$2.30	62c	34c

Linoleum and Floor Oilcloth Varnish.



This varnish dries hard, but remains elastic like the linoleum or oilcloth itself, therefore it will not crack or check. By using Sero-Var Linoleum Varnish the linoleum or oilcloth will retain all its original brightness and luster, even under the severe wear it receives at doorways and halls, thus making the life of linoleum much longer. Hot or cold water does not affect it. A quart can and a few minutes of your time will save you ten times its cost. One coat will do the work; applied in the morning, it will be dry in the morning. About 1 quart is needed to cover a square 12x15 feet.

3CR2642

Shipping weight, pounds.....	2½	Quart	Pint
Price	72c	1¾	39c

HOME BEAUTIFIERS

Seroco Gold Bronze and Aluminum Radiator Enamel.



For radiators or any heated surfaces such as stoves, boilers, engines, motors, mantels, furnaces, interior of ovens or any metal surfaces likely to be subjected to intense heat. Dries with a hard bright finish. The powder and liquid come separately in a neat compact can and must be mixed when ready to use. One ½-pint of either enamel will cover a radiator of 12 columns, 36 inches high.

3OR2122—Aluminum Radiator Enamel.	
¼-pint can.....(Shipping weight, 1¼ lbs.).....	\$0.38
½-pint can.....(Shipping weight, 1½ lbs.).....	.56
1-pint can.....(Shipping weight, 2½ lbs.).....	.94
1-quart can.....(Shipping weight, 3½ lbs.).....	1.60
3OR2123—Gold Bronze Radiator Enamel.	
¼-pint can.....(Shipping weight, 1¼ lbs.).....	\$0.39
½-pint can.....(Shipping weight, 1½ lbs.).....	.57
1-pint can.....(Shipping weight, 2½ lbs.).....	.95
1-quart can.....(Shipping weight, 3½ lbs.).....	1.61

Radiator Bronzing Brush.



Radiator Bronzing Brush. Made of good soft hair. Width, 1½ inches; length, including handle, 9½ inches. Shipping weight, 2 ounces.

3OR3013—Price, each.....21c

Seroco Gold Bronze and Aluminum Enamels.



Strictly high grade gold bronze and aluminum enamels. For all decorative purposes where a gold or silver finish is desired. Dry with a hard smooth finish. The powder and liquid come separately in a neat compact can and must be mixed when ready to use. For picture frames, chandeliers, statuary, bird cages, iron beds, baskets, wickerware, gas and electric fixtures, room moldings and bric-a-brac. Apply with our special bronzing brush listed below. Unavailable.

3OR2145—Aluminum Enamel.	
¼-pint can.....(Shipping weight, 1¼ lbs.).....	27c
½-pint can.....(Shipping weight, 1½ lbs.).....	38c
1-pint can.....(Shipping weight, 1½ lbs.).....	53c
3OR2147—Gold Bronze Enamel.	
¼-pint can.....(Shipping weight, 1¼ lbs.).....	28c
½-pint can.....(Shipping weight, 1½ lbs.).....	39c
1-pint can.....(Shipping weight, 1½ lbs.).....	60c


Brushes for Bronzing.



Soft Hair Brushes for applying gold and silver paints, bronzing, etc. Polished handle; fine quality; flat. Shipping weight, each, 1 ounce.

3OR3011	
Size, inch.....	¾ 1 1½ 2 2½ 3 3½ 4 4½ 5 6
Price, each.....	11c 13c 15c 17c 19c 21c

Vernis Martin Finish.



With this outfit anyone can produce the popular Vernis Martin finish on furniture, iron beds, etc. This outfit consists of one 1-ounce bottle of Vernis Martin Bronze, one ¼-pint can of special Mixing Liquid, one ¼-pint can of Vernis Martin Lacquer, two brushes and complete instructions. Enough to finish one ordinary bed. Shipping weight, 2½ pounds.

3OR2128—Complete outfit.....63c

Seroco Bronzing Liquid.

For mixing with gold, aluminum and other bronze powders. This Bronzing Liquid serves the same purpose as banana liquid. It is used in exactly the same way but has two great advantages over banana liquid; it is much cheaper and has no offensive odor. Unavailable.

3OR2167	
1-pint can.....(Shipping weight, 1½ lbs.).....	\$0.30
1-quart can.....(Shipping weight, 2½ lbs.).....	.46
1-gallon can.....(Shipping weight, 11 lbs.).....	1.35

Bronze Powders.


Gold Bronze Powder. A good quality for general use. Furnished in three shades; bright gold color, rich brass color and Roman gold color. When ordering be sure to mention shade desired. Used in the proportion of 6 ounces of bronze to 1 pint of bronzing liquid.

3OR2190—Gold Color.

2-ounce can.....(Shipping wt., 3 oz.).....	\$0.28
1-pound can.....(Shipping wt., 2 lbs.).....	1.50

Aluminum or Silver Color Powder. Fine quality for general use. Used in the proportion of 4 ounces of powder to 1 pint of Seroco Bronzing Liquid.

3OR2194—Aluminum Color.	
2-ounce can.....(Shipping wt., 3 oz.).....	\$0.30
1-pound can.....(Shipping wt., 2 lbs.).....	1.70



FURNI-FLO, the Universal Polish.

For Making Dustless Mops and Dustcloths.



For preparing as well as replenishing the oil in Dustless Mops and Cloths. You can make your own Dustless Cloths by saturating a piece of cheese-cloth with water, removing the surplus water by passing through a wringer, then adding a small quantity of Furni-Flo. The germ laden dust and dirt is collected and held in the cloth or mop and when through dusting you shake out the dust and it is again ready for use. It cleans as well as polishes all varnished, waxed and painted woodwork, furniture and floors.

3OR3403	
1-pint can.....(Shpg. wt., 2 lbs.).....	25c
1-quart can.....(Shpg. wt., 3½ lbs.).....	43c


Seroco Linoleum and Floor Oilcloth Varnish.



Why allow your linoleum or floor oilcloth to wear away when it can be preserved for a few cents and give a better finish than the original finish of the linoleum or floor oilcloth? This material puts a hard coating on the linoleum but remains elastic like the linoleum or oilcloth itself, therefore it will not crack or check. By using Seroco Linoleum Varnish the linoleum or oilcloth will retain all its original brightness and luster. Hot or cold water does not affect it. One coat will do the work; applied in the evening, it will be dry in the morning. About 1 quart will cover a space 12x15 feet.

3OR2642	
1-pint can.....(Shpg. wt., 1½ lbs.).....	39c
1-quart can.....(Shpg. wt., 2½ lbs.).....	72c

Vitrophane for Windows.



53R1192 Produces imitation art glass effect on windows, glass doors, etc. It does not exclude the light and oftentimes takes the place of curtains or shades. May be washed without injury, is guaranteed not to fade, peel or blister. Any housewife can apply it. Width, 18 inches. Shipping weight, 12 ounces.

53R1194—Red and green squares, black lines.
53R1196—Red flowers and green leaves, black lines.
53R1191—White lace effect pattern.
53R1192—Green squares, black lines.
53R1195—Green squares, black lines; white lace effect pattern.
Price, per roll, 4½ yards long.....60c

Lightning Furniture Polish.

Also Highly Recommended for Polishing Automobile Bodies.



Lightning Furniture and Piano Polish makes varnished surfaces look like new. Furniture on which this polish is used retains its highly lustrous finish for a long time. This is an especially high grade furniture polish and a polish we can safely recommend as one of the best on the market. Can be used on pianos or any high grade furniture as it positively will not injure the finest finish. Automobile owners find this polish one of the best auto body polishes on the market, and it is in great demand for this use.

3OR2768	
Shipping weight, pounds.....	½ Pt. 1 Pt. 1 Qt.
Price.....	1½ 1½ 3
	19c 30c 53c

Quick Refinisher Varnish.



Applied with a cloth, no brushes required. It produces a high gloss finish on old scratched and marred furniture, woodwork and floors. It dries in a few hours and leaves a high gloss surface. Try it on an old marred piece of furniture and see the wonderful results. This Quick Refinisher is used in hundreds of furniture stores to give a fresh, new appearance to furniture that has been used for show purposes, or has been in stock for some time. It is easy to apply and a little goes a long way.

3OR2769	
1-pint can.....(Shipping weight, 2 lbs.).....	38c
1-quart can.....(Shipping weight, 3½ lbs.).....	65c

Seroco Liquid Glue.

Will cement together wood, leather, ivory, cork, cloth, marble, glass, iron, china, crockery, pearl, metals, porcelain, etc. This is not a fish glue, but a pure hide and sinew glue in liquid form and has no offensive odor.



3OR3216	
Large tube.....(Shipping wt., 4 oz.).....	10c
1/2-gill can.....(Shipping weight, 8 oz.).....	13c
1-pint can.....(Shipping weight, 1½ lbs.).....	33c
1-quart can.....(Shipping weight, 1½ lbs.).....	51c
1-gallon can.....(Shipping weight, 3½ lbs.).....	82c

Water Putty.

This is a hard drying mineral substance in powder form to be mixed with water. It dries in fifteen minutes. For filling imperfections and cracks in furniture, vehicles, plastered or board walls, floors, statuary, picture frames, sinks, etc. When dry, water will not dissolve it and it may be sandpapered, carved or sawed without crumbling. Picture frames with composition ornaments may be repaired with Water Putty. Use Seroco Crevice Filler 3OR2660 on page 1204 for filling cracks in old or new floors that are springy or not well nailed.



3OR2659	
1-pound package.....(Shipping weight, 2 lbs.).....	11c
5-pound package.....(Shipping weight, 6½ lbs.).....	50c

The Handy Can of Oil.

Lubricating Oil for the Home.

For lubricating anything about the house that requires lubrication, sewing machines, lawn mowers, washing machines, wringers, carpet sweepers, scales, baby carriages, grindstones, churns, etc. Put up in neat lithographed cans with oiler spout. No home should be without a can of Seroco Household Oil. High quality, guaranteed not to gum. Shipping weight, 1½ pounds.



3OR3394—½-pint can.....15c

Wall Paper and Window Shade Cleaner.

Our Wall Paper and Window Shade Cleaner is one of the best and easiest working cleaners on the market. It is prepared ready for use so that anyone can clean wall paper or window shades with it; no experience necessary. Cleaner is put up in airtight boxes and is guaranteed not to mold or dry out. Full directions on each box.



3OR2782	
13-ounce box.....(Shpg. wt., 1½ lbs.).....	\$0.13
1 dozen boxes.....(Shpg. wt., 16 lbs.).....	1.34
1 case (3 doz. boxes).....(Shpg. wt., 37 lbs.).....	3.78

Seroco Solid Axle Grease.

Axle Grease can be made from good or poor quality oils. Appearance is no test. It is only after several months use that you can tell the difference in greases and then it is too late. The best and surest way to buy axle grease is to buy of a concern that has a reputation for fair dealing—a concern that guarantees the grease and stands back of the guarantee.

Our Seroco Axle Grease is a high grade lubricant. It is used by many large teaming concerns in Chicago and other large cities. We guarantee it to give absolute satisfaction as a high grade lubricant.



30R3442
25-pound pail. Shipping weight, 30 lbs. Per pound..... $\frac{7}{16}$
10-pound pail. Shipping weight, 12 lbs. Per pound..... $\frac{8}{16}$



Harness Dressing.

Gives a jet black finish that will neither blister nor peel off and will retain its luster a long time. The dressing is made of oils and preservatives which add life to the leather as well as producing a high gloss finish.

30R3414
1-pint can..... $\frac{36}{100}$
Shipping weight, 2 lbs.
1-quart can..... $\frac{60}{100}$
Shipping weight, 3½ pounds.

Harness Soap.

Oils, softens, preserves and beautifies all articles of leather. Will make old harness look like new and prevent new harness from looking old.



30R3424—Black Harness Soap.
1-lb. can. Shipping weight, 1½ pounds. Price..... $\frac{36}{100}$
2½-lb. can. Shipping weight, 3½ pounds. Price..... $\frac{70}{100}$

Hoof Dressing.

Stimulates the growth of the hoof and keeps it in a healthy condition. Used in cases of split hoofs, quarter cracks, corns, dry, brittle or contracted feet, thrush, founder, scratches and all diseases of horses' feet.

30R3422—1-quart can.
Price..... $\frac{48}{100}$
Shipping weight, 3 pounds.

Strictly Pure Pine Tar.

Used by horsehoofers for packing, healing and dressing the hoof. Used by the farmer for tarring the hands before husking, for healing sores on horses and cattle and as a sheep dip. Pine tar will keep buffalo gnats off your live stock. Used by nurserymen to promote the growth of bark on trees and to keep off the insects. Also used for tarring seines, rope and steel cables.

30R3466
1-quart can.....(Shpg. wt., 12 lbs.)..... $\frac{19}{100}$
1-gallon can.....(Shpg. wt., 45 lbs.)..... $\frac{60}{100}$
5-gallon can.....(Shpg. wt., 100 lbs.)..... $\frac{56}{100}$
10-gallon can.....(Shpg. wt., 200 lbs.)..... $\frac{45}{100}$
50-gallon barrel.....(Shpg. wt., 500 lbs.)..... $\frac{45}{100}$
50-gallon barrels are shipped from factory in NORTH-EASTERN ILLINOIS.

Combination Pump.



Can be used equally as well for lubricating oil or kerosene. The detachable pump can be unscrewed to relieve the pressure when transferring heavy oils. All our kerosene tanks are fitted with this pump and it can be used with any ordinary tank. The 1½-gal. mouth enables you to pump the oil out faster and easier, while the small cap can be screwed on when used for pumping kerosene. Shipping weight, each, about 9 pounds.

30R3297—Pump for 30-gallon tank. Length of suction pipe, 20 inches. Price..... $\frac{25}{100}$

30R3299—Pump for 60-gallon tank. Length of suction pipe, 27½ inches. Price..... $\frac{26}{100}$

30R3302—Pump for 110-gallon tank. Length of suction pipe, 34 inches. Price..... $\frac{29}{100}$



Faucets.

30R3275—Brass Lock Faucet. fits ¾-inch opening. This faucet fits our Steel Barrels 30R3313 and 30R3315. Shipping weight, about 1 pound. Price..... $\frac{78}{100}$

30R3277—Brass Lock Faucet. fits 1-inch opening. Shipping weight, about 1 pound. Price..... $\frac{98}{100}$



red or a black barrel to suit your requirements. In ordering state which color you wish. If no color is stated, black will be furnished.

Empty Steel Barrels. (Without Faucet.)

These barrels are furnished without a faucet because many of our customers prefer to use a pump. The faucets which are usually furnished with steel barrels are too small to be of any service. So rather than include a faucet, we are quoting the barrels, pumps and faucets separately, so that should you prefer a faucet to a pump we are prepared to serve you. If faucet is wanted, order 30R3275.

Empty Steel Barrel, No.	Capacity, Gallons	Diam., Inches	Height, Inches	Size of Opening for Pump	Gauge	Shpg. Wt., Lbs.	Price, Empty
30R3313	30	19	28	1½ inches	20	30	\$4.20
30R3315	50	23	32	1½ inches	18	30	\$7.70

Some states have laws making it a misdemeanor with a severe penalty to store or ship gasoline in anything but a red container. It is also unlawful in such states to ship or store any other liquid than gasoline in a red container. We have therefore arranged to supply you with either a red or a black barrel to suit your requirements. In ordering state which color you wish. If no color is stated, black will be furnished.

Tanks With Brass Faucets.

Galvanized Iron Tanks Painted Red for Gasoline Storage.

The 30, 60 and 110-gallon tanks are made of 26-gauge galvanized iron in body and bottom. The 200 and 300-gallon tanks are made of 22-gauge galvanized iron. Wood bottom under metal; have 4-inch screw top and lock faucet. Gasoline cannot be shipped in these tanks, as the railroad companies will not accept them filled. We do not guarantee these tanks against rough usage. If a tank is wanted in which to carry oil, one which must be hauled around in a wagon, we recommend our Barrel 30R3315, shown above.

Catalog No.	Capacity, Gallons	Diam., Inches	Height, Inches	Brass Lock Faucet	Shipping Wt., Lbs.	Price
30R3294	30	20	25	¾-inch	30	\$5.65
30R3295	60	26	29	¾-inch	50	7.50
30R3296	110	31	37	¾-inch	70	10.25
30R3298	200	41	37	¾-inch	160	22.10
30R3288	300	60	37	¾-inch	195	28.35

Brass Lock Faucet furnished with each tank. The 200 and 300-gallon tanks are shipped from factory in NORTH-EASTERN ILLINOIS.

Kerosene Tanks.

For Kerosene or Lubricating Oils.

Our Kerosene Tanks are made of 26-gauge galvanized iron in body and bottom; wood bottom under metal, tin hood, and fitted with our new combination pump which can be taken out of tank and used for pumping kerosene from barrel into tank. All tanks are painted green and securely crated. The prices below do not include kerosene. We cannot ship kerosene in these tanks as the railroad companies will not accept them filled.

30R3290—Capacity, 30 gallons; diameter, 23 inches; height, 27 inches. Shipping weight, 35 pounds. Price..... $\frac{75}{100}$

30R3291—Capacity, 60 gallons; diameter, 26 inches; height, 32 inches. Shipping weight, 50 pounds. Price..... $\frac{87}{100}$

30R3292—Capacity, 110 gallons; diameter, 31 inches; height, 37 inches. Shipping weight, 65 pounds. Price..... $\frac{118}{100}$



Longlife Harness Oil

Since harness seldom wears out until it dries out, it is real economy to keep it well oiled. Rain, sun, dust and perspiration shorten the life of harness because they dry up the natural oil. Oil your harness and keep it from cracking. A few hours spent oiling your harness with this Longlife Harness Oil will be time well invested. Get your harness ready for work during your spare time.

This is a special high grade compounded oil that will renew leather harness, make it pliable and prevent leather from cracking. It contains sufficient coloring matter to color the cracks in old harness and make the leather look like new without any injury to it. Send us a trial order; if you are not satisfied after a fair trial, send back the balance of the oil and your money will be promptly returned.

30R3410—Harness Oil.
1-quart can Shipping weight, 3½ pounds..... $\frac{26}{100}$
1-gallon can Shipping weight, 10 pounds..... $\frac{59}{100}$
5-gallon can, per gallon..... $\frac{56}{100}$
Shipping weight, 40 pounds.
10-gallon can, per gallon..... $\frac{53}{100}$
Shipping weight, 80 pounds.

Harness Dipping Oil.

Same quality as our Longlife Harness Oil 30R3410, but somewhat thinner. To be used in connection with our Harness Dipping Tank listed below. Guaranteed to give perfect satisfaction. 30 and 50-gallon barrels are shipped from factory in NORTH-EASTERN ILLINOIS.

30R3408
5-gallon can, per gallon.....(Shpg. wt., 40 lbs.)..... $\frac{57}{100}$
30-gal. ½ barrel, per gallon.....(Shpg. wt., 265 lbs.)..... $\frac{52}{100}$
50-gallon barrel, per gallon.....(Shpg. wt., 430 lbs.)..... $\frac{39}{100}$

Harness Dipping Tank.

This Harness Dipping Tank will save its cost many times over for the busy farmer who has a lot of harness to oil and little time to do it. When a farmer has one of these convenient tanks, the harness can be gathered together, thrown in the tank and left there a while so that the oil can penetrate the leather and then lifted out, every part thoroughly oiled, saving a great deal of time and labor in comparison with the old way of oiling each piece by hand. These tanks are made of galvanized steel with extra heavy lined wire baskets.



30R3282—30-Gallon Tank. Height over all, 27 inches; diameter of body, 19½ inches. Shipping weight, 20 pounds. Price, each..... $\frac{67}{100}$

30R3284—60-Gallon Tank. Height over all, 30 inches; diameter of body, 24½ inches. Shipping weight, 25 pounds. Price, each..... $\frac{82}{100}$

Plumbago Axle Grease.

Made from pure plumbago (graphite) combined with excellent quality lubricating oil and chemically solidified. Can be used on the lightest carriages or the heaviest trucks. Grease your vehicles with our Plumbago Axle Grease. It is economical to use.



—just a little bit put on the axle lasts a long time. This grease will be found a fine article for lubricating all kinds of farm machinery.

30R3440
25-pound pail. Shipping wt., 25 lbs. Per pound..... $\frac{8}{16}$
10-pound can. Shipping wt., 13 pounds. Per pound..... $\frac{9}{16}$

Neatsfoot Oil Compound.

Made from Neatsfoot Oil and other oils which are beneficial to leather goods. Give this compound a trial and as a leather preservative you will find it practically as good as Neatsfoot Oil at a big saving.



30R3327
1-quart can..... $\frac{41}{100}$
Shipping weight, 3 lbs.
1-gallon can..... $\frac{51}{100}$
Shipping weight, 11 lbs.
5-gallon can, per gallon..... $\frac{51}{100}$
Shipping weight, 40 lbs.

Neatsfoot Oil.

This Neatsfoot Oil is a very good grade and especially recommended for keeping harness, saddles, belting, gloves and baseball mitts in perfect condition. Makes leather soft and pliable without leaving a dirty coat on the outside to come off on your clothes.

30R3326
1 quart.....(Shpg. wt., 3½ lbs.)..... $\frac{80}{100}$
1 gallon.....(Shpg. wt., 11 lbs.)..... $\frac{31}{100}$
5 gallons, per gal.....(Shpg. wt., 40 lbs.)..... $\frac{31}{100}$

Leather Preservative.

Makes Two Pairs of Shoes Do the Work of Three.

Farmers, livermen, railroad men, policemen, army men and in fact, everyone exposed to wet, sloppy weather should have a can of this excellent Leather Preservative and give their shoes several thorough applications during the wet and cold seasons. Shoes are quite an expensive item and a preparation such as our Leather Preservative, which will lengthen the life of your shoes one-third will prove quite a money saver for you. The oil preserves the leather by making it soft and pliable, thus preventing it from cracking and splitting. Besides being recommended for shoes it is excellent for leather gloves, harness, automobile leather clutches, and as a rust preventive on guns, knives, etc.



30R3411
Leather Preservative.
1-pint can..... $\frac{40}{100}$
Shpg. wt., 1½ lbs.
1-quart can..... $\frac{69}{100}$
Shpg. wt., ¾ lbs.
1-gallon can..... $\frac{29}{100}$
Shpg. wt., 10 lbs.


Steel Barrel Pump.

A handy pump for pumping lubricating oils, kerosene, gasoline and other oils from steel barrels. It is screwed into the large opening of the steel barrel, making it airtight. No more leaky faucets. This pump will pay for itself in a short time. A steel barrel equipped with one of these pumps may be hauled over rough roads without any danger of injury to the pump, as it is made of strong iron pipe with heavy steel cylinder. Adjustable to fit any height of barrel.


30R3307
Pump with combination plug. Will fit both 1½-inch and 2¼-inch openings in barrel. Shipping weight, about 7½ pounds. Price..... $\frac{40}{100}$

Hose for Use in Transferring Oils.
It oftentimes happens that much time and money can be saved by using a hose to transfer oil instead of using a bucket. Especially where the supply tank can be drawn close to the engine is the use of hose desirable. This is a heavy non-collapsible hose sold by the foot. A hose clamp is furnished with each length of hose. The inside size opening of the hose is ¾ inch. This hose can be used with pump 30R3307. We do not cut less than 5-foot lengths.

30R3385—Hose for transferring oils. Shipping weight, per foot, 12 oz. Price, per foot..... $\frac{2}{100}$



Cross Country Automobile Oil



Use Only Pennsylvania Lubricating Oil.

It Will Help Safeguard the Money You Paid for Your Car.

To safeguard your original investment in an automobile we have left no stone unturned in our efforts to be able to furnish you with a lubricating oil in which you could have absolute confidence.

We decided upon this particular lubricating oil only after many laboratory and practical tests which proved conclusively that a certain grade of Pennsylvania oil could be depended upon to give perfect satisfaction—then we named it "Cross Country."

That was several years ago. Since that time this oil has made many friends and thousands of our customers are ordering it repeatedly. Our increased sales show that it is gaining in popularity. It is satisfying the requirements of thousands of motorists with every make of car.

Increases Mileage.

Use of the proper lubricating oil is of much greater importance than most motorists realize. It is a big factor in getting the greatest possible number of miles per gallon from your gas, and is a positive necessity if you would get the years of satisfactory service from your car which you have a right to expect. Be sure to use an oil which has been found by scientific tests to be the proper one for your motor, and you will secure maximum mileage and prolong the life of your car.

When you use Cross Country Automobile Oil, you attain that freedom from friction—that increased power and maximum mileage which only a perfect lubricating oil can give you.

Quality Guaranteed—and We Save You Money.

You owe it to your car to find and use the proper lubricant for its engine. It is difficult for the average car owner to make the tests himself and he therefore must place his confidence in a firm which has a reputation for fair dealing. Our guarantee is a broad one—absolute satisfaction or money returned. Send for a gallon of this oil and see for yourself that Cross Country Automobile Oil is all that we represent it to be.

Cross Country Automobile Lubricating Oil.

	30R4442—Light.	30R4444—Medium.	30R4446—Heavy.	Per Gal.
50-gallon wood barrel.....	(Shipping weight, 430 pounds).....	(Shipping weight, 420 pounds).....	(Shipping weight, 410 pounds).....	68c
50-gallon steel barrel.....	(Shipping weight, 265 pounds).....	(Shipping weight, 250 pounds).....	(Shipping weight, 240 pounds).....	80c
30-gallon wood barrel.....	(Shipping weight, 80 pounds).....	(Shipping weight, 40 pounds).....	(Shipping weight, 30 pounds).....	73c
30-gallon steel barrel.....	(Shipping weight, 11 pounds).....	(Shipping weight, 11 pounds).....	(Shipping weight, 11 pounds).....	84c
10-gallon can.....	(Shipping weight, 4 pounds).....	(Shipping weight, 4 pounds).....	(Shipping weight, 4 pounds).....	83c
5-gallon can.....	(Shipping weight, 11 pounds).....	(Shipping weight, 11 pounds).....	(Shipping weight, 11 pounds).....	86c
1-gallon can (see note).....	(Shipping weight, 13 lbs.).....	(Shipping weight, 13 lbs.).....	(Shipping weight, 13 lbs.).....	89c

NOTE—The 1-gallon can is fitted with a spout and is especially made to be carried underneath the seat, since it measures only 3 inches wide at the narrow end. It may be refilled as required and you will find it a very handy addition to the regular equipment of your automobile. The 30 and 50-gallon barrels are equipped with non-leaking lock faucets. The difference in the cost of oil per gallon in the various containers is due to the cost of putting up and handling as well as the difference in cost of the containers.

Table showing grade of Cross Country Oil we recommend for the following cars:

	L—Light.	M—Medium.	H—Heavy.
Model of Car	Summer	Winter	
Buick.....	L	L	
Cadillac.....	L	L	
Chevrolet.....	L	L	
Dodge.....	L	L	
Franklin.....	H	H	
Hudson.....	M	M	
Maxwell.....	L	L	
Overland.....	M	L	
Packard.....	H	H	
Pontiac.....	M	M	
Saxon.....	L	L	
Studebaker.....	M	L	

Automobile Refinishing Materials

Auto Varnish-Paint.

This varnish-paint is made of a combination of high grade varnish and pure non-fading colors. It flows freely and dries with a smooth finish and high gloss. Three quarts should be enough to varnish the body and gear of a touring car two coats. No other finish need be applied. Directions for applying are printed on each can. To remove the gloss of the present finish use No. 1 Steel Wool, 30R2670, shown on page 1203. About 1 pound will be required.

30R1700—Light Yellow	30R1740—Black
30R1710—Red	30R1750—Dark Blue
30R1720—Mouse Gray	30R1760—Auto Gray
30R1730—Dark Green	

For Color Samples See Page 1194.

1-pint can.....	(Shipping wt., 2½ lbs.).....	\$0.49
1-quart can.....	(Shipping wt., 4½ lbs.).....	.88
1-gallon can.....	(Shipping wt., 13 lbs.).....	3.00

Auto Body Varnish.

A brilliant, transparent and durable varnish for finishing carriage, buggy and auto bodies. It is very pale and will not darken or injure the lightest shades of body color. Easy to apply and dries free from dust in sixteen hours and hardens properly in three days.

30R2740	1 Gal.	Quart	Pint
Shipping wt., lbs.	11	4	2½
Price.....	\$4.05	\$1.05	54c

Black Touch-Up Varnish.

For touching up all scratches, marks and bruises on the body of your automobile, thus covering up the defective spots and improving the appearance of your car. Will produce a high quality finish, tough and durable. Apply with a varnish brush. Will dry dust free in two hours and harden in six hours.

30R1850		
1-pint can ... (Shpg. wt., 2½ lbs.)...	47c	
1-quart can... (Shpg. wt., 4 lbs.)...	79c	

Metal Polish.

NICKEL POLISH—This Nickel Polish is made especially for nickel parts of automobiles and bathroom fixtures and may be used for polishing any plated metals of nickel, silver or gold. It polishes quickly and produces a luster that lasts. We guarantee that it will not cut away the plating of the most highly polished surface. Simple to use. Full directions on each can.

BRASS POLISH—A polish designed for nickel will not work as quickly on brass, while a polish designed for brass may cut away the nickel plating. These polishes should be used only on the surfaces for which they are recommended. To remove all tarnish, finger marks, etc., and to produce a highly lustrous finish on brass and steel, this Brass Polish is especially recommended.

30R3453—Nickel Polish.		
30R3458—Brass Polish.		
1-pint can	(Shipping wt., 2 lbs.).....	\$0.30
1-quart can	(Shipping wt., 2½ lbs.).....	.45
1-gallon can	(Shipping wt., 10½ lbs.).....	1.28

Automobile Refinishing Outfit

Paint Your Own Car and Save Money.



You can paint your own car and do an excellent job with this outfit. The materials in this outfit are products which we strongly guarantee. We believe there is no outfit on the market with which you can do a better job. Nothing but the best materials are good enough to re-paint a car. Buy the outfit you are sure of, the outfit that will give your car a lasting high gloss, weatherproof finish.

- Outfit consists of:
- 2 Qt. Cans Auto Varnish-Paint.
 - 1 Qt. Substitute Turpentine.
 - 1 Pkg. Steel Wool, No. 1.
 - 1 Qt. Auto Top Dressing.
 - ½ Pt. Black Engine and Radiator Enamel.
 - 2-Inch Oval Varnish Brush.
 - 3-Inch Set-in-Rubber Varnish Brush.
 - 1 Pound Cotton Waste.
 - 1 Package Steel Shavings.

Shipping weight, any outfit, about 16 pounds.

30R1773—Outfit for painting cars BLACK.
30R1783—Outfit for painting cars DARK BLUE.
30R1793—Outfit for painting cars DARK GREEN.
30R1794—Outfit for painting cars RED.
30R1796—Outfit for painting cars MOUSE GRAY.
30R1798—Outfit for painting cars AUTO GRAY.

Price, complete outfit.....\$4.25

Paint Your FORD Like New



Complete Refinishing Outfit Only \$1.00

Outfit consists of:

- 1 quart Black Varnish-Paint.
- 1 Rubbertest Varnish Brush.
- 1 Package Steel Wool, No. 1.

Shipping weight, 7 pounds.

30R1699—Outfit for painting Ford cars BLACK		\$1.00
---	-------	--------

Engine and Radiator Enamel.

Paint your engine or radiator with this high grade enamel and it can be easily kept clean and will not rust, the high gloss of the enamel leaving no surface for the grease and dirt to accumulate. Will not blister, peel or rub off. Apply with a varnish brush.

	Put On. Apply with a varnish brush.
	30R3416—Black Automobile Engine Enamel.
	30R3417—Gray Automobile Engine Enamel.
	½-pint can. (Shpg. wt., 1¼ lbs.) . 23c
	1-pint can. (Shpg. wt., 2¼ lbs.) . 42c
	1-quart can. (Shpg. wt., 4½ lbs.) . 75c

Lamp and Fender Lacquer.

An ideal preparation for refinishing auto hoods and fenders and for painting brass lamps. A high quality finish, tough and durable, will stand hard wear. If the finish on fender or radiator hood of your machine is dull and marred, one coat of Seroce Lacquer will give it a new appearance.

30R2185—Black. High gloss.		
½-pint can.....	(Shpg. wt., 1¼ lbs.)..	20c
1-pint can.....	(Shpg. wt., 2¼ lbs.)..	37c
1-quart can.....	(Shpg. wt., 4½ lbs.)..	71c

Seroce Black Dye for Auto Top Linings.

Apply this dye to the under lining of auto tops and it will make them look like new. It is an indelible black waterproof liquid for dyeing top linings, and is not to be used on leather or imitation leather. For leather or imitation leather auto tops and seats we recommend our Jet Black Auto Top and Seat Dressing listed below. Shpg. wt., 3 lbs.

30R3418—1-quart can.....	80c
--------------------------	-----

Jet Black Top and Seat Dressing.

For refinishing and waterproofing leather and imitation leather automobile tops and seats. Will dry in one hour with a high gloss and positively will not crack or peel. The most delicate fabric will not be affected by coming in contact with the material after it has dried. 1 quart is needed for the top and seats of a runabout, and 1 quart and 1 pint for the top and seats of a touring car.

30R3420		
1-pint can ...	(Shpg. wt., 2 lbs.)....	\$0.58
1-quart can ...	(Shpg. wt., 3 lbs.)....	1.05

Black Dressing for Mohair Tops.

Leaves cloth soft and pliable. Mohair has a drill backing held to it with cement. This cement loses its adhesive qualities through age, thus causing the mohair to readily wear out. This special Seroce Mohair Top Dressing prolongs the life of adhesive qualities of the cement as well as waterproofing the mohair and making the old top look like new. Will dry overnight. About 1 pint is needed for a runabout and 1 quart for a touring car.

	1 quart for a touring car.
	30R3421—Black only.
	1-pint can... (Shpg. wt., 2 lbs.)... 45c
	1-quart can... (Shpg. wt., 3 lbs.)... 80c

Special Oil for Ford Cars



You Need a Special Oil for Your Ford Engine

The Ford engine runs at a high rate of speed and is cooled by the thermo-syphon system, two features which cause the engine to attain a higher temperature than most water cooled engines.

We have devoted considerable time and study to the problem of properly lubricating the motor and transmission of the Ford automobile. We had to produce an oil which would lubricate perfectly in spite of existing conditions. After exhaustive laboratory experiments and actual tests in cars in daily use, we have perfected an oil which will overcome your most common source of trouble and annoyance. It is



an oil that we recommend with the assurance that it will give you the service you have a right to expect from oil sold under our guarantee. It will lubricate the cylinder walls and pistons of your car at the highest temperatures which the engine attains.

It is an oil of slightly lower viscosity than the oils which are commonly used in other cars. We recommend it especially because most people over oil their Ford engines and the oil is liable to work up into the explosion chamber. By using our Special Oil for Ford cars the troubles due to over

oiling are eliminated. Whatever oil may happen to work up into the explosion chamber will be immediately burnt and blown out of the exhaust, thus preventing carbon trouble, instead of depositing carbon on the piston heads and spark plugs, as a heavier oil might do.

The safest way to buy automobile oil—the surest way to get perfect satisfaction—is to deal with a reliable, responsible concern. Buying “anywhere”—buying “any kind”—is usually followed by disastrous lubricating inefficiency, friction, wear and tear on parts, wasted power, wasted fuel, wasted money and, eventually replacement.

Send for a gallon of this Special Oil with the understanding that it will give you the service you have a right to expect; that your money will be returned to you if you are not entirely satisfied.

Special Oil for Ford Cars.

30R3343

	Per Gal.
50-gallon wood barrel..... (Shpg. wt., 430 lbs.).....	47c
50-gallon steel barrel..... (Shpg. wt., 420 lbs.).....	59c
30-gallon wood barrel..... (Shpg. wt., 265 lbs.).....	52c
30-gallon steel barrel..... (Shpg. wt., 250 lbs.).....	63c
10-gallon can..... (Shpg. wt., 80 lbs.).....	62c
5-gallon can..... (Shpg. wt., 40 lbs.).....	65c
1-gallon can..... (Shpg. wt., 11 lbs.).....	68c

NOTE—The 1-gallon can is fitted with a spout and is especially made to be carried underneath the seat, since it measures only 3 inches wide at the narrow end. It may be refilled as required and you will find it a very handy addition to the regular equipment of your automobile. The 30 and 50-gallon steel barrels are equipped with a non-leaking lock faucet.

As you will note, there is a few cents difference in the price per gallon of oil in the various containers. This difference is due to the cost of piling up and handling as well as the difference in price charged us for the empty cans and barrels. For example, five empty 1-gallon cans cost us more than one empty 5-gallon can, and six empty 5-gallon cans cost more than an empty half barrel, and so on.

ZERO Cold Test Automobile Oil.

A Texas zero cold test oil that will not congeal until the temperature drops to zero. It will flow readily at all temperatures above zero and is therefore considered by some motorists as an ideal all weather oil.

A very high grade zero cold test automobile oil which passes every test of viscosity, flash, fire and gravity.

Order a gallon of this oil with the understanding that it will give you the service you have a right to expect; that your money will be returned to you if you are not entirely satisfied. The 30 and 50-gallon steel barrels are equipped with a non-leaking lock faucet.



30R3344—ZERO Cold Test Automobile Oil.


	Per Gal.		Per Gal.
50-gallon wood barrel.....	57c	10-gallon can.....	72c
50-gallon steel barrel.....	69c	5-gallon can.....	75c
30-gallon wood barrel.....	62c	1-gallon can.....	78c
30-gallon steel barrel.....	73c		

NOTE—The 1-gallon can is fitted with a spout and is especially made to be carried underneath the seat, since it measures only 3 inches wide at the narrow end. It may be refilled as required and you will find it a very handy addition to the regular equipment of your automobile.

Shipping weights, same as for 30R3343.

Cross Country Motorcycle Cylinder Oil.

A highly viscous Pennsylvania oil of a special high fire test, made especially for motorcycles. Your motor will give you the maximum amount of power when using our Motorcycle Oil. It will give satisfaction and thorough lubrication. If you do not find that it does, send it back and we will return your money. The 30 and 50-gallon steel barrels are equipped with a non-leaking lock faucet.



30R3345

	Per Gal.
50-gallon wood barrel.....	\$0.94
50-gallon steel barrel.....	1.06
30-gallon wood barrel.....	.99
30-gallon steel barrel.....	1.10
10-gallon can.....	1.05
5-gallon can.....	1.12
1-gallon can.....	1.15

Shipping weights, same as for 30R3343.

Automobile Lubricating Oil and Greases

High Quality Transmission Grease.

An exceptionally high grade Transmission Grease sold under our unqualified guarantee. Compounded from pure acidless fats and oils, made especially for automobile transmissions and differential gears. Do not shorten the life of your car by buying “any kind” of grease. Buy the grease you are sure of—and you can be sure only when the grease is backed by the unqualified guarantee of a reliable concern. Water will not mix with this grease and it retains the same consistency Summer and Winter. Never hardens or gums. As fine a grease as we could possibly offer. Guarantee on every pail.



	Per Lb.
30R3455—Transmission Grease.	
5-lb. pail..... (Shipping wt., 7 pounds).....	21c
10-lb. pail..... (Shipping wt., 13 pounds).....	19c
25-lb. pail..... (Shipping wt., 32 pounds).....	17c

Auto Transmission Oil.

Recommended by automobile manufacturers. Many autoists consider it superior to transmission grease because of its excellent lubricating qualities. It has an extra heavy body and is similar to steam cylinder oil, but is especially treated for use in automobile transmission and differential gears. A transmission oil has the advantage over transmission grease of being fluid enough to reach all parts to be lubricated. Can be used as tractor transmission oil. The 30 and 50-gallon barrels are shipped from factory in Northeastern Illinois.



	Per Gal.
30R3335—Auto Transmission Oil.	
50-gal. wood bbl. (Shpg. wt., 430 lbs.).....	40c
50-gal. steel bbl. (Shpg. wt., 420 lbs.).....	52c
30-gal. wood bbl. (Shpg. wt., 265 lbs.).....	45c
30-gal. steel bbl. (Shpg. wt., 250 lbs.).....	56c
10-gal. can..... (Shpg. wt., 80 lbs.).....	55c
5-gal. can..... (Shpg. wt., 40 lbs.).....	58c
1-gal. can..... (Shpg. wt., 11 lbs.).....	61c

Sponge or Fiber Transmission Grease.

Made From First Grade Cylinder Stock.

This grease is of a spongy nature, making it adhere perfectly to the gears. It will not work out of the transmission or differential gear cases. Nearly all automobile manufacturers recommend the use of fiber transmission grease, and, after many experiments and thorough tests, we have no hesitancy in recommending this grease. It will prove satisfactory and is a high quality grease at a price which means a big saving to you.



	Per Lb.
30R3463—Sponge or Fiber Transmission Grease.	
5-pound pail.....	19c
Shipping wt., 7 lbs.	
10-pound pail.....	17c
Shipping wt., 13 lbs.	
25-pound pail.....	15c
Shipping weight, 32 pounds.	

Cross Country Differential Compound for Ford Cars.

Entirely Overcomes All Rear Axle Trouble.

This Differential Compound for Ford cars is the same quality as that used in all Ford cars when shipped from the factory. 1½ pounds of this quality of compound is the amount standardized by the Ford Motor Car Co. as the correct quantity to be used in the rear axle. This is guaranteed to overcome the trouble of a leaky axle. Thoroughly clean the rear axle with a little kerosene before putting in this grease, as it should not be used on top of old grease.



This compound is manufactured from high viscosity oils and made according to a formula that gives an adhesive semi-solid body guaranteed to remain on the wearing surface without running, channeling or separating at any speed. It retains the same consistency Summer and Winter, making it an ideal all weather lubricant for differential and timing gears.

	Per Lb.
30R3459	
5-pound pail..... (Shipping weight, 7 lbs.).....	18c
10-pound pail..... (Shipping weight, 13 lbs.).....	17c
25-pound pail..... (Shipping weight, 32 lbs.).....	16c

Cross Country Cup Grease.



Cross Country Cup Grease for automobiles, stationary and marine gasoline engines. Compounded from pure acidless fats and oils, made especially for cups on gasoline engines of every type. Recommended wherever a high grade solidified oil or grease is required.

	Per Lb.
30R3454—Cross Country Cup Grease.	
1-pound can..... (Shpg. wt., 2 lbs.).....	22c
5-pound can..... (Shpg. wt., 8½ lbs.).....	17c
10-pound can..... (Shpg. wt., 13 lbs.).....	15c

Sears, Roebuck and Co.
Chicago

1025—2

1209A

LUBRICATING OILS

MACHINE OILS



Harvester Oil.

A heavy bodied, dark colored oil for all around farm or shop use. Excellent for all agricultural machinery. Specially compounded so as to remain fluid in all kinds of weather, making it very desirable for outdoor use. This is a very high quality oil. For shipping weights see bottom of page.

30R3378—Harvester Oil.

Per Gal.	Per Gal.
50-gal. wood barrel....49c	30-gal. steel barrel....65c
50-gal. steel barrel....61c	10-gal. drum.....64c
30-gal. wood barrel....54c	5-gal. drum.....67c
1-gallon can.....	1-quart can.....70c

Castor Machine Oil.

A heavy bodied, specially compounded combination animal and mineral oil. Has a nice light color and a full heavy body, but not quite as good quality as our Harvester Oil. Used largely for farm machinery. For shipping weights see bottom of page.

30R3372—Castor Machine Oil.

Per Gal.	Per Gal.
50-gal. wood barrel....48c	30-gal. steel barrel....64c
50-gal. steel barrel....60c	10-gal. drum.....63c
30-gal. wood barrel....53c	5-gal. drum.....66c
1-gallon can.....	1-quart can.....69c



Excelsior Machine Oil.

This is an old, well known oil for general machine lubrication, clear red in color and medium heavy in body. Many machine shops and factories buy this oil by the barrel for all their machinery. One of the very best medium bodied oils to be had. For shipping weights see bottom of page.

30R3358—Excelsior Machine Oil.

Per Gal.	Per Gal.
50-gal. wood barrel....38c	30-gal. steel barrel....54c
50-gal. steel barrel....50c	10-gal. drum.....53c
30-gal. wood barrel....43c	5-gal. drum.....56c
1-gallon can.....	1-quart can.....59c



High Speed Engine Oil.

A special blend of highest grade oils, compounded especially for steam engine crankshafts, dynamos, electric motors and all other heavy high speed bearings. If you have any large high speed machinery, don't take chances with any oil not specially refined and blended for this special purpose. For shipping weights see bottom of page.

30R3348—High Speed Engine Oil.

Per Gal.	Per Gal.
50-gal. wood barrel....39c	30-gal. steel barrel....55c
50-gal. steel barrel....51c	10-gal. drum.....54c
30-gal. wood barrel....44c	5-gal. drum.....57c
1-gallon can.....	1-quart can.....60c

Cream Separator Oil.



A fine, pale lemon color oil of light body, guaranteed not to gum. The high speed with which the spindle of a cream separator revolves requires that a very high grade oil be used. It must have plenty of body to lubricate the bearings properly and yet must be thin and free flowing so as to reach all parts of the gears and bearings. We buy this oil from refiners who make a specialty of pure high grade oils and we recommend it very highly. Excellent for all kinds of light high speed machinery, such as sewing machines, small motors, etc. Will flow freely at all temperatures above freezing point. See shipping weights at bottom of page.

30R3354—Cream Separator Oil.

Per Gal.	Per Gal.
50-gal. wood barrel....32c	10-gal. drum.....47c
50-gal. steel barrel....44c	5-gal. drum.....50c
30-gal. wood barrel....37c	1-gal. can.....53c
30-gal. steel barrel....48c	1-quart can.....25c

Special Cream Separator Oil.

A very thin, light bodied, pale oil, especially refined for use in separators kept in cold places. Will flow freely at zero temperature and will properly lubricate any separator or other light machinery which must be kept in an unheated room. We recommend that such machinery be kept in a warm room and that our better grade of Separator Oil, 30R3354, be used. Where this is impossible, we urge you not to hesitate to buy this Special Oil for it is of very good quality. For shipping weights see bottom of page.

30R3355—Special Cream Separator Oil.

Per Gal.	Per Gal.
50-gal. wood barrel....31c	10-gal. drum.....46c
50-gal. steel barrel....43c	5-gal. drum.....49c
30-gal. wood barrel....36c	1-gal. can.....52c
30-gal. steel barrel....47c	1-quart can.....24c

CUP GREASES

Graphite Cup Grease.



Furnished in three consistencies: No. 1 Soft, intended for general use on crank pins, crossheads, valve motions, eccentrics, slides, pillow blocks, main journals, automobile transmissions, etc. No. 2 Medium is adapted for screw cups or compression cups having extra strong springs. Can also be used on open bearings where oil opening is moderately large. No. 3 Hard, a good stiff grease for heavy open bearings and places where a high melting point is essential. Can be used in screw cups and is especially suitable for upright shafting cams, spindles, etc. Be sure to mention kind of grease wanted.

30R3489—Graphite Cup Grease.
25-pound pail. Per pound....(Shpg. wt., 32 lbs.).....17c
10-pound pail. Per pound....(Shpg. wt., 13 lbs.).....19c
5-pound pail. Per pound....(Shpg. wt., 9 lbs.).....22c
1-pound can.....(Shpg. wt., 2 lbs.).....25c



Machinery and Gas Engine Cup Grease.

Used for lubricating all kinds of machinery, gas engines, autos, shaftings and journal boxes. No. 2 soft, No. 3 medium, No. 4 hard. When ordering please mention kind wanted.

30R3390—Machinery and Gas Engine Cup Grease.
25-pound pail. Per pound....(Shpg. wt., 31 lbs.).....12c
10-pound pail. Per pound....(Shpg. wt., 14 lbs.).....13c
5-pound pail. Per pound....(Shpg. wt., 9 lbs.).....14c

KEROSENE

Made especially for incubators and lamps. Burns with an even temperature, will not crust the lamp or incubator wicks and the lamp chimneys will need very little cleaning when using this kerosene. This is not the ordinary grade of kerosene commonly known and used, but a special grade of kerosene, refined from a high grade oil produced in Pennsylvania. This kerosene will produce a maximum amount of heat, has no disagreeable odor and will be found ideal for use in oil stoves. It has also proved to be very satisfactory for use in tractors. The 30 and 50-gallon barrels are shipped from factory in NORTH-EASTERN ILLINOIS. See shipping weights below.

30R3300—Special High Grade Kerosene.

10-gallon drum.....\$ 3.43
30-gallon steel barrel.....9.76
50-gallon wood barrel.....13.50
50-gallon steel barrel.....14.76

BLACK OILS

30R3360—Summer Black Oil. A heavy black oil. A good lubricant for sawmills and heavy machinery during the summer months. For shipping weights see bottom of page. The 30 and 50-gallon barrels are shipped from the factory in NORTH-EASTERN ILLINOIS.

50-gallon wood barrel. Per gallon.....22c
50-gallon steel barrel. Per gallon.....34c
30-gallon wood barrel. Per gallon.....27c
30-gallon steel barrel. Per gallon.....38c
10-gallon drum. Per gallon.....37c
5-gallon drum. Per gallon.....40c
1-gallon can.....43c

30R3362—Winter Black Oil. 15 degrees cold test. Not quite as heavy as 30R3360. The 30 and 50-gallon barrels are shipped from the factory in NORTH-EASTERN ILLINOIS.

50-gallon wood barrel. Per gallon.....23c
50-gallon steel barrel. Per gallon.....35c
30-gallon wood barrel. Per gallon.....28c
30-gallon steel barrel. Per gallon.....39c
10-gallon drum. Per gallon.....38c
5-gallon drum. Per gallon.....41c
1-gallon can.....44c

Shipping Weights of Oils.

50-gallon wood barrel.....430 pounds
50-gallon steel barrel.....420 pounds
30-gallon wood barrel.....265 pounds
30-gallon steel barrel.....250 pounds
10-gallon drum.....80 pounds
5-gallon drum.....40 pounds
1-gallon can.....11 pounds

CYLINDER OILS

Tractor Oil.

Regardless of the make of your tractor engine, this oil will prove your insurance against friction. The heat generated in the cylinders of the kerosene or distillate tractor is enormous. It therefore requires an oil which will not break down under the highest temperatures, but which will retain its lubricating efficiency, maintaining a friction proof film between moving parts, protecting them from wear and giving you the utmost power from your engine.

We recommend this Tractor Oil as possessing every requirement of a high grade lubricant. By passing an exceptionally high fire test it insures lubrication, even under the very high temperatures, saves power, reduces friction and lengthens the life of your engine. Our guarantee of satisfaction or money returned assures you that it will do all we claim for it. In all our practical and laboratory tests we have not found an oil which could be recommended so highly as the grade which we are listing. For shipping weights see bottom of page.




30R3339—Tractor Oil.

50-gallon wood barrel. Per gallon.....54c
50-gallon steel barrel. Per gallon.....66c
30-gallon wood barrel. Per gallon.....59c
30-gallon steel barrel. Per gallon.....70c
10-gallon drum. Per gallon.....69c
5-gallon drum. Per gallon.....72c
1-gallon can.....75c

Compounded Steam Cylinder Oil.

Made from Pennsylvania Premium Crude. This crude is settled before distilling and washed after distilling, doing away with all foreign matter. The tests of these oils, such as fire, flash, viscosity and gravity, are excellent. Recommended for use in low pressure (wet steam) engines. For shipping weights, see bottom of page.



30R3338—Compounded Steam Cylinder Oil.

50-gallon wood barrel. Per gallon.....54c
50-gallon steel barrel. Per gallon.....66c
30-gallon wood barrel. Per gallon.....59c
30-gallon steel barrel. Per gallon.....70c
10-gallon drum. Per gallon.....69c
5-gallon drum. Per gallon.....72c
1-gallon can.....75c

Extra Cylinder Oil. Same quality as our Compounded Steam Cylinder Oil but for high steam pressure (dry steam) engines. Dark green in color. For shipping weights see bottom of page.

30R3337—Extra Cylinder Oil.

50-gallon wood barrel. Per gallon.....44c
50-gallon steel barrel. Per gallon.....56c
30-gallon wood barrel. Per gallon.....49c
30-gallon steel barrel. Per gallon.....60c
10-gallon drum. Per gallon.....59c
5-gallon drum. Per gallon.....62c
1-gallon can.....65c

Gasoline Engine Oil.

Special Compounded Cylinder Oil for Gas and Gasoline Engines. Red in color. This is strictly high grade oil and guaranteed. Do not experiment with cheap oils and ruin the cylinder of your engine. For shipping weights see bottom of page.

30R3342—Gasoline Engine Oil.

50-gal. wood barrel. Per gal.....44c
50-gal. steel barrel. Per gal.....56c
30-gal. wood barrel. Per gal.....49c
30-gal. steel barrel. Per gal.....60c
10-gallon drum. Per gallon.....59c
5-gallon drum. Per gallon.....62c
1-gallon can.....65c



Read This. The difference in the price per gallon of oil in the various containers is due to the cost of putting up and handling as well as the difference in price charged us for the empty cans and barrels. For example, five empty 1-gallon cans cost us more than one empty 5-gallon drum, and six empty 5-gallon drums more than one empty half barrel, and so on. The 30 and 50-gallon steel barrels are equipped with a non-leaking lock faucet.

FREIGHT RATES

Table showing the freight rates per 100 pounds on goods shipped from Chicago to a number of cities in each state, these cities being used by the railroads as a basis for figuring rates for all the towns in the immediate vicinity of each city.

RAILROAD COMPANIES FIGURE FREIGHT RATES WITH THE LARGER CITIES IN EACH STATE AS A BASIS. All other towns located in the same part of the state as any one of these cities take practically the same rate or only a few cents per 100 pounds more or less than the rate to the larger city.

Please consult the following Table of Rates, considering it in connection with the classification of merchandise, and you will be able to determine easily almost exactly what the freight will amount to on any goods. If your station is not named in this table, the rate to your station will be very nearly the same as the rate to the nearest city named, or you may ask your freight agent.

You will notice in the railroad companies base their rates on the kind of merchandise to be carried. In order, therefore, to give you an idea as to the rate which any kind of merchandise will take to your nearest city, we tell you here the kind of merchandise which takes the different classes of rates.

FOUR TIMES FIRST CLASS
Row Boats (East and South)

THREE TIMES FIRST CLASS
Drums (musical)
Reed Chairs (East and West)
Row Boats (West)

DOUBLE FIRST CLASS
Buggies (54-in. crates) (East)
Cameras (West)
Dress Forms
Reed Chairs (South)
Road Carts
Sleds, Children's (West)

1/2 TIMES FIRST CLASS
Baby Carriages (East and West)
Bicycles
Buggies (34-in. crates) (East)
Buggies (54-in. crates) (West and South)
Desks (East)
Milk Cans (East)
Sleds, Children's (East and South)
Trunks (East)

FIRST CLASS
Ammunition (South)
Automobile Repairs
Awning
Baby Carriages (South)
Bathtubs
Bob Sleds (East)
Books
Boots and Shoes
Brooders
Buggies (34-in. crates) (West and South)
Cameras (East and South)
Camera Supplies
Carpets
Clothing (South)
Cigars
Clocks
Clothing
Concrete Block Machines (East)
Couches
Curtains
Desks (West and South)
Dressers (East and West)
Drugs
Dry Goods
Electrical Goods
Fire Arms
Forges (West)
Gasoline Engines (West)

FIRST CLASS
Graphophones
Harness and Saddlery
Horse Clipping Machines
Incubators (West and South)
Ladders (West and South)
Lamps
Loaded Gun Shells (South)
Mating
Milk Cans (West and South)
Morris Chairs
Notions
Oil Stoves
Pianos and Organs
Pictures
Rubber Goods
Rugs
Sewing Machines (West and East)
Sporting Goods
Stationery
Tents
Tinware
Toys
Trunks (West and South)
Valises
Wagons, Children's (East and South)
Wagons, Farm (East and West)

FIRST CLASS
Wagon Wheels (East and West)
SECOND CLASS
Ammunition (West and East)
Animal Traps
Bedsteads
Bob Sleds (West)
Chinaware (East and West)
Concrete Block Machines (West)
Cream Separators
Crockery (West)
Dressers (South)
Extension Tables
Feed Troughs, Castor Wrought Iron
Forges (East and South)
Gasoline Engines (East)
Glassware (East R25)
Grainware
Grindstones with Frames (West)
Hardware (West and South)
Horse Clipping Machines (West and East)
Incubators (East)
Ladders (East)
Linoleum
Loaded Gun Shells (West and East)

SECOND CLASS
Oilcloth
Oils (East)
Plumbing Material
Pulleys
Refrigerators
Sewing Machines (South)
Tools (West and South)
Vacuum Cleaners
Vases (West and South)
Wagons, Children's (West)
Wall Paper
Hand Washing Machines
Woodenware
Wringers
Wheelbarrows
THIRD CLASS
Church, School and Farm Bells (East R25)
Crockery (East R26)
Farm Implements (East R25)
Gasoline Engines (South)
Grindstones with Frames (East R26)
Hand Pumps (East R25)
Hardware (East)
Iron Pots and Kettles
Iron Safes
Oils (West and South)
Paints (East)
Stoves and Ranges (Cast Iron)

THIRD CLASS
Stump Pullers (East R25)
Tools (East)
Vases (East R26)
Windmills (East R25)
Wire Fencing (East R26)
FOURTH CLASS
Anvils
Chick Feed and Scratch Feed (West). See page 617.
Concrete Block Machines (South)
Crockery (South)
Grindstones with Frames (South)
Paints (West and South)
Prepared Roofing (East R26)
Steel Roofing
Steel Siding
Stock Food
Wagon Wheels (South)
Wire, Plain or Barbed
FIFTH CLASS
Chick Feed and Scratch Feed (East). See page 617.
CLASS "D"
Chick Feed and Scratch Feed (South). See page 617.

HERE ARE THE RATES PER 100 POUNDS TO DIFFERENT TOWNS IN EACH STATE.

From Chicago to					From Chicago to					From Chicago to				
1st Class Freight, per 100 Pounds.	2d Class Freight, per 100 Pounds.	3d Class Freight, per 100 Pounds.	4th Class Freight, per 100 Pounds.		1st Class Freight, per 100 Pounds.	2d Class Freight, per 100 Pounds.	3d Class Freight, per 100 Pounds.	4th Class Freight, per 100 Pounds.		1st Class Freight, per 100 Pounds.	2d Class Freight, per 100 Pounds.	3d Class Freight, per 100 Pounds.	4th Class Freight, per 100 Pounds.	
ALABAMA—					KENTUCKY—					NORTH DAKOTA—				
Birmingham	\$1.80	\$1.57	\$1.32	\$1.07	Frankfort	\$0.92	\$0.78	\$0.64	\$0.50	Bismarck	\$2.00	\$1.69	\$1.34	\$0.96
Brewton	2.06	1.70	1.40	1.16	Hopkinsville	1.00	.82	.69	.58	Fargo	1.47	1.24	.97	.68
Mobile	1.88	1.13	.94	.73	Louisville	.67	.57	.45	.34	Grand Forks	1.55	1.30	1.04	.73
Montgomery	1.87	1.64	1.40	1.10	Morehead	1.15	.96	.75	.56	Minot	2.19	1.87	1.50	1.09
ARIZONA—					LOUISIANA—					Williston	2.49	2.08	1.70	1.24
Phoenix	3.63	3.14	2.62	2.19	Lake Charles	1.95	1.65	1.34	1.15	OHIO—				
Tucson	3.63	3.14	2.62	2.19	New Orleans	1.38	1.13	.94	.73	Cincinnati	.64	.55	.43	.32
ARKANSAS—					Shreveport	1.82	1.53	1.25	1.07	Columbus	.67	.57	.45	.33
Arkansas City	1.50	1.27	.97	.74	MAINE—					Toledo	.61	.52	.41	.31
Fort Smith	1.63	1.39	1.09	.87	Bangor	1.22	1.07	.82	.58	OKLAHOMA—				
Hot Springs	1.94	1.65	1.32	1.02	MARYLAND—					Oklahoma City	1.88	1.62	1.34	1.09
Little Rock	1.50	1.27	.97	.74	Baltimore	1.09	.95	.72	.49	OREGON—				
Texarkana	1.84	1.59	1.35	1.20	MASSACHUSETTS—					Portland	4.25	3.69	3.07	2.59
CALIFORNIA—					Boston	1.22	1.07	.82	.58	PENNSYLVANIA—				
Bakersfield	4.25	3.69	3.07	2.59	MICHIGAN—					Harrisburg	1.09	.95	.72	.49
Los Angeles	4.25	3.69	3.07	2.59	Bessemer	.82	.69	.55	.35	Philadelphia	1.10	.97	.73	.50
San Francisco	4.25	3.69	3.07	2.59	Detroit	.63	.54	.43	.32	Pittsburgh	.78	.66	.52	.40
COLORADO—					Grand Rapids	.59	.50	.40	.30	RHODE ISLAND—				
Denver	2.25	1.82	1.38	1.07	Traverse City	.77	.66	.52	.39	Providence	1.22	1.07	.82	.58
Durango	4.00	3.38	2.69	2.01	MINNESOTA—					Charleston	1.83	1.55	1.37	1.20
Grand Junction	3.32	2.79	2.32	1.87	Aitkin	1.16	.98	.78	.53	Greenville	1.95	1.73	1.45	1.18
Julesburg	2.10	1.76	1.34	1.07	Crookston	1.49	1.24	1.00	.32	Sumter	1.98	1.73	1.45	1.18
Leadville	3.32	2.79	2.32	1.87	Duluth	.82	.69	.55	.29	SOUTH DAKOTA—				
CONNECTICUT—					Grand Rapids	1.23	1.03	.83	.35	Aberdeen	1.43	1.19	.84	.63
Hartford	1.22	1.07	.82	.58	Minneapolis	.75	.63	.50	.55	Bellefourche	2.43	2.03	1.69	1.38
DELAWARE—					Winona	.63	.53	.42	.68	Sioux Falls	1.04	.85	.59	.43
Dover	1.13	.99	.75	.53	MISSISSIPPI—					Watertown	1.20	1.03	.80	.57
DIST. OF COLUMBIA—					Hattiesburg	1.62	1.37	1.17	.98	TENNESSEE—				
Washington	1.09	.95	.72	.49	Jackson	1.58	1.33	1.13	.95	Jackson	1.33	1.09	.89	.73
FLORIDA—					Natchez	1.38	1.13	.94	.73	Knoxville	1.59	1.37	1.14	.92
Jacksonville	1.83	1.55	1.37	1.20	MISSOURI—					Memphis	1.07	.82	.69	.54
Miami	3.05	2.64	2.33	2.07	Kansas City	1.00	.82	.57	.40	Nashville	1.23	1.03	.82	.68
Pensacola	1.38	1.13	.94	.73	St. Louis	.57	.47	.36	.29	TEXAS—				
Tallahassee	2.48	2.14	1.84	1.49	Springfield	1.03	.90	.63	.47	El Paso	2.75	2.33	1.90	1.63
Tampa	2.46	2.09	1.79	1.60	MONTANA—					Fort Worth	2.09	1.77	1.45	1.33
GEORGIA—					Billings	3.13	2.62	2.12	1.70	Houston	2.09	1.77	1.45	1.33
Atlanta	1.98	1.70	1.44	1.17	Glasgow	2.82	2.40	1.94	1.48	UTAH—				
Macon	1.98	1.70	1.44	1.17	Havre	3.13	2.68	2.18	1.70	Marysville	3.94	3.39	2.89	2.42
Savannah	1.83	1.55	1.37	1.20	Helena	3.32	2.83	2.32	1.87	Salt Lake City	3.32	2.79	2.32	1.87
Waycross	2.33	2.00	1.77	1.47	Kalispell	3.44	2.94	2.42	1.97	VERMONT—				
IDaho—					Miles City	2.82	2.40	1.94	1.48	Montpelier	1.22	1.07	.82	.58
Boise	3.52	3.02	2.50	2.07	NEBRASKA—					VIRGINIA—				
Pocatello	3.32	2.79	2.32	1.87	Lincoln	1.07	.88	.62	.45	Marion	1.24	1.08	.82	.57
ILLINOIS—					North Platte	1.95	1.63	1.24	.98	Richmond	1.09	.95	.72	.49
Cairo	.59	.48	.38	.30	Omaha	1.00	.82	.57	.40	Rocky Mount	1.49	1.25	.99	.74
Joliet	.27	.22	.18	.15	NEVADA—					WASHINGTON—				
Rock Island	.47	.38	.29	.24	Austin	4.57	4.10	3.62	3.02	Seattle	4.25	3.69	3.07	2.59
Springfield	.49	.39	.30	.25	Carson City	3.94	3.46	2.93	2.51	Spokane	3.63	3.14	2.62	2.19
INDIANA—					NEW HAMPSHIRE—					WEST VIRGINIA—				
Evansville	.64	.55	.43	.32	Concord	1.22	1.07	.82	.58	Charleston	.78	1.82	.52	.39
Fort Wayne	.51	.43	.34	.26	NEW JERSEY—					Elkins	.90	2.69	.60	.45
Indianapolis	.57	.48	.38	.28	Atlantic City	1.19	1.05	.82	.59	Wheeling	.78	.66	.52	.39
Richmond	.60	.51	.40	.30	Trenton	1.13	.99	.75	.53	WISCONSIN—				
South Bend	.42	.36	.28	.22	NEW MEXICO—					Ashtland	.82	.79	.55	.35
IOWA—					Gallup	3.63	3.14	2.62	2.19	La Crosse	.65	.66	.42	.29
Des Moines	.75	.60	.45	.34	Santa Fe	2.75	2.33	1.88	1.57	Madison	.49	.69	.33	.23
Fort Dodge	.82	.65	.49	.37	Silver City	3.25	2.77	2.28	1.95	Marquette	.54	.53	.37	.29
Sioux City	1.00	.82	.57	.40	NEW YORK—					Milwaukee	.38	.43	.25	.19
KANSAS—					Albany	1.08	.95	.72	.51	WYOMING—				
Dodge City	2.03	1.74	1.35	1.04	Buffalo	.78	.66	.52	.39	Cheyenne	2.25	.45	1.38	1.07
Great Bend	1.82	1.53	1.19	.96	New York	1.13	.99	.75	.53	Green River	3.19	.32	2.32	1.79
Kansas City	1.00	.82	.57	.40	Syracuse	.90	.79	.60	.42	Lander	3.50	2.92	2.32	1.85
Topeka	1.25	1.03	.74	.54	NORTH CAROLINA—					Sheridan	3.13	2.62	2.12	1.70
Wichita	1.63	1.39	1.08	.82	Asheville	1.82	1.60	1.37	1.07					
					Raleigh	1.67	1.44	1.13	.84					
					Wilmington	1.67	1.40	1.09	.84					

EXPRESS RATES

Tables showing the Express Rates per 100 pounds on goods shipped from Chicago to a number of cities in each state, these cities being used as a basis for figuring rates for all the towns in the immediate vicinity of each city.

Your express agent will tell you the exact rates from Chicago to your home town and give you full information in reference to their delivery service. If there is no express agent at your shipping point you must send money to prepay express charges. If there is an agent you can pay the express charges when shipment reaches you. It is necessary to prepay only when there is no agent at your station.

HOW TO FIGURE EXPRESS CHARGES

First estimate the weight of goods by express to your nearest city in the Table of Rates below; then consult the Scale of Express Charges, following the line for the weight of your goods to the column headed by your express rate per 100 pounds, and the amount shown will be the express charges.

First estimate the weight of goods by express to your nearest city in the Table of Rates below; then consult the Scale of Express Charges, following the line for the weight of your goods to the column headed by your express rate per 100 pounds, and the amount shown will be the express charges.

If the exact rate per 100 pounds for your town is not shown in any of the headings of this scale, take the rate shown for the town nearest you and the express charges will be about the same as to your town.

The table of Express Rates also shows the parcel post zone of the various cities named below, enabling you to make an approximate comparison between the express charges and the parcel post charges to the zone in which you live. For Parcel Post Rates see page 693.

EXPRESS RATES PER 100 POUNDS TO CITIES IN EACH STATE.

From Chicago to	Parcel Post Zone	Express, per 100 Pounds.	From Chicago to	Parcel Post Zone	Express, per 100 Pounds.	From Chicago to	Parcel Post Zone	Express, per 100 Pounds.	From Chicago to	Parcel Post Zone	Express, per 100 Pounds.	From Chicago to	Parcel Post Zone	Express, per 100 Pounds.
ALABAMA—			GEORGIA—			MARYLAND—			NEW JERSEY—			SOUTH DAKOTA—		
Birmingham.....	4	\$2.80	Atlanta.....	4	\$3.02	Baltimore.....	4	\$2.64	Atlantic City.....	5	\$2.80	Aberdeen.....	4	\$3.63
Brewton.....	5	3.30	Macon.....	5	3.30	Detroit.....	4	1.54	Silver City.....	6	2.80	Bellefourche.....	5	4.24
Mobile.....	5	3.41	Savannah.....	5	3.68	Boston.....	5	2.91	Traverse City.....	3	1.92	Sioux Falls.....	4	2.86
Montgomery.....	5	3.02	Waycross.....	5	3.63	MICHIGAN—			NEW MEXICO—			Watertown.....	4	3.19
ARIZONA—			IDAHO—			Bessemer.....	4	2.64	Gallup.....	6	7.04	TENNESSEE—		
Phoenix.....	7	8.96	Boise.....	7	8.80	Detroit.....	4	1.54	Santa Fe.....	6	5.39	Jackson.....	4	2.31
Tucson.....	6	8.03	Pocatello.....	6	7.86	Grand Rapids.....	2	1.26	Albany.....	5	2.69	Knoxville.....	4	2.80
ARKANSAS—			ILLINOIS—			Traverse City.....	3	1.92	Buffalo.....	4	2.14	Memphis.....	4	2.47
Arkansas City.....	4	2.91	Cairo.....	4	1.81	MINNESOTA—			New York.....	5	2.80	Nashville.....	4	2.09
Fort Smith.....	4	3.35	Joliet.....	1	.82	Albany.....	4	3.08	El Paso.....	6	6.71	TEXAS—		
Hot Springs.....	4	3.35	Rock Island.....	2	1.26	Crookston.....	4	3.52	Fort Worth.....	5	4.40	El Paso.....	6	6.71
Little Rock.....	4	3.08	Springfield.....	3	1.43	Duluth.....	4	2.80	Houston.....	5	4.67	Fort Worth.....	5	4.40
Texarkana.....	5	3.63	INDIANA—			Gran Rapids.....	4	3.19	Marshall.....	5	3.68	Houston.....	5	4.67
CALIFORNIA—			Evansville.....	3	1.54	Minneapolis.....	4	2.36	Wilmington.....	5	3.68	Marshall.....	5	3.68
Bakersfield.....	7	9.95	Fort Wayne.....	2	1.26	Winona.....	3	2.03	NORTH DAKOTA—			El Paso.....	6	6.71
Los Angeles.....	7	9.95	Indianapolis.....	2	1.26	MISSISSIPPI—			Bismarck.....	5	4.18	Marshall.....	5	3.68
San Francisco.....	8	10.39	Richmond.....	3	1.54	Hattiesburg.....	5	3.19	Fargo.....	4	3.35	Montpelier.....	5	2.91
COLORADO—			South Bend.....	2	.99	Jackson.....	5	3.08	Grand Forks.....	5	3.74	Montpelier.....	5	2.91
Denver.....	5	4.78	IOWA—			Missouri.....	5	3.35	Minot.....	5	4.34	Verona.....	5	2.91
Durango.....	6	6.65	Des Moines.....	3	2.14	Kansas City.....	4	2.47	Williston.....	5	4.67	Verona.....	5	2.91
Grand Junction.....	6	6.21	Fort Dodge.....	4	2.31	St. Louis.....	3	1.70	OHIO—			Verona.....	5	2.91
Julesburg.....	5	4.23	Sioux City.....	4	2.86	Springfield.....	4	2.64	Cincinnati.....	3	1.54	Verona.....	5	2.91
Leadville.....	5	5.66	KANSAS—			MONTANA—			Columbus.....	3	1.81	Verona.....	5	2.91
CONNECTICUT—			Dodge City.....	4	4.07	Billings.....	6	6.10	Toledo.....	3	1.43	Verona.....	5	2.91
Hartford.....	5	2.97	Great Bend.....	5	3.63	Glasgow.....	6	5.39	OKLAHOMA—			Verona.....	5	2.91
DELAWARE—			Kansas City.....	4	2.64	Havre.....	6	6.27	Oklahoma City.....	5	3.96	Verona.....	5	2.91
Dover.....	5	2.69	Topeka.....	4	2.64	Helena.....	6	7.37	OREGON—			Verona.....	5	2.91
DISTRICT OF COLUMBIA—			Wichita.....	4	3.63	Kalispell.....	6	7.64	Portland.....	7	9.90	Verona.....	5	2.91
Washington.....	4	2.64	KENTUCKY—			Miles City.....	5	5.33	PENNSYLVANIA—			Verona.....	5	2.91
FLORIDA—			Frankfort.....	3	1.70	NEBRASKA—			Harrisburg.....	4	2.53	Verona.....	5	2.91
Jacksonville.....	5	3.96	Hopkinsville.....	4	1.92	Lincoln.....	4	2.86	Philadelphia.....	5	2.54	Verona.....	5	2.91
Miami.....	6	5.17	Louisville.....	3	1.54	North Platte.....	5	2.90	RHODE ISLAND—			Verona.....	5	2.91
Miami.....	6	5.17	Morehead.....	4	1.92	Omaha.....	4	2.64	Providence.....	5	2.97	Verona.....	5	2.91
Pensacola.....	5	3.57	LOUISIANA—			NEVADA—			SOUTH CAROLINA—			Verona.....	5	2.91
Tallahassee.....	5	3.68	Lake Charles.....	5	3.96	Austin.....	7	9.13	Charleston.....	5	3.90	Verona.....	5	2.91
Tampa.....	5	4.56	New Orleans.....	5	3.57	Carson City.....	7	9.68	Greenville.....	5	3.41	Verona.....	5	2.91
			Shreveport.....	5	3.74	NEW HAMPSHIRE—			Sumter.....	5	3.68	Verona.....	5	2.91
			Bangor.....	5	3.41	Concord.....	5	2.97				Verona.....	5	2.91

SCALE OF EXPRESS CHARGES BASED ON THE RATE PER 100 POUNDS.

Rate per 100 lbs....	\$0.82	\$0.99	\$1.15	\$1.26	\$1.43	\$1.54	\$1.65	\$1.70	\$1.81	\$1.92	\$1.98	\$2.03	\$2.09	\$2.14	\$2.20
CHARGES ON															
Package of 1 lb....	.29	.29	.29	.29	.29	.29	.29	.29	.29	.29	.30	.30	.30	.30	.30
Package of 2 lbs....	.29	.29	.30	.30	.30	.30	.30	.31	.31	.31	.31	.31	.31	.31	.31
Package of 5 lbs....	.30	.31	.32	.32	.33	.33	.33	.34	.34	.35	.35	.36	.36	.36	.37
Package of 10 lbs....	.33	.34	.36	.37	.38	.40	.41	.42	.42	.44	.44	.45	.46	.46	.46
Package of 15 lbs....	.35	.38	.41	.42	.45	.46	.48	.48	.51	.52	.53	.54	.55	.55	.56
Package of 20 lbs....	.38	.42	.45	.47	.51	.53	.55	.56	.58	.60	.62	.63	.64	.65	.66
Package of 25 lbs....	.41	.45	.49	.52	.56	.59	.62	.63	.66	.68	.70	.71	.73	.74	.76
Package of 30 lbs....	.44	.48	.54	.57	.62	.65	.68	.70	.74	.77	.78	.80	.81	.84	.85
Package of 35 lbs....	.46	.53	.58	.62	.68	.71	.76	.77	.81	.85	.87	.89	.91	.92	.95
Package of 40 lbs....	.49	.56	.63	.67	.74	.78	.82	.85	.89	.93	.96	.98	1.00	1.02	1.04
Package of 45 lbs....	.52	.59	.67	.71	.79	.85	.89	.91	.97	1.01	1.04	1.07	1.09	1.11	1.14
Rate per 100 lbs....	\$2.31	\$2.36	\$2.47	\$2.53	\$2.58	\$2.64	\$2.69	\$2.80	\$2.86	\$2.91	\$2.97	\$3.02	\$3.08	\$3.19	\$3.24
CHARGES ON															
Package of 1 lb....	.30	.30	.30	.30	.30	.30	.30	.30	.30	.30	.31	.31	.31	.31	.31
Package of 2 lbs....	.32	.32	.32	.32	.32	.32	.33	.33	.33	.33	.33	.33	.33	.34	.34
Package of 5 lbs....	.37	.37	.38	.38	.38	.40	.40	.41	.41	.42	.42	.43	.44	.44	.44
Package of 10 lbs....	.47	.48	.49	.51	.52	.53	.53	.54	.54	.55	.55	.56	.57	.58	.58
Package of 15 lbs....	.58	.58	.60	.62	.63	.64	.65	.66	.67	.68	.69	.71	.73	.74	.75
Package of 20 lbs....	.68	.69	.71	.73	.74	.75	.76	.78	.79	.80	.81	.82	.84	.86	.87
Package of 25 lbs....	.78	.79	.82	.84	.85	.87	.88	.90	.92	.93	.95	.96	.98	1.00	1.01
Package of 30 lbs....	.88	.90	.93	.95	.97	.98	1.00	1.03	1.04	1.07	1.08	1.10	1.11	1.14	1.17
Package of 35 lbs....	.99	1.00	1.04	1.07	1.08	1.10	1.12	1.15	1.18	1.20	1.22	1.23	1.25	1.30	1.31
Package of 40 lbs....	1.09	1.11	1.15	1.18	1.20	1.22	1.24	1.29	1.31	1.33	1.35	1.37	1.40	1.46	1.48
Package of 45 lbs....	1.19	1.21	1.26	1.29	1.31	1.34	1.36	1.41	1.44	1.46	1.48	1.51	1.54	1.58	1.61
Rate per 100 lbs....	\$3.74	\$3.90	\$3.96	\$4.01	\$4.07	\$4.18	\$4.23	\$4.34	\$4.40	\$4.56	\$4.67	\$4.73	\$4.78	\$5.17	\$5.33
CHARGES ON															
Package of 1 lb....	.31	.31	.31	.31	.31	.32	.32	.32	.32	.32	.32	.32	.33	.33	.33
Package of 2 lbs....	.34	.35	.35	.35	.35	.35	.35	.35	.36	.36	.36	.36	.37	.37	.38
Package of 5 lbs....	.45	.45	.46	.46	.47	.47	.47	.48	.48	.49	.49	.52	.53	.54	.56
Package of 10 lbs....	.62	.63	.64	.65	.66	.67	.68	.68	.70	.71	.73	.75	.78	.81	.85
Package of 15 lbs....	.79	.81	.82	.84	.85	.86	.87	.88	.91	.93	.95	.95	1.01	1.03	1.04
Package of 20 lbs....	.97	1.00	1.01	1.02	1.03	1.06	1.07	1.09	1.10	1.13	1.15	1.17	1.18	1.25	1.29
Package of 25 lbs....	1.14	1.18	1.20	1.21	1.22	1.25	1.26	1.29	1.31	1.34	1.37	1.39	1.40	1.50	1.54
Package of 30 lbs....	1.31	1.36	1.31	1.40	1.41	1.44	1.46	1.50	1.51	1.56	1.59	1.61	1.63	1.74	1.79
Package of 35 lbs....	1.48	1.54	1.56	1.58	1.61	1.64	1.66	1.69	1.72	1.77	1.81	1.84	1.85	1.99	2.07
Package of 40 lbs....	1.66	1.73	1.75	1.77	1.79	1.84	1.86	1.90	1.92	1.99	2.03	2.06	2.08	2.23	2.30
Package of 45 lbs....	1.84	1.90	1.94	1.96	1.98	2.03	2.06	2.10	2.13	2.20	2.25	2.28	2.30	2.47	2.55
Rate per 100 lbs....	\$6.54	\$6.65	\$6.71	\$7.04	\$7.31	\$7.37	\$7.42	\$7.64	\$7.86	\$8.03	\$8.19	\$8.69	\$8.80	\$8.96	\$9.13
CHARGES ON															
Package of 1 lb....	.34	.34	.34	.34	.34	.34	.34	.35	.35	.35	.35	.36	.36	.36	.37
Package of 2 lbs....	.40	.41	.41	.41	.42	.42	.42	.43	.43	.43	.44	.44	.45	.45	.46
Package of 5 lbs....	.58	.59	.59	.62	.63	.63	.63	.64	.65	.66	.67	.69	.70	.71	.74
Package of 10 lbs....	.90	.91	.91	.95	.98	.98	.99	1.01	1.03	1.04	1.07	1.11	1.12	1.14	1.15
Package of 15 lbs....	1.21	1.23	1.24	1.29	1.33	1.34	1.34	1.37	1.41	1.44	1.46	1.54	1.55	1.57	1.61
Package of 20 lbs....	1.53	1.55	1.56	1.63	1.68	1.69	1.70	1.75	1.79	1.83	1.86	1.98	1.98	2.01	2.05
Package of 25 lbs....	1.84	1.87	1.88	1.97	2.03	2.05	2.06	2.11	2.17	2.21	2.25	2.38	2.41	2.44	2.49
Package of 30 lbs....	2.16	2.19	2.20	2.30	2.39	2.40	2.42	2.49	2.55	2.60	2.65	2.79	2.83	2.88	2.93
Package of 35 lbs....	2.46	2.51	2.53	2.64	2.74	2.76	2.77	2.85	2.93	2.99	3.05	3.22	3.26	3.31	3.38
Package of 40 lbs....	2.78	2.83	2.85	2.98	3.09	3.11	3.13	3.22	3.31	3.38	3.44	3.64	3.68	3.75	3.82
Package of 45 lbs....	3.09	3.15	3.17	3.32	3.44	3.46	3.49	3.59	3.68	3.76	3.84	4.06	4.11	4.18	4.26

Rates for Parcel Post Shipments

Your postmaster will tell you the parcel post zone in which your postoffice is located, measuring from Chicago

All merchandise shipped by mail takes parcel post rates. Packages up to 4 ounces in weight are carried at the rate of 1 cent an ounce, regardless of distance. Packages over 4 ounces are charged for by the pound. The rate per pound varies according to the distance, which is measured by the Government zone system, each zone covering a certain number of miles

from point of shipment. Distances and rates are shown in the table below. Packages carried by parcel post are handled just like any other mail matter. They are delivered to your box by your rural mail carrier if you live on a rural route, or delivered to your door if you live in a city where there is carrier service, or delivered to your local postoffice if you live where there is no carrier service.

RATE TABLE FOR PARCEL POST SHIPMENTS

This table shows the charges when shipping by parcel post, according to the weight of the package and according to distance by zones.

Weight of Package	LOCAL ZONE For Shipments From Our Store in Chicago to Customers Within Chicago	ZONES 1 & 2 Not Over 150 Miles From CHICAGO	ZONE 3 151 to 300 Miles From CHICAGO	ZONE 4 301 to 600 Miles From CHICAGO	ZONE 5 601 to 1,000 Miles From CHICAGO	ZONE 6 1001 to 1,400 Miles From CHICAGO	ZONE 7 1,401 to 1,800 Miles From CHICAGO	ZONE 8 Over 1,800 Miles From CHICAGO
	Charges Required	Charges Required	Charges Required	Charges Required	Charges Required	Charges Required	Charges Required	Charges Required
Over 4 oz. up to 1 lb.	5c	5c	\$0.06	\$0.07	\$0.08	\$0.09	\$0.11	\$0.12
Over 1 lb. up to 2 lbs.	6c	6c	.08	.11	.14	.17	.21	.24
Over 2 lbs. up to 3 lbs.	6c	7c	.10	.15	.20	.25	.31	.36
Over 3 lbs. up to 4 lbs.	7c	8c	.12	.19	.26	.33	.41	.48
Over 4 lbs. up to 5 lbs.	7c	9c	.14	.23	.32	.41	.51	.60
Over 5 lbs. up to 6 lbs.	8c	10c	.16	.27	.38	.49	.61	.72
Over 6 lbs. up to 7 lbs.	8c	11c	.18	.31	.44	.57	.71	.84
Over 7 lbs. up to 8 lbs.	9c	12c	.20	.35	.50	.65	.81	.96
Over 8 lbs. up to 9 lbs.	9c	13c	.22	.39	.56	.73	.91	1.08
Over 9 lbs. up to 10 lbs.	10c	14c	.24	.43	.62	.81	1.01	1.20
Over 10 lbs. up to 11 lbs.	10c	15c	.26	.47	.68	.89	1.11	1.32
Over 11 lbs. up to 12 lbs.	11c	16c	.28	.51	.74	.97	1.21	1.44
Over 12 lbs. up to 13 lbs.	11c	17c	.30	.55	.80	1.05	1.31	1.56
Over 13 lbs. up to 14 lbs.	12c	18c	.32	.59	.86	1.13	1.41	1.68
Over 14 lbs. up to 15 lbs.	12c	19c	.34	.63	.92	1.21	1.51	1.80
Over 15 lbs. up to 16 lbs.	13c	20c	.36	.67	.98	1.29	1.61	1.92
Over 16 lbs. up to 17 lbs.	13c	21c	.38	.71	1.04	1.37	1.71	2.04
Over 17 lbs. up to 18 lbs.	14c	22c	.40	.75	1.10	1.45	1.81	2.16
Over 18 lbs. up to 19 lbs.	14c	23c	.42	.79	1.16	1.53	1.91	2.28
Over 19 lbs. up to 20 lbs.	15c	24c	.44	.83	1.22	1.61	2.01	2.40
Over 20 lbs. up to 21 lbs.	15c	25c	.46	.87	1.28	1.69	2.11	2.52
Over 21 lbs. up to 22 lbs.	16c	26c	.48	.91	1.34	1.77	2.21	2.64
Over 22 lbs. up to 23 lbs.	16c	27c	.50	.95	1.40	1.85	2.31	2.76
Over 23 lbs. up to 24 lbs.	17c	28c	.52	.99	1.46	1.93	2.41	2.88
Over 24 lbs. up to 25 lbs.	17c	29c	.54	1.03	1.52	2.01	2.51	3.00
Over 25 lbs. up to 26 lbs.	18c	30c	.56	1.07	1.58	2.09	2.61	3.12
Over 26 lbs. up to 27 lbs.	18c	31c	.58	1.11	1.64	2.17	2.71	3.24
Over 27 lbs. up to 28 lbs.	19c	32c	.60	1.15	1.70	2.25	2.81	3.36
Over 28 lbs. up to 29 lbs.	19c	33c	.62	1.19	1.76	2.33	2.91	3.48
Over 29 lbs. up to 30 lbs.	20c	34c	.64	1.23	1.82	2.41	3.01	3.60
Over 30 lbs. up to 31 lbs.	20c	35c	.66	1.27	1.88	2.49	3.11	3.72
Over 31 lbs. up to 32 lbs.	21c	36c	.68	1.31	1.94	2.57	3.21	3.84
Over 32 lbs. up to 33 lbs.	21c	37c	.70	1.35	2.00	2.65	3.31	3.96
Over 33 lbs. up to 34 lbs.	22c	38c	.72	1.39	2.06	2.73	3.41	4.08
Over 34 lbs. up to 35 lbs.	22c	39c	.74	1.43	2.12	2.81	3.51	4.20
Over 35 lbs. up to 36 lbs.	23c	40c	.76	1.47	2.18	2.89	3.61	4.32
Over 36 lbs. up to 37 lbs.	23c	41c	.78	1.51	2.24	2.97	3.71	4.44
Over 37 lbs. up to 38 lbs.	24c	42c	.80	1.55	2.30	3.05	3.81	4.56
Over 38 lbs. up to 39 lbs.	24c	43c	.82	1.59	2.36	3.13	3.91	4.68
Over 39 lbs. up to 40 lbs.	25c	44c	.84	1.63	2.42	3.21	4.01	4.80
Over 40 lbs. up to 41 lbs.	25c	45c	.86	1.67	2.48	3.29	4.11	4.92
Over 41 lbs. up to 42 lbs.	26c	46c	.88	1.71	2.54	3.37	4.21	5.04
Over 42 lbs. up to 43 lbs.	26c	47c	.90	1.75	2.60	3.45	4.31	5.16
Over 43 lbs. up to 44 lbs.	27c	48c	.92	1.79	2.66	3.53	4.41	5.28
Over 44 lbs. up to 45 lbs.	27c	49c	.94	1.83	2.72	3.61	4.51	5.40
Over 45 lbs. up to 46 lbs.	28c	50c	.96	1.87	2.78	3.69	4.61	5.52
Over 46 lbs. up to 47 lbs.	28c	51c	.98	1.91	2.84	3.77	4.71	5.64
Over 47 lbs. up to 48 lbs.	29c	52c	1.00	1.95	2.90	3.85	4.81	5.76
Over 48 lbs. up to 49 lbs.	29c	53c	1.02	1.99	2.96	3.93	4.91	5.88
Over 49 lbs. up to 50 lbs.	30c	54c	1.04	2.03	3.02	4.01	5.01	6.00
Over 50 lbs. up to 51 lbs.	30c	55c	1.06					
Over 51 lbs. up to 52 lbs.	31c	56c	1.08					
Over 52 lbs. up to 53 lbs.	31c	57c	1.10					
Over 53 lbs. up to 54 lbs.	32c	58c	1.12					
Over 54 lbs. up to 55 lbs.	32c	59c	1.14					
Over 55 lbs. up to 56 lbs.	33c	60c	1.16					
Over 56 lbs. up to 57 lbs.	33c	61c	1.18					
Over 57 lbs. up to 58 lbs.	34c	62c	1.20					
Over 58 lbs. up to 59 lbs.	34c	63c	1.22					
Over 59 lbs. up to 60 lbs.	35c	64c	1.24					
Over 60 lbs. up to 61 lbs.	35c	65c	1.26					
Over 61 lbs. up to 62 lbs.	36c	66c	1.28					
Over 62 lbs. up to 63 lbs.	36c	67c	1.30					
Over 63 lbs. up to 64 lbs.	37c	68c	1.32					
Over 64 lbs. up to 65 lbs.	37c	69c	1.34					
Over 65 lbs. up to 66 lbs.	38c	70c	1.36					
Over 66 lbs. up to 67 lbs.	38c	71c	1.38					
Over 67 lbs. up to 68 lbs.	39c	72c	1.40					
Over 68 lbs. up to 69 lbs.	39c	73c	1.42					
Over 69 lbs. up to 70 lbs.	40c	74c	1.44					

Within Local Zone and Zones 1, 2 and 3, packages up to 70 pounds in weight are carried. The limit of weight for all other Zones is 50 pounds. Articles measuring more than 7 feet in length and girth combined cannot be shipped by parcel post.

About Transportation Charges.


When goods are to be shipped by parcel post, it is not necessary to send stamps to pay the postage for shipping package. Simply add the amount for charges to the amount of the merchandise and include in the money order, check or currency you send us. This charge for mailing must be paid in advance, as no provision has been made for the collection of mailing charge on delivery.

When goods are to be shipped by freight or express and there is no freight or express agent at your shipping point, you must send money to prepay the transportation charges. If there is an agent you can pay the transportation charges when shipment reaches you. It is only necessary to prepay freight or express charges when there is no agent at your station. Regard pages 694 and 695 for complete information about freight and express rates and charges.

Throughout our catalogs you will find the shipping weight is given in the description of merchandise. Occasionally, according to the nature of the merchandise, we are obliged to give the actual weight. In such cases a few ounces extra in weight must be allowed for wrapping and packing, according to the nature of the goods.

Books Parcel post rates apply to books as follows: All books up to and including 8 ounces in weight will be carried at the rate of 1 cent for 2 ounces to any part of the United States, regardless of distance, and all books over 8 ounces in weight will take the regular parcel post rates according to weight and zone.

How to Return Goods to Us by Parcel Post.



THE WAY TO RETURN GOODS TO US BY PARCEL POST.

When you return goods by parcel post, put the letter you write and the bills for the goods in an envelope and paste or tie the envelope securely to the outside of the package. In addition to the postage you put on the package, put 3 cents postage on the envelope.



Wall Paper **Sample Book** **FREE**



Sears, Roebuck and Co.
Chicago